

Characteristics of One Health surveillance systems: A systematic literature review

Marion Bordier, Theethawat Uea-Anuwong, Aurélie Binot, Pascal Hendrikx,

Flavie Goutard

▶ To cite this version:

Marion Bordier, Theethawat Uea-Anuwong, Aurélie Binot, Pascal Hendrikx, Flavie Goutard. Characteristics of One Health surveillance systems: A systematic literature review. Preventive Veterinary Medicine, 2020, 181, pp.104560. 10.1016/j.prevetmed.2018.10.005 . hal-02944160

HAL Id: hal-02944160 https://hal.inrae.fr/hal-02944160

Submitted on 22 Aug2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Version of Record: https://www.sciencedirect.com/science/article/pii/S0167587718303659 Manuscript_16041ff93366eadf76f64caf0899b10f

1 Characteristics of One Health surveillance systems: a systematic literature review.

- 2
- 3 Marion Bordier^{a,b,c,*}, Theethawat Uea-Anuwong^{d,e}, Aurélie Binot^{b,f}, Pascal Hendrikx^g, Flavie L.
- 4 Goutard^{b,d,e}
- 5
- 6 * corresponding author
- 7 ^a Centre de Coopération Internationale en Recherche Agronomique Pour le Développement
- 8 (CIRAD), UMR ASTRE, Hanoi, Vietnam
- 9 ^bASTRE, Univ Montpellier, CIRAD, INRA, Montpellier, France.
- ¹⁰ ^c National Institute of Veterinary Research (NIVR), 86 Truong Chinh, Hanoi, Vietnam.
- ¹¹ ^d CIRAD, UMR ASTRE, 10900 Bangkok, Thailand.
- ¹² ^e Kasetsart University, Faculty of Veterinary medicine, 50 Phaholyothin Rd., Ladyao, Jatujak,
- 13 Bangkok, Thailand, 10900
- ¹⁴ ^f CIRAD, ASTRE, Campus international de Baillarguet, 34398 Montpellier cedex 05, France
- ^g French Agency for Food, Environmental and Occupational Health Safety (ANSES), UCAS, 31
- 16 Avenue Tony Garnier, 69394 Lyon Cedex 07, France.
- 17
- 18 Marion Bordier: marion.bordier@cirad.fr; +841288224559
- 19 Theethawat Uea-Anuwong: thee.jai@gmail.com
- 20 Aurélie Binot: aurelie.binot@cirad.fr
- 21 Pascal Hendrikx: Pascal.HENDRIKX@anses.fr
- 22 Flavie L. Goutard: Flavie.goutard@cirad.fr
- 23
- 24
- 25 ABSTRACT

27 The concept of One Health (OH) promotes the decompartmentalisation of human, animal, and 28 ecosystem health for the more efficient and sustainable governance of complex health issues. This 29 means that traditional boundaries between disciplines and sectors must be transgressed and that all 30 relevant stakeholders must be involved in the definition and management of health problems. 31 International efforts have been made to strengthen collaboration across sectors and disciplines and 32 OH surveillance is strongly encouraged at global, national and local-level to efficiently manage 33 hazards involving humans, animals and ecosystems. 34 This concept is intuitively appealing and would suggest the enhanced performance and cost-35 effectiveness of surveillance systems, as compared to more conventional approaches. Nevertheless, 36 confusion and uncertainty regarding the practical application, outcomes and impacts prevail. We 37 believe that this is due to the lack of a conceptual and methodological framework which would (i) 38 define the characteristics of OH surveillance, and (ii) identify the appropriate mechanisms for inter-39 sectoral and multi-disciplinary collaboration, to ensure that the surveillance system performs well, 40 with regard to the objective, the context and the health hazard under surveillance. 41 The objective of the study is to define the organisational and functional characteristics of OH 42 surveillance systems, the context in which they are implemented, as well as the influential factors 43 which may obstruct or support their implementation and performance. To achieve this, a systematic 44 literature review of existing OH surveillance systems was conducted using the Prisma guidelines. 45 The selected systems were assessed according to 38 predetermined variables. These allowed the 46 characterisation of their objectives, organisation, functioning, performance and benefits. Data 47 extraction was conducted using a spreadsheet and a database was built using an electronic multiplechoice questionnaire. 48

The literature search identified a total of 1,635 records. After the screening phase, 31 references
were kept and 22 additional references retrieved from bibliographies were added. From these 53

26

51 selected documents, we retrieved 41 different surveillance systems in line with the definition

52 proposed in this study. The analysis of this database enabled the identification of different

53 dimensions and areas of collaboration. Barriers and levers for the implementation of OH

54 surveillance systems were also identified and discussed.

55 Based on our results, we propose a framework to characterise the organisation of collaboration for

56 the governance and operation of an effective OH surveillance system.

57

58 Keywords: surveillance, One Health, framework, collaboration

59 1. Introduction

60 Current international consensus highlights the need to develop integrated policies to efficiently 61 manage health issues at the human-animal-environment interface (Jeggo and Mackenzie, 2012). 62 The management of complex health issues should therefore shift from isolated, sectoral and linear, 63 to systemic and transdisciplinary approaches to health. This requires the engagement of a wide 64 range of stakeholders from different professional sectors and decision-making scales (including 65 community) and of disciplines belonging to biosciences, social sciences and engineering (Queenan 66 et al. 2016). Such an approach is in line with the One Health (OH) concept, which promotes collaborative efforts across sectors and disciplines as well as an ecosystemic approach to health, to 67 attain optimal health for humans, animals and their environment (AVMA, 2008; Zinsstag et al., 68 69 2011). Close collaboration between health systems is therefore strongly encouraged, in particular in 70 the surveillance of health hazards involving humans, animals and their environment (FAO, 2010). 71 This means that we must also consider ecosystems within which conditions may trigger health risks 72 for humans and animals (Queenan et al. 2016).

Health surveillance is the ongoing, systematic collection, analysis and interpretation of healthrelated data with the *a priori* purpose of preventing or controlling health hazards and identifying

75 unusual events of health importance, followed by the dissemination and use of such information for 76 health action (Lee and Thacker, 2011). There is no current consensual definition for a OH 77 surveillance system. Stärk et al. (2015) and Berezowski et al. (2015) characterise OH surveillance 78 as a system that collects data in multiple domains. For Hattendorf et al. (2017), using a OH 79 approach to surveillance does not automatically imply that data must be collected both from animals 80 and humans, as long as there is inter-sectoral collaboration that leads to improved health 81 management. The definition provided by Karimuribo et al. (2012) also emphasises cross-sectoral 82 collaborative efforts between the human and animal (wildlife and domestic) sectors.

83 Despite a lack of evidence to support this, the application of the OH concept to surveillance is 84 expected to increase efficiency, cost-effectiveness and cost-benefits (Stärk et al., 2015; Babo 85 Martins et al., 2017). Nevertheless, surveillance systems continue to be developed and operated in a 86 highly sectoral approach (Baum et al., 2017). We argue that the OH approach is difficult to implement in the field of surveillance, partly due to the absence of a conceptual and methodological 87 88 framework that characterises OH surveillance and supports the implementation of appropriate 89 cross-sectoral and multi-disciplinary collaboration. Depending on the surveillance context and 90 objective, the required collaborative efforts across sectors and disciplines might differ. They might 91 be implemented for various activities throughout the surveillance process and engage different 92 combinations of sectors, disciplines and decision-making scales (Dente et al., 2016; Babo Martins et 93 al., 2017; Hattendorf et al., 2017).

We conducted a systematic literature review of the organisational and functional characteristics of existing OH surveillance systems, as well as the influential factors which may obstruct or support their implementation. Based on our results, we propose a framework that characterises the organisation of collaboration for the governance and operation of effective OH surveillance systems, and the factors that influence their performance and maintenance over time.

99 2. Materials and methods

In the absence of a consensual definition for a OH surveillance system and based on elements found in published literature (Karimuribo et al. 2012; Berezowski et al. 2015; Stark et al, 2015; Hattendorf et al., 2017), the following definition is proposed for this study. A OH surveillance system is a system in which collaborative efforts exist between at least two sectors (among human health, animal health, plant health, food safety, wildlife and environmental health) at any stage of the surveillance process, to produce and disseminate information with the purpose of improving an aspect of human, animal or environmental health.

107 2.1. Literature sources and search strategy

A systematic literature search was conducted according to the PRISMA requirements (Preferred Reporting Items for Systematic Reviews and Meta-analysis) (Moher et al., 2009). Searches were conducted using Google Scholar, PubMed and ScienceDirect. The literature search focused on scientific and grey literature, in French and English, published between 01/01/1985 and 31/12/2016. Keywords for four different domains were used, and applied only to the title, abstract and key words within literature (See Table 1).

114 2.2. Study selection

All documents retrieved from the bibliographic databases were screened by two reviewers following two distinct steps. For the first step, three inclusion criteria were applied to titles and abstracts: (i) the document describes a surveillance system (as defined previously), (ii) the surveillance system focuses on a health hazard, (iii) the surveillance system shows evidence of collaborative efforts between professionals working in at least two different sectors, among animal health, human health, food safety and the environment. In the second step, only references with the full text available were screened. An additional criterion was used: the document provides a detailed description of the surveillance organisation and operation. Articles and reports meeting all
inclusion criteria were registered. Bibliographies of selected publications were reviewed to identify
other relevant references.

125 2.3. Data extraction

126 To meet the objective of the review, the selected surveillance systems were assessed according to 127 38 predetermined variables, allowing the description of the organisation, the functioning, the surveillance context, the health hazards and domain under surveillance, the type of collaboration 128 129 and underlying mechanisms, the barriers and favouring factors regarding on-going collaboration, 130 and the performance and benefits of the systems (See Table 2). Variables related to collaboration were slightly refined during the information collection to capture the different dimensions and areas 131 of collaboration arising from the literature review process. Data extraction was conducted using a 132 133 spreadsheet; a database was then developed by entering this data into an electronic multiple-choice 134 questionnaire, with pre-defined modalities. If data for certain organisational and functional 135 variables was missing, additional searches were conducted on the webpages of the coordinating institutions to retrieve the missing information. 136

137 **3. Results**

The literature search identified a total of 1,635 records. After the screening phase, 31 references were kept and 22 additional references retrieved from bibliographies were added (Figure 1). From these 53 documents, we retrieved 41 different surveillance systems in line with the definition. Table describes these systems regarding six main variables: hazard(s) under surveillance, domain(s) under surveillance, objective and purpose, coordination modalities (number of institutions involved and type of sector they belong to), sectors involved in the operation of the surveillance and type of inter-sectoral collaboration.

145 3.1. Dimensions and degrees of collaboration in One Health surveillance systems

The analysis of the existing systems led to the identification of four main dimensions where collaboration across sectors and disciplines may occur (variables 25 to 33 in Table 2): (i) institutional collaboration across sectors for the governance and operation of the surveillance system; (ii) collaboration at the different scales of the decision-making process; (iii) collaboration across disciplines; (iv) collaboration through public-private partnerships. These four dimensions are described in more detail below.

152 The first dimension refers to collaboration between sectoral institutions with different jurisdictions and mandates, mainly public health, animal health, plant health, environmental health 153 and food safety. Collaboration can take place at the governance-level for the coordination and 154 supervision of the surveillance system and/or at the operational-level for the implementation of 155 156 surveillance activities, at the different steps of the surveillance process. Multi-institutional coordination is in place for 43.9% of the surveillance systems. If the coordination is led by a single 157 158 sectoral institution (mainly the public health sector), in 87% of the cases, collaboration is established at the operational-level, with institutions in charge of other domains covered by the 159 160 surveillance system. Where the mechanisms supporting institutional collaboration are described 161 (36.6% of the surveillance systems), these most commonly (80% of the cases) include 162 establishment of an inter-agency committee and/or the existence of official documents framing 163 collaboration. Official documents are usually legal instruments, such as the inter-ministerial circular 164 that describes the role and responsibilities of each party in the surveillance system for West Nile 165 virus in France (Ministry of Health, 2012), or the legally binding agreement for data sharing between the animal health and the human health sectors within the RAIZO, in Canada (Roth D., 166 167 2011). At the operational-level, various degrees of collaboration were identified at all steps of the 168 surveillance process: planning, data collection (including sampling and laboratory testing), data

management, data sharing, data analysis/interpretation and results dissemination. These degrees ofcollaboration are presented in Figure 2.

The second collaborative dimension concerns the engagement of different disciplines, among biosciences, social sciences and engineering. The data retrieved was insufficient to allow a detailed description of the proportion of disciplines engaged in the surveillance process, but disciplines referring to biosciences (medicine, microbiology, epidemiology, entomology, ornithology, parasitology) showed a significantly higher representation. These disciplines can be used for different occupational purposes (risk assessment, risk management, research, etc.).

A third collaborative dimension can be described regarding collaboration between different decision-making scales. These scales include the different administrative jurisdictional scales within a same country (central, provincial and local authorities) but also the supra-national scales such as the international-scale (e.g. international organisations) or the regional-scale (e.g. regional economic communities). Within this dimension, the engagement of civil society must also be considered and is, for instance, clearly emphasised for two surveillance systems targeting rabies (Abbas et al, 2011; Lapiz et al., 2012).

Finally, a last collaborative dimension can be defined through the development of public-private partnerships within, but also across, sectors. For instance, in Canada, veterinary pharmaceutical companies as well as private veterinarians collaborate within the surveillance system for antimicrobial resistance, which is coordinated by the Ministry of Health (CIPARS, 2015; Grant et al., 2014). Reported private partners are mainly veterinarians, physicians, private laboratories, farmers, feed/food operators and pharmaceutical companies, on an individual basis or through professional organisations.

192 3.2.1. Favouring factors

193 Factors that have positively influenced the implementation and the functioning of a collaborative 194 surveillance system are mentioned for 21 systems (51.2%). Factors related to the existence of an 195 appropriate framework to ease collaboration across sectors are the most numerous (71.4%). Some 196 surveillance systems are embedded in an overarching OH programme and benefit from the existing 197 inter-sectoral framework to develop collaborative surveillance activities. This is the case for the 198 surveillance of rabies in Bohol, where collaborative surveillance activities are part of a programme 199 for the elimination of rabies supervised by an inter-sectoral council (Lapiz et al., 2012). Other 200 references emphasise the existence of an appropriate legal or institutional framework as a lever for 201 collaboration (Abbas et al, 2011; Adamson et al., 2011; Lapiz et al., 2012; Ministry of Health, 202 2012). For two systems, however, collaboration is not supported by an official framework but by preferential relationships existing between individuals working in different sectors and disciplines 203 204 (Epp et al., 2008; Adamson et al., 2011). For the surveillance of rabies in Tamil Nadu (Abbas et al, 205 2011), the clear definition of roles and duties of the different agencies involved is considered to have strongly supported the operationalisation of collaboration. The existence of inter-sectoral 206 207 collaboration mechanisms already established at a supra-level will also usually provide a framework for infra-level collaboration. For instance, in Mongolia, the implementation of a multi-agency 208 209 committee for zoonotic diseases at country-level was facilitated by the existence of inter-sectoral 210 strategy at the regional-level - the Asia Pacific Strategy for Emerging Diseases (Batsukh et al., 211 2012). Finally, the last factor related to the existence of an appropriate framework to support collaboration refers to the supervision, by the same authority, of sectors in charge of surveillance 212 213 components. In Italy, the veterinary services are under the authority of the Ministry of Health, and 214 this administrative organisation is considered to strengthen the channels of communication across 215 animal health and public health professionals within the integrated surveillance system for West

216 Nile Virus (Rizzo et al., 2012; Napoli et al., 2015). Other favouring factors are related to 217 mechanisms ensuring the commitment of stakeholders, at the political and operational-levels 218 (51.7% of the systems). For three systems (Talaska T., 1994; Sleigh et al., 1998a; Sleigh et al., 219 1998b; Wielinga et al., 2014), efficient and appropriate communication and consultation channels 220 helped in achieving stakeholder commitment within the collaborative system. In two cases, the 221 ability of the system to meet the objectives of the different stakeholders was specifically identified 222 to be the key to success and sustainability of the surveillance system (Adamson et al., 2011; 223 Donado-Godoy et al., 2015). For 51.7% of the systems, epidemiological factors are also mentioned 224 as a motivation to establish collaboration for surveillance activities, such as the scientific evidence 225 of the efficiency of using animal sentinels or vector surveillance components to protect human 226 health (McNamara et al., 2013; Morgan D., 2006; Petrić et al., 2017), or the necessary recognition 227 of the interconnectivity between domains in the conception of an efficient surveillance system (Talaska T., 1994; Morgan et al., 2009; Witt et al., 2004; Vrbova et al., 2016). For instance, some 228 technical factors are also considered to favour collaboration and integration of data from different 229 230 domains for 23.8% of the systems. The most common one refers to the availability of a joint 231 database or the ease of data exchange, thanks to compatible sectoral information systems. In the surveillance of Salmonella in Brandenburg, a common data-bank is recognised to have stimulated 232 233 the commitment of stakeholders to the collaborative system (Talaska T., 1994). The AFHSC-Division of GEIS operations predictive surveillance programme has developed, with partners from 234 235 different sectors, a model merging data collected from several sources that supports pre-event 236 advisories and alerts on the emergence of disease outbreaks (Witt et al., 2011). Another technical factor is related to the crucial role played by a fully functional national reference laboratory for 237 238 harmonisation across data-sets and their further combination, as emphasised by Ammon et al. 239 (2010) in their description of the surveillance of zoonotic diseases in the European Union.

240 3.2.2. Barriers

241 Barriers that hamper the operation of collaborative surveillance systems have been specified for 242 20 systems (48.8%). These are mostly technical barriers (78.6%): a lack of standardisation and 243 harmonisation for data collection, incomplete data, insufficient data-sharing across sectors including 244 unreliable cross-sectoral alert systems, incomplete multi-domain data analysis and interpretation. In 245 four cases, the collaboration might not have reached a sufficient level because of the absence of 246 engagement among the private sector (Sorensen et al., 2014) or an insufficient integration with 247 certain sectoral components still conducted separately (Adamson et al., 2011; Roth D., 2011; 248 Sorensen et al., 2014). As a result, the systems cannot meet their objective, such as the detection of 249 health events in animals to prevent human cases or the attribution of sources for human cases of 250 food-borne diseases. In addition, legal constraints are also mentioned for 42.9% of systems: the 251 property and confidentiality of data, ethical issues, and an inadequate legal and operational 252 framework to precisely define the roles and mandates of the different actors involved and to support 253 collaboration at ground-level. Inappropriate amounts and allocation of resources are also 254 impediments to collaborative approaches. On the one hand, budgets are vertically allocated and 255 there are no resources available for cross-sectoral actions. On the other hand, resources are scarce, 256 especially for surveillance activities, and stakeholders may have to compete for them, reinforcing 257 the lack of collaboration (Batsukh et al., 2012; Johnson et al., 2018). Finally, competing priorities 258 among actors may also obstruct the involvement of the different parties in a OH surveillance 259 system. In the surveillance system for zoonotic diseases in New South Wales, the different interests 260 of each sector in zoonoses is responsible for the inconsistency of notification between sectors 261 (Adamson et al., 2011).

262 4. Discussion

The systematic literature review retrieved 41 existing surveillance systems, in which
 collaboration across sectors and disciplines may occur at different steps of the surveillance process

and to various degrees. These systems are mainly characterised by the hazard under surveillance,
the surveillance purpose, the type of sector leading the coordination and the type of sectors involved
in the surveillance activities, as emphasised by the results of a multi-variate analysis conducted on
the database (results not yet published).

269 However, these results should be interpreted with caution, due to certain biases in the retrieval methodology of the documents describing surveillance systems. Many surveillance systems, and 270 271 especially those established for official purposes, do not necessarily lead to publications and so might not be included in our study. During the review, some documents referring to our definition 272 273 of OH surveillance system were initially retrieved but were subsequently excluded from the 274 analysis as they did not provide enough information. On the contrary, some surveillance systems 275 may demonstrate collaboration across sectors, but as they were not mentioned in the references 276 retrieved, they were not captured by our study. Moreover, the organisation of some systems may have evolved further since publication describing it, and data used for the analysis might be 277 278 outdated. Additionally, the level of information relative to surveillance organisation may vary from 279 one document to another, and some characteristics may not have been captured in our study because 280 they were not mentioned by the authors. For instance, this systematic literature review does not 281 allow the identification of certain barriers to collaboration which are commonly described as 282 underpinning the operationalisation of OH surveillance, such as differing priorities between riskbearers and risk managers, data sequestration, the undervaluation of certain sectors and disciplines 283 284 or the fear of losing ownership and leadership (Häsler et al., 2012; Uchtmann and al, 2015). This 285 can be explained by the fact that the objective of the review was to retrieve documents describing the organisation and functioning of OH surveillance systems and that barriers were poorly described 286 287 in the selected documents. Finally, research on OH surveillance is gaining increasing attention and 288 the study did not include some articles published after the search period.

289 The definition used for a OH surveillance system (collaboration among at least two of the following sectors: animal, human and environment) can be questioned regarding the most 290 291 commonly agreed OH definition that promotes the inclusion of all three sectors (AVMA, 2008; 292 Zinsstag et al., 2011). Moreover, the COHERE standards consider an OH epidemiological study 293 only if it reports data collected in all three domains (Davis et al, 2017). However, some surveillance 294 systems are set with a specific objective in a given socio-economic context that do not require or 295 allow the inclusion of all the three domains. In our view, even if they do not include the three 296 domains, surveillance systems demonstrating collaborative efforts among sectors and disciplines 297 towards a more holistic approach should still benefit from consideration from a OH perspective. 298 Moreover, challenges encountered for their operationalisation are similar and require the same 299 needs in terms of governance and operational framework to favour their implementation. 300 Nevertheless, to avoid confusion over terminology, these systems could be renamed, and 301 "collaborative surveillance" is suggested.

302 In the last decade, the OH concept has been endorsed and largely promoted at the global and 303 local-level (Vandermissen and Welburn, 2014). Despite the persistence of silo-thinking, many 304 initiatives have emerged. In terms of surveillance, this study suggests that efforts mainly focus on the prevention of zoonotic diseases (including vector-borne and food-borne diseases), and more 305 306 recently of antimicrobial resistance. The review has retrieved only two articles describing 307 surveillance initiatives focusing on non-communicable hazards that bridged health and 308 environmental sciences in an effort to address health risks related to environmental contaminants 309 (Abelsohn et al., 2009; CDC, 2004; Malone and Culver 2008). Nevertheless, environmental 310 contaminants (such as heavy metals, dioxins, PCB, myco- and phycotoxins, etc.) are a 311 quintessential OH issue. Animals and humans share the same environment and the same sources of food and water; therefore, they are potentially exposed to the same chemicals. Additionally, humans 312 313 can be contaminated through the ingestion of contaminated animal products, which are an essential

314 part of the human diet (Buttke D.E., 2011). Moreover, it has been demonstrated that animals are 315 sensitive indicators of environmental chemical hazards and could serve as sentinels for human 316 environmental health risks (Reif J.S., 2011; Pearce and Douwes, 2013). Environmental 317 contamination thus calls for a highly interdisciplinary approach to appropriately respond to the 318 related health risk. Nevertheless, our study only retrieved a few examples of OH surveillance 319 systems addressing chemical environmental hazards.

320 The definition of the OH concept is linked with the notion of attaining optimal health at once for 321 humans, animals and the environment. In most of the documents retrieved, the primary purpose of 322 the collaboration across sectors was to improve human health only. Nevertheless, OH offers the possibility to transcend the anthropocentric view of health and to shift the current focus to a more 323 balanced strategy with benefits to all domains to improve health development in a sustainable way, 324 325 as described by Oueenan and al. (2017). If relevant, collaborative surveillance systems could be developed with a wider perspective and used to inform interventions in the animal and 326 327 environmental sectors, to obtain gains for the health and welfare of animals, plants, and ecosystems (Rüegg et al., 2017; Rüegg et al., 2018). For instance, human diseases or behaviours could be 328 329 monitored and act as risk indicators for animal and environmental health.

330 The study has highlighted that OH surveillance is often assimilated to integrated surveillance, 331 insofar that data from different sources is jointly collected and/or a posteriori combined. The 332 concept of collaboration, a fundamental principle of the OH concept (Zinsstag et al. 2011), is 333 therefore not inherent to integrated surveillance when defined in this way. Indeed, a surveillance 334 system can allow the acquisition and combination of data stemming from several domains, without demonstrating any beneficial collaboration for health management across sectors and disciplines. 335 336 For instance, the surveillance of zoonotic diseases in the Russian Federation includes data collection in humans, wildlife and the environment and is coordinated by the public health sector alone, with 337 338 limited collaboration with other sectors. This is considered to hamper the performance of the

339 surveillance system (McNamara et al., 2013). As a result, this system may be considered more as an integrated system than a OH surveillance system. The term OH is also often used to characterise 340 341 surveillance systems in food, because they integrate data collected at the different stages of the food 342 chain. If data is collected and analysed by a single sector and does not support interventions to improve the health situation in another sector, this approach should not be considered as OH, as no 343 344 added value emerges from inter-sectoral collaboration. On the contrary, regarding our definition, 345 surveillance systems could be labelled OH even when collecting data in a single domain, if this data 346 is used to inform another sector to improve health management. For instance, in the Gulf of 347 Mexico, the national agency in charge of the environment monitors coastal waters (ecological and 348 biological data) to predict blooms of harmful algae. Results are transmitted to the authorities in 349 charge of public health and fisheries so that they can take appropriate action to manage the risk in 350 their respective jurisdictions (Abelsohn et al., 2009). The risk mitigation measures would not have been implemented if collaboration was not operational across the three sectors. Hence, "integrated" 351 and "OH" should not be considered as synonymous. Using one term for another interchangeably is 352 353 confusing and does not support the effective operationalisation of the OH concept in the field of surveillance. 354

355 The same observation can be made regarding the terms "multi-disciplinary" and "multi-sectoral" 356 which are regularly used, one for the other, to describe ongoing collaboration happening within 357 surveillance systems. Discipline refers to a branch of knowledge (medicine, epidemiology, economics, sociology, etc.) while sector refers to a branch of activities (animal health, public health, 358 food and water safety, environmental health, etc.). In our view, a surveillance system showing a 359 multi-disciplinary approach without cross-sectoral collaboration should not be qualified as OH. 360 361 Indeed, even if a sectoral institution establishes a multi-disciplinary team to integrate knowledge usually mobilized by other sectors, it will not be able to consider all the dimensions related to this 362 363 sector (stakeholders, constraints, expectations, socio-economic factors, etc.). Multi-disciplinary and

multi-sectoral are intrinsically linked but not interchangeable. Cross-sectoral collaboration will
 automatically lead to a multi-disciplinary approach, as each sector mobilizes at least one discipline
 (medicine, ecology, food hygiene, etc.). On the contrary, a multi-disciplinary approach can be
 developed within one sector without additional cross-sectoral collaboration.

368 Transdisciplinarity is, however, the quintessence of a OH initiative and refers to the integration across both sectors and disciplines (Rüegg et al., 2018). This approach links societal and scientific 369 370 problems together, by combining scientific and extra-scientific insights. It creates new connections across distinct epistemic, social-organisational and communicative entities that are part of the 371 372 problem context (Jahn and Keil, 2015). Surveillance systems designed according to a 373 transdiciplinary approach will therefore entirely fulfil the requirements of a OH approach in its 374 broader definition. Interests, expectations and knowledge of the different scientific, societal and 375 political stakeholders and end-users of the system are considered, and the new knowledge produced is expected to contribute to the well-balanced improvement of animal, human, and environmental 376 377 health.

Our findings reinforce the hypothesis that the lack of a conceptual framework to accurately 378 define the notion of OH surveillance is undermining the operationalisation of collaborative efforts 379 380 for efficient and sustainable surveillance systems. From our perspective, a OH surveillance system 381 is, above all, characterised by the collaboration taking place among professional sectors (both 382 public and private) and disciplines, at different decision-making scales, to coordinate and 383 implement appropriate surveillance activities. Based on the analysis of existing OH surveillance 384 systems, we propose a conceptual framework (Figure 3) to describe the different organisational levels of collaboration that need to be taken into consideration, and the factors influencing their 385 386 effective governance and operation, in the long-term.

387 In our framework, we distinguished three different levels where collaboration must be organised and planned: (i) the policy-level, (ii) the institutional-level and (iii) the operational-level. At the 388 389 policy-level, the collaborative strategy is clearly defined: collaborative efforts are elucidated in 390 broad terms emphasising the rationale behind the necessary collaborative efforts as well as the OH 391 surveillance objective. The different dimensions (sectors, disciplines, decision-making scales and 392 public-private partnerships) in which collaboration will take place are clarified and the role of the 393 surveillance actors acting and interacting in those dimensions are stated. Mechanisms for the 394 steering and coordination of the collaborative surveillance system, as well as for scientific and 395 technical support, are clarified. The way in which resources will be mobilized across sectors and 396 then allocated to collaborative activities is established. For instance, Roth et al. (2003) propose that 397 the budget allocated by each ministry for cross-sectoral activities could be proportional to the 398 benefits that derive from the collaboration for each sector. In some countries, the government has 399 been reorganised to reduce operational costs and silo-functioning. This is the case in Denmark, where a new Ministry in charge of food, agriculture and fisheries has been created, which is 400 401 recognised to have improved inter-sectoral collaboration and thus the management of antimicrobial resistance (Wielinga et al., 2014). All these decisions need to be formalised and endorsed by 402 403 stakeholders to ensure their further commitment. Depending on the country and context, the policy 404 can be enunciated in policy or strategy documents, national action-plans or programmes, 405 memorandums or directly released in legal instruments. This policy framework provides guidance 406 to organise collaboration across professional institutions for the surveillance activities. At the 407 institutional-level, appropriate collaboration modalities are then defined to achieve the desired goals of the policy. Collaboration is described in terms of: areas of implementation (planning, sampling, 408 409 laboratory testing, data management and storage, data sharing, data analysis and interpretation, results dissemination), actors involved and their respective roles and responsibilities, technical 410 411 mechanisms to support collaboration (establishment of a shared database, a working group, etc.),

412 and mechanisms for the allocation and deployment of human, material and financial resources. The 413 institutional framework defined at the national-level should be broken down at the sub-national-414 level to ensure coordination and harmonisation across the different jurisdictional levels, between 415 and within each sector, if deemed necessary. This is of particular importance for official 416 surveillance in countries experimenting with a decentralised system. Regulatory instruments, 417 agreements or charters are issued to formalise and provide a frame for the implementation of the 418 above decisions. Finally, institutional collaboration is translated into specific surveillance actions. 419 This requires the establishment of procedures (or other similar mechanisms) in each institution 420 involved to ensure the routine operation of the collaborative surveillance system, in compliance 421 with the organisational structure decided at the policy and institutional-level. As for any 422 surveillance system, the organisation and operation of a OH system are influenced by a set of 423 contextual factors (epidemiological, ecological, economic, social and environmental) (RISKSUR, 424 2015) but also by the constraints and expectations of all the different actors and end-users, as well as international guidance. Nevertheless, in the case of OH surveillance, these factors are of 425 426 particular importance as they may influence the inter-sectoral collaboration pattern, as well as the 427 dimensions and areas of collaboration required to meet the surveillance objective. For instance, for the surveillance of antimicrobial resistance, the international community calls for countries to 428 429 implement multi-domain surveillance involving the private sector and to provide guidance for the development of integrated surveillance in humans, food-producing animals and food of animal 430 431 origin (WHO, 2017). Many countries have developed their surveillance strategy to comply with this 432 guidance. The analysis of levers and barriers to collaboration in existing multi-sectoral surveillance systems resulted in the identification of a wide range of drivers that impact the performance and 433 434 sustainability of OH surveillance. First, depending on the surveillance objective and context, the appropriate sectors (including both public and private institutions), decision-making scales and 435 disciplines, must be identified and then involved in the governance and operation of the 436

437 collaborative surveillance. In addition to the resources required to run the sectoral surveillance 438 components, specific resources must be allocated for activities involving several sectors, both at the 439 governance (provision of personnel to participate in steering committee, provision of appropriate 440 training, evaluation of the system, etc.) and operational-level (organisation and participation in 441 multi-sectoral working groups, development and maintenance of a joint database, etc.). Appropriate 442 mechanisms must be defined and established to technically allow the collaboration to be 443 implemented. For instance, efficient data-sharing on a routine basis would be hampered by the 444 absence of a common database or incompatible sectoral information systems (Adamson et al., 445 2011). A crucial element is the identification of the area and degree of collaboration that will 446 achieve the OH surveillance objective in the given context. Indeed, the concept of a OH 447 surveillance system is not synonymous with an all-integrated system and collaboration can take 448 place to various extents and at different steps during the surveillance process. Collaboration is 449 resource-consuming; it is therefore important to find the minimum level of collaboration that will achieve the optimal performance and cost-effectiveness (Babo Martins et al., 2017). However, only 450 451 proper and rigorous evaluations of surveillance, based on sound and appropriate methods, will 452 allow the relevance and effectiveness of collaboration to be assessed. Collaboration that does not 453 demonstrate any benefit would only result in decreasing stakeholder commitment and in hampering 454 the sustainability of the system.

455 **5. Conclusions**

This review highlights that collaboration taking place in a OH surveillance system exists in different dimensions (across sectors, disciplines, decision making-scales and through public-private partnerships) and can be implemented at various steps of the surveillance process (from planning to dissemination of the surveillance results) with various degrees of integration. Several internal or

460 external factors influence both the effective functioning of surveillance systems, as well as their461 sustainability overtime.

462 Even if a rigorous framework must be considered at the policy and institutional-level to ensure 463 the effective operation of a OH surveillance system, there is not a single model for OH surveillance. 464 Collaboration must be tailored to the surveillance objective and context, characterised by a wide range of factors (epidemiological, ecological, economic, social and environmental), and must 465 consider the constraints and expectations of all surveillance actors and end-users. To assess if 466 ongoing collaboration is appropriate and effective, evaluations should be conducted with a focus on 467 468 the quality of inter-sectoral and inter-disciplinary collaboration. Specific evaluation attributes must 469 be developed to allow the measurement of impacts and of the benefit resulting from collaborative 470 surveillance as compared to a juxtaposition of isolated sectoral surveillance components.

471 Acknowledgements

This work was funded in part by the French Ministry of Agriculture, the GREASE platform in partnership (www.grease-net.org) and the ComAcross project (www.onehealthsea.org/comacross) implemented with the financial support of the European Union (EuropeAid, INNOVATE contract 315-047). We would also like to thank the InterRisk Program at Kasetsart University (Bangkok) for providing the scholarship of Theethawat Uea-Anuwong, who has contributed to the data collection.

477 References

Abbas, S.S., Venkataramanan, V., Pathak, G., Kakkar, M., 2011. Rabies control initiative in Tamil
Nadu, India: a test case for the "One Health" approach. Int. Health 3, 231–239.

481 Abelsohn, A., Frank, J., Eyles, J., 2009. Environmental Public Health Tracking/Surveillance in

482 Canada: A Commentary. Healthc. Policy. 4, 37–52.

483

Adamson, S., Marich, A., Roth, I., 2011. One Health in NSW: coordination of human and animal
health sector management of zoonoses of public health significance. N.S.W. Public Health Bull. 22,
105.

487

Ammon, A., Makela, P., 2010. Integrated data collection on zoonoses in the European Union, from
animals to humans, and the analyses of the data. Int. J. Food Microbiol. 139, S43–S47.

490

491 Angelini, P., Tamba, M., Finarelli, A.C., Bellini, R., Albieri, A., Bonilauri, P., Cavrini, F., Dottori,

492 M., Gaibani, P., Martini, E., 2010. West Nile virus circulation in Emilia-Romagna, Italy: the

493 integrated surveillance system 2009. Euro. Surveill. 15, 19547.

494

495 AVMA, 2008. One health: a new professional imperative, American Veterinary Medical

496 Association: One Health Initiative Task Force Final Report, pp. 1–76.

- Babo Martins, S., Rushton, J., Stärk, K.D.C., 2017. Economics of zoonoses surveillance in a "One
 Health" context: an assessment of Campylobacter surveillance in Switzerland. Epidemiol. Infect.
 145, 1148–1158.
- 501
- 502 Batsukh, Z., Tsolmon, B., Otgonbaatar, D., Undraa, B., Dolgorkhand, A., Ariuntuya, O., 2012. One
- 503 Health in Mongolia, in: Mackenzie, J.S., Jeggo, M., Daszak, P., Richt, J.A. (Eds.), One Health: The
- 504 Human-Animal-Environment Interfaces in Emerging Infectious Diseases. Springer Berlin
- 505 Heidelberg, Berlin, Heidelberg, pp. 123–137.

- Baum, S.E., Machalaba, C., Daszak, P., Salerno, R.H., Karesh, W.B., 2017. Evaluating one health:
 Are we demonstrating effectiveness? One Health 3, 5–10.
- 509
- 510 Bellini, R., Calzolari, M., Mattivi, A., Tamba, M., Angelini, P., Bonilauri, P., Albieri, A., Cagarelli,
- 511 R., Carrieri, M., Dottori, M., 2014. The experience of West Nile virus integrated surveillance
- 512 system in the Emilia-Romagna region: five years of implementation, Italy, 2009 to 2013. Euro.
- 513 Surveill. 19, 20953.
- 514
- 515 Berezowski J., Akkina J., 2, Vilas V.D., Del Rio V., DeVore K., Dórea F.C., 5, Dupuy C., Maxwell
- 516 M.J, Singh V., Vial F., Streichert L., 2015. Do we need One Health surveillance? One Health
- 517 Newsletter, 8(1). Available at: http://media.news.health.ufl.edu/misc/egh/One Health
- 518 Newsletter/OHNL_Volume8_Issue1.pdf
- 519
- 520 Brown E.G. 2012. California Mosquito-Borne Virus Surveillance and Response Plan.
- 521 http://westnile.ca.gov/downloads.php?download_id=3744&filename=2017%20CA%20Response%
- 522 20Plan.pdf (accessed 18/12/2017).
- 523
- Buttke, D.E., 2011. Toxicology, Environmental Health, and the "One Health" Concept. J. Med.
 Toxicol. 7, 329–332.
- 526
- 527 CDC, 2004. Tracking Program: Closing America's Environmental. Public Health Gap.
- 528 https://www.cdc.gov/nceh/tracking/pdfs/aag04.pdf (accessed 19/12/2017).
- 529

- 530 CDC, 2013. West Nile Virus in the United States: Guidelines for Surveillance, Prevention, and
- 531 Control. https://www.cdc.gov/westnile/resources/pdfs/wnvguidelines.pdf (accessed 18/12/2017).
 532
- 533 CIPARS, 2015. The Canadian Integrated Program for Antimicrobial Resistance Surveillance
- 534 (CIPARS) annual report 2014. https://www.canada.ca/en/public-
- 535 health/services/surveillance/canadian-integrated-program-antimicrobial-resistance-surveillance-
- 536 cipars/cipars-2014-annual-report-summary.html (accessed 19/12/2017).

537

- 538 Coetzer, A., Kidane, A.H., Bekele, M., Hundera, A.D., Pieracci, E.G., Shiferaw, M.L., Wallace, R.,
- 539 Nel, L.H., 2016. The SARE tool for rabies control: Current experience in Ethiopia. Antiviral Res.

540 135, 74–80.

541

- 542 Danan, C., Baroukh, T., Moury, F., Jourdan-Da Silva, N., Brisabois, A., Le Strat, Y., 2011.
- 543 Automated early warning system for the surveillance of Salmonella isolated in the agro-food chain
- 544 in France. Epidemiol. Infect. 139, 736–741.

545

- 546 DANMAP, 2016. 2015 Report on Use of antimicrobial agents and occurrence of antimicrobial
- 547 resistance in bacteria from food animals, food and humans in Denmark.
- 548 https://www.danmap.org/~/media/Projekt%20sites/Danmap/DANMAP%20reports/DANMAP%20

549 %202015/DANMAP%202015.ashx (accessed 19/12/2017).

- 550
- 551 David, J.M., Danan, C., Chauvin, C., Chazel, M., Souillard, R., Brisabois, A., Weill, F.X., Jourdan-
- 552 Da Silva, N., Picherot, M., Guillemot, D., 2011. Structure of the French farm-to-table surveillance
- 553 system for Salmonella. Revue Méd. Vét. 162, 489–500.

- 555 Davis, M.F., Rankin, S.C., Schurer, J.M., Cole, S., Conti, L., Rabinowitz, P., Gray, G., Kahn, L.,
- 556 Machalaba, C., Mazet, J., Pappaioanou, M., Sargeant, J., Thompson, A., Weese, S., Zinnstag, J.,
- 557 2017. Checklist for One Health Epidemiological Reporting of Evidence (COHERE). One Health 4,
 558 14–21.
- 559
- 560 Dente, M.G., Riccardo, F., Nacca, G., Ranghiasci, A., Manuguerra, J.C., Escadafal, C., Jimenez-
- 561 Clavero, M.A., Ramirez, E.P., Robert, V., Picard, M., 2016. Strengthening integrated surveillance
- 562 for arboviruses in the Mediterranean and Black Sea regions in the framework of the One Health
- 563 approach. Quaderni Della Società Italiana Di Medicina Tropicale E Salute Globale.
- 564
- 565 Donado-Godoy, P., Castellanos, R., León, M., Arevalo, A., Clavijo, V., Bernal, J., León, D., Tafur,
- 566 M.A., Byrne, B.A., Smith, W.A., Perez-Gutierrez, E., 2015. The Establishment of the Colombian
- 567 Integrated Program for Antimicrobial Resistance Surveillance (COIPARS): A Pilot Project on
- 568 Poultry Farms, Slaughterhouses and Retail Market. Zoonoses and Public Health 62, 58–69.569
- 570 EMPRES, 2000. RVF surveillance in West Africa. Bulletin 2000 15/3-4, 9. RVF. www.fao.org/3/a571 x9550e.pdf (accessed 19/12/2017).
- 572
- 573 Epp, T., Waldner, C., Corrigan, R., Curry, P., 2008. Public Health Use of Surveillance for West
 574 Nile Virus in Horses: Saskatchewan, 2003-2005. Transbound. Emerg. Dis. 55, 411–416.
- 575
- FAO, 2010. The FAO-OIE-WHO collaboration. Sharing responsibilities and coordinating global
 activities to address health risks at the animal-human-ecosystems interfaces. www.fao.org/3/ai3579e.pdf (accessed 18/12/2017).
- 579

580 Founou, L.L., Founou, R.C., Essack, S.Y., 2016. Antibiotic Resistance in the Food Chain: A

581 Developing Country-Perspective. Front. Microbiol. 7.

- 582
- 583 Galanis, E., Parmley, J., De With, N., 2012. Integrated surveillance of Salmonella along the food
- chain using existing data and resources in British Columbia, Canada. Food Res. Int. 45, 795–801.
- 585
- 586 Grant, J., Saxinger, L., Patrick, D., National Collaborating Centre for Infectious Diseases (Canada),
- 587 2014. Surveillance of antimicrobial resistance and antimicrobial utilization in Canada.

588 http://www.deslibris.ca/ID/244350 (accessed 19/12/2017).

- 589
- HAIRS, 2013. The processes of risk assessment undertaken by the Human Animal Infections Risksand Surveillance Group.
- 592 http://www.hse.gov.uk/aboutus/meetings/committees/acdp/140213/acdp_100_p4c.pdf (accessed
 593 19/12/2017).
- 594
- 595 Häsler, B., Gilbert, W., Jones, B.A., Pfeiffer, D.U., Rushton, J., Otte, M.J., 2012. The Economic
- 596 Value of One Health in Relation to the Mitigation of Zoonotic Disease Risks, in: Mackenzie, J.S.,
- 597 Jeggo, M., Daszak, P., Richt, J.A. (Eds.), One Health: The Human-Animal-Environment Interfaces
- in Emerging Infectious Diseases. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 127–151.
- Häsler, B., Cornelsen, L., Bennani, H., Rushton, J., 2014. A review of the metrics for One Health
 benefits. Rev Sci Tech. 33, 453–64.
- 602
- Hattendorf, J., Bardosh, K.L., Zinsstag, J., 2017. One Health and its practical implications for
- 604 surveillance of endemic zoonotic diseases in resource limited settings. Acta Trop. 165, 268–273.

605

Jahn, T., Keil, F., 2015. An actor-specific guideline for quality assurance in transdisciplinary
research. Futures 65, 195–208.

608

Jeggo M., Mackenzie J.S., 2014. Defining the future of One Health. Microbiol Spectrum 2(1):OH0007-2012.

611

JIACRA, 2015. ECDC/EFSA/EMA first joint report on the integrated analysis of the consumption
of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from humans and
food-producing animals.

http://www.ema.europa.eu/docs/en_GB/document_library/Report/2015/01/WC500181485.pdf
(accessed 19/12/2017).

617

618 Johnson, I., Hansen, A., Bi, P., 2018. The challenges of implementing an integrated One Health

619 surveillance system in Australia. Zoonoses Public Health 65, e229–e236.

620

- 621 Karimuribo, E.D., Beda, E., Wambura, P., Rweyemamu, M.M., Sayalel, K., Kusiluka, L.J., Short,
- 622 N., Mboera, L.G., 2012. Towards One Health disease surveillance: the Southern African Centre for

623 Infectious Disease Surveillance approach: proceeding. Onderstepoort J. Vet. Res.79, 1-7.

624

625 King, C.-C., Kao, C.-L., Liu, D.-P., Cheng, M.-C., Yen, H.-L., Lee, M.-S., Tsai, C.-P., Shih, S.-R.,

626 Shieh, H.K., Hsiu, J.-P., 2001. Seven integrated influenza surveillance systems in Taiwan, in: ICS.

627 Elsevier, pp. 107–118.

629 Lapiz, S.M.D., Miranda, M.E.G., Garcia, R.G., Daguro, L.I., Paman, M.D., Madrinan, F.P., Rances,

630 P.A., Briggs, D.J., 2012. Implementation of an Intersectoral Program to Eliminate Human and

631 Canine Rabies: The Bohol Rabies Prevention and Elimination Project. PLoS Negl. Trop. Dis. 6,

633

632

1891.

Lee L.M., Thacker S.B., 2011. Public health surveillance and knowing about health in the context
of growing sources of health data. Am J Prev Med. 41, 636–40.

636

- 637 Malone T., Culver M., 2008. Managing public health risks: role of integrated ocean observing
- 638 systems (IOOS), in: Walsh P. J., Smith S., Fleming L., Solo-Gabriele H., Gerwick W.H. (EDS.),
- 639 2011. Oceans and Human Health: Risks and Remedies from the Seas. Academic Press, pp. 21-33.640
- 641 Marka, A., Diamantidis, A., Papa, A., Valiakos, G., Chaintoutis, S., Doukas, D., Tserkezou, P.,
- 642 Giannakopoulos, A., Papaspyropoulos, K., Patsoula, E., Badieritakis, E., Baka, A., Tseroni, M.,
- 643 Pervanidou, D., Papadopoulos, N., Koliopoulos, G., Tontis, D., Dovas, C., Billinis, C., Tsakris, A.,
- 644 Kremastinou, J., Hadjichristodoulou, C., 2013. West Nile Virus State of the Art Report of
- 645 MALWEST Project. Int. J. Environ. Res. Public Health 10, 6534–6610.

646

647 McNamara, T., Platonov, A., Elleman, T., Gresham, L., 2013. The Human-Animal Interface and

648 Zoonotic Threats: The Russian Federation Approach. Biosecur Bioterror. 11, 185-195.

- 649
- 650 Ministry of Health, France, 2012. [Circulaire interministérielle DGS/RI1/DGALN/DGAL no 2012-
- 651 360 du 1er octobre 2012 relative aux mesures visant à limiter la circulation du virus West Nile en
- 652 France métropolitaine]. circulaires.legifrance.gouv.fr/pdf/2017/04/cir_42120.pdf (accessed
- 653 18/12/2017).

654

- Moher, D., Liberati, A., Tetzlaff, J., Altman, D.G., 2009. Preferred reporting items for systematic
 reviews and meta-analyses: the PRISMA statement. Ann Intern Med. 151, 264-9.
- 657
- Morgan, D., 2006. Control of arbovirus infections by a coordinated response: West Nile Virus in
 England and Wales. Immunol. Med. Microbiol. 48, 305–312.
- 660
- Morgan, D., Kirkbride, H., Hewitt, K., Said, B., Walsh, A.L., 2009. Assessing the risk from
 emerging infections. Epidemiol. Infect. 137, 1521.
- 663
- Napoli, C., Iannetti, S., Rizzo, C., Bella, A., Di Sabatino, D., Bruno, R., Sauro, F., Martini, V.,
- 665 Santucci, V.U., Declich, S., Calistri, P., 2015. Vector Borne Infections in Italy: Results of the
- 666 Integrated Surveillance System for West Nile Disease in 2013. BioMed Res. Int. 1–8.
- 667
- 668 NARMS, 2016. 2015 integrated report of the national antimicrobial monitoring system.
- 669 https://www.fda.gov/downloads/AnimalVeterinary/SafetyHealth/AntimicrobialResistance/National

670 AntimicrobialResistanceMonitoringSystem/UCM581468.pdf (accessed 19/12/2017).

- 671
- 672 NORM-NORMVET, 2016. Report on Usage of Antimicrobial Agents and Occurrence of
- 673 Antimicrobial Resistance in Norway in 2015. https://unn.no/Documents/Kompetansetjenester,%20-
- 674 sentre%20og%20fagr%C3%A5d/NORM%20-
- $675 \quad \% 20 Norsk \% 20 overv \% C3\% A5 kings system \% 20 for \% 20 antibiotikaresistens \% 20 hos \% 20 mikrober/Ra$
- 676 pporter/NORM_NORM-VET-2015.pdf (accessed 19/12/2017).
- 677

- 678 OIE, 2006. Global Early Warning and Response System for Major Animal Diseases, including
- 679 Zoonoses (GLEWS). https://www.oie.int/doc/ged/D11304.PDF (accessed 18/12/2017).680
- 681 ONERBA, 2016. 2015 Annual report (Edition November 2016). Scientific board of Onerba.
 682 http://onerba.org/onerba-2015/ (accessed 18/12/2017).

683

Pearce, N., Douwes, J., 2013. Research at the interface between human and veterinary health. Prev.
Vet. Med. 111, 187–193.

686

- 687 Petrić, D., Petrović, T., Hrnjaković Cvjetković, I., Zgomba, M., Milošević, V., Lazić, G., Ignjatović
- 688 Ćupina, A., Lupulović, D., Lazić, S., Dondur, D., Vaselek, S., Živulj, A., Kisin, B., Molnar, T.,
- 689 Janku, D., Pudar, D., Radovanov, J., Kavran, M., Kovačević, G., Plavšić, B., Jovanović Galović, A.,
- 690 Vidić, M., Ilić, S., Petrić, M., 2017. West Nile virus "circulation" in Vojvodina, Serbia: Mosquito,
- 691 bird, horse and human surveillance. Molecular and Cellular Probes 31, 28–36.

692

693 Polley, L., Gaschler, C., Gajadhar, A., 2000. National occurrence reporting of Trichinella and

trichinellosis using a computerized database. Vet. Parasitol. 93, 351–363.

695

696 Queenan, K., Häsler, B., Rushton, J., 2016. A One Health approach to antimicrobial resistance

697 surveillance: is there a business case for it? Int. J. Antimicrob. Agents 48, 422–427.

- 698
- 699 Queenan, K., 2017. Roadmap to a One Health agenda 2030. CAB Reviews: Perspectives in
- 700 Agriculture, Veterinary Science, Nutrition and Natural Resources 12.

Reif, J.S., 2011. Animal sentinels for environmental and public health. Public Health Rep. 126, 50–
57.

704

RISKSUR consortium. Best practices for risk-based and cost effective animal health surveillance in
the European Union. https://www.fp7-risksur.eu//progress/best-practice-document (accessed
18/12/2017).

708

- Rizzo, C., Salcuni, P., Nicoletti, L., Ciufolini, M.G., Russo, F., Masala, R., Frongia, O., Finarelli,
 A.C., Gramegna, M., Gallo, L., 2012. Epidemiological surveillance of West Nile neuroinvasive
- 711 diseases in Italy, 2008 to 2011. Euro Surveill. 17, 20172.

712

713 Rizzo, C., Napoli, C., Venturi, G., Pupella, S., Lombardini, L., Calistri, P., Monaco, F., Cagarelli,

R., Angelini, P., Bellini, R., Tamba, M., Piatti, A., Russo, F., Palù, G., Chiari, M., Lavazza, A.,

715 Bella, A., the Italian WNV surveillance working group, 2016. West Nile virus transmission: results

from the integrated surveillance system in Italy, 2008 to 2015. Euro Surveill. 21, 30340.

717

718 Roth, F., Zinsstag, J., Orkhon, D., Chimed-Ochir, G., Hutton, G., Cosivi, O., Carrin, G., Otte, J.,

2003. Human health benefits from livestock vaccination for brucellosis: case study. Bull. World
Health Organ. 81, 867–876.

721

Roth, D., 2011. Surveillance for emerging infectious diseases: a Canadian perspective. National
Collaborating Centre for Environmental Health.

http://www.ncceh.ca/sites/default/files/Surveillance_Emerging_Infectious_Diseases_Dec_2011_0.p
df (accessed 19/12/2018).

- 727 Rüegg, S.R., McMahon, B.J., Häsler, B., Esposito, R., Nielsen, L.R., Ifejika Speranza, C., Ehlinger,
- 728 T., Peyre, M., Aragrande, M., Zinsstag, J., Davies, P., Mihalca, A.D., Buttigieg, S.C., Rushton, J.,
- 729 Carmo, L.P., De Meneghi, D., Canali, M., Filippitzi, M.E., Goutard, F.L., Ilieski, V., Milićević, D.,
- 730 O'Shea, H., Radeski, M., Kock, R., Staines, A., Lindberg, A., 2017. A Blueprint to Evaluate One
- 731 Health. Front. Public Health 5, 20.
- 732
- 733 Rüegg, S.R., Nielsen, L.R., Buttigieg, S.C., Santa, M., Aragrande, M., Canali, M., Ehlinger, T.,
- 734 Chantziaras, I., Boriani, E., Radeski, M., Bruce, M., Queenan, K., Häsler, B., 2018. A Systems

735 Approach to Evaluate One Health Initiatives. Front. Vet. Sci. 5, 23.

- 736
- Shuai, J., Buck, P., Sockett, P., Aramini, J., Pollari, F., 2006. A GIS-driven integrated real-time
 surveillance pilot system for national West Nile virus dead bird surveillance in Canada. Int. J.
- 739 Health Geogr. 5, 17.
- 740
- Sleigh, A., Li, X., Jackson, S., Huang, K., 1998. Eradication of schistosomiasis in Guangxi, China.
 Part 1: Setting, strategies, operations, and outcomes, 1953-92. Bull. World Health Organ. 76(4),
 361-372.
- 744
- 745 Sleigh, A., Jackson, S., Li, X., Huang, K., 1998. Eradication of schistosomiasis in Guangxi, China.
- 746 Part 2: Political economy, management strategy and costs, 1953-92. Bull. World Health Organ.
- 747 76(5), 497-508.
- 748
- Sorensen, A.C., Lawrence, R.S., Davis, M.F., 2014. Interplay between policy and science regarding
 low-dose antimicrobial use in livestock. Front. Microbiol. 5,86.
- 751

752	Stärk, K.D.C., Arroyo Kuribreña, M., Dauphin, G., Vokaty, S., Ward, M.P., Wieland, B., Lindberg,
753	A., 2015. One Health surveillance – More than a buzz word? Prev. Vet. Med. 120(1), 124–130.
754	
755	SWAB, 2016. Consumption of antimicrobial agents and antimicrobial resistance among medically
756	important bacteria in the Netherlands and Monitoring of Antimicrobial Resistance and Antibiotic
757	Usage in Animals in the Netherlands in 2015. https://www.wur.nl/upload_mm/0/b/c/433ca2d5-
758	c97f-4aa1-ad34-a45ad522df95_92416_008804_NethmapMaran2016+TG2.pdf (accessed
759	19/12/2017).
760	
761	SWEDES, 2015. Consumption of antibiotics and occurrence of antibiotic resistance in Sweden.
762	http://www.sva.se/globalassets/redesign2011/pdf/om_sva/publikationer/swedres_svarm2015.pdf
763	(accessed 19/12/2017).
764	
765	Talaska, T., 1994. A salmonella data bank for routine surveillance and research. Bull World Health
766	Organ 72(1): 69-72.
767	
768	Uchtmann, N., Herrmann, J.A., Hahn, E.C., Beasley, V.R., 2015. Barriers to, Efforts in, and
769	Optimization of Integrated One Health Surveillance: A Review and Synthesis. EcoHealth 12(2),
770	368–384.
771	
772	Vandermissen A., Welburn S.C., 2014. Current initiatives in One Health: consolidating the One
773	Health Global Network. Rev. sci. tech. Off. int. Epiz., 33 (2), 421-432.

775	Vrbova, L., Patrick, D.M., Stephen, C., Robertson, C., Koehoorn, M., Parmley, E.J., De With, N.I.,
776	Galanis, E., 2016. Utility of algorithms for the analysis of integrated Salmonella surveillance data.

777 Epidemiol. Infect. 144(10), 2165–2175.

778

Wahl, T.G., Burdakov, A.V., Oukharov, A.O., Zhilokov, A.K., 2012. Electronic Integrated Disease
Surveillance System and Pathogen Asset Control System. Onderstepoort J Vet Res. Jun 20;79(2),
455.

782

783 WHO Advisory Group on Integrated Surveillance of Antimicrobial Resistance (AGISAR), 2017.

784 Integrated surveillance of antimicrobial resistance in foodborne bacteria. Application of a One

Health approach. http://apps.who.int/iris/bitstream/10665/255747/1/9789241512411-eng.pdf?ua=1
(accessed 20/12/2017).

787

- Wielinga, P.R., Jensen, V.F., Aarestrup, F.M., Schlundt, J., 2014. Evidence-based policy for
 controlling antimicrobial resistance in the food chain in Denmark. Food Control 40, 185–192.
- Witt, C.J., Brundage, M., Cannon, C., Cox, K., 2004. Department of Defense West Nile virus
 surveillance in 2002. Mil. Med. 169, 6, 421-428.

793

795 Colacicco-Mayhugh M.G., Rueda L.M., Klein T.A., Anyamba A., Small J., Pavlin J.A., Fukuda

- 796 M.M., Gaydos J., Russell K.L., 2011. The AFHSC-Division of GEIS Operations Predictive
- 797 Surveillance Program: a multidisciplinary approach for the early detection and response to disease
- outbreaks. BMC Public Health 2011, 11(Suppl 2):S1.

⁷⁹⁴ Witt, C.J., Richards A.L., Masuoka P.M., Foley D.H., Buczak A.L., Musila L.A., Richardson J.H.,

- 800 Zinsstag, J., Schelling, E., Waltner-Toews, D., Tanner, M., 2011. From "one medicine" to "one
- 801 health" and systemic approaches to health and well-being. Prev. Vet. Med. 101(3-4), 148-56.

802 Figure captions

803	Figure 1. PRISMA flow chart describing the study selection process within the systematic review.
804	
805	Figure 2. Possible degrees of operational collaboration at the different steps of the surveillance
806	process.
807	
808	Figure 3. Organisation of collaboration in a One Health surveillance system: a conceptual
809	framework.

Domains	Key words
Surveillance	Surveillance OR monitor*
One Health approach	"one health", "one medicine", ecohealth, holistic, "global health", "integrated surveillance", "integrated approach", "integrated system", "integrated data", "integrating data", inter-sector*, intersector*, cross-sector*, multi-sector*, multisector*, interdisciplinar*, inter-disciplinar*, multidisciplinar*, multi-disciplinar*, trans-disciplinar*, transdisciplinar*
Health hazard	disease* OR infection OR zoono* OR syndrom* OR outbreak* OR hazard* OR environment* OR residue* OR pesticid* OR pathogen OR bacteria OR antimicrobial* OR "antibiotic resistance"* OR virus OR parasit* OR contaminant* OR toxin*
Population	animal*, livestock, veterinar*, fish*, aquaculture, wildlife, food, herd*, farm*, cattle, cow*, bovine, ruminant*, pig, pigs, swine, poultry, bird*, avian , horse*, equine, dog*, cat, cats, sheep, goat*, plant*
*truncation operator	



Table 2. Variables used for the characterisation of the surveillance systems

Level		Variable
Coordination of the	1	Mono or multi-institutional coordination
surveillance system	2	Number of institutions in charge of the coordination
	3	Type of institutions involved in the coordination (government, academia, independent agency, etc.)
	4	Administrative-level in charge of the coordination
	5	Number of sectors involved in the coordination
	6	Type of sectors in charge of the coordination
Geographical area	7	Level of coverage of the surveillance (supra-national, national, subnational)
	8	Territory under surveillance
Date	9	Year of establishment of first collaborative efforts
General organisation	10	Status of the surveillance system (stand-alone or part of a programme)
	11	Origin of funds (state, private, external, etc.)
	12	Sustainability of funding
	13	A priori or a posteriori integration of sectoral surveillance components
Objectives and	14	Objectives of the surveillance system
purposes	15	Purposes of the surveillance systems
Hazards under	16	Number of hazards (mono or multi-hazards)
surveillance	17	Type of hazards
	18	Communicability of hazards under surveillance
Domains under surveillance	19	Type of domains under surveillance (domestic animal, human, food, wildlife etc.)
	20	Number of domains under surveillance
	21	Data sources in each domain
	22	Type of data in each domain
	23	Epidemiological status in each domain
Terminology	24	Terms which are used to describe inter-sectoral and inter-disciplinary collaboration
Type of collaboration	25	Type of sectors collaborating within the surveillance process
	26	Mechanisms in place to support institutional collaboration

	27	Decision-making scales involved in surveillance activities (supra-national authorities/organisations, national authorities, sub-national authorities, etc.)
	28	Private actors involved in surveillance activities (veterinarians, food/feed operators, pharmaceutical companies, etc.)
	29	Type of collaborative efforts for surveillance activities (conception of the surveillance protocol, joint sampling campaigns, laboratory facilities sharing, data exchange, inter-sectoral data analysis and interpretation, etc.)
	30	Mechanisms in place to support collaboration for surveillance activities
	31	Type of collaborative efforts for dissemination of surveillance results
	32	Mechanisms in place to support collaboration for dissemination of surveillance results
	33	Type of disciplines involved in the surveillance process
Factors influencing	34	Favouring factors for collaboration
collaboration	35	Barriers to collaboration
Performance of the	36	Elements supporting evidence of a good performance of the system
surveillance system	37	Elements supporting evidence of a bad performance of the system
Benefits	38	Elements supporting evidence of benefits of collaboration

Table 3. Principal characteristics of the existing surveillance systems.

System	Hazard(s)	Domain(s)	Primary objective and purpose	Coordination	Sectors collaborating	Inter-sectoral collaboration for data collection, exchange and analysis	References
The Surveillance of West Nile Virus in France	West Nile virus	Domestic animal Environment Human Wildlife	Early detection for rapid response	Multiple institutions (Animal health, Public health)	Animal health Environment Public health	Cross-sectoral notifications of unusual health events	Ministry of Health, 2012
The Surveillance of West Nile Virus in Vojvodina (Serbia)	West Nile virus	Domestic animal Environment Human Wildlife	Early detection for rapid response	Multiple institutions (Animal health, Public health)		Multi-domain data analysis by 1 institution	Petrić et al., 2017
The Surveillance of West Nile Virus in Saskatchewan (Canada)	West Nile virus	Domestic animal Environment Human Wildlife	Trends monitoring to support intervention design/evaluation	Multiple institutions (Animal health, Public health)	Animal health Public health	Continuous inter-sectoral data exchange Multi-domain data analysis by 1 institution	Shuai et al., 2006; Epp et al., 2008
The West Nile Virus Integrated Surveillance System in Greece	West Nile virus	Domestic animal Environment Human Wildlife	Early detection for rapid response	Single institution (Public Health)	Animal health Public health	Cross-sectoral notification of unusual health events Multi-domain data analysis by 1 institution	Marka et al., 2013
The West Nile Virus Integrated Surveillance System in the Emilia- Romagna Region	West Nile virus	Domestic animal Environment Human Wildlife	Early detection for rapid response	Single institution (Public Health)	Animal health Public health	Continuous inter-sectoral data exchange	Angelini et al., 2010; Bellini et al. 2014
West Nile Virus Surveillance in Italy	West Nile virus	Domestic animal Environment Human Wildlife	Early detection for rapid response	Single institution (Public Health)	Animal health Public health	Continuous inter-sectoral data exchange Joint inter-sectoral data analysis	Rizzo et al., 2012; Napoli et al., 2015; Rizzo et al., 2016
The Surveillance of West Nile Virus in the United States (ArboNET)	West Nile virus	Domestic animal Environment Human Wildlife	Early detection for rapid risk prediction	Single institution (Public Health)	Animal health Environment Public health	Continuous inter-sectoral data exchange	CDC, 2013
The Surveillance of West Nile Virus in England and Wales	West Nile virus	Domestic animal Environment Human Wildlife	Early detection for rapid response	Single institution (Public Health)	Animal health Environment Public health	Continuous inter-sectoral data exchange Joint inter-sectoral data	Morgan D., 2006

						unurysis	
Surveillance of West Nile Virus in the United States in the Military Population	West Nile Virus	Domestic animal Environment Human Wildlife	Early detection for timely response	Multiple institutions (Animal health, Environment, Public health)	Environment	Inter-sectoral collaboration for laboratory testing Continuous inter-sectoral data exchange Joint inter-sectoral data analysis	Witt et al., 2004
Surveillance of Rift Valley Fever in West Africa	Rift Valley virus	Domestic animal Environment	Early detection for rapid response	Single institution (Animal Health)	Animal health Public Health	Cross-sectoral notification of unusual health events	EMPRES, 2000
Influenza surveillance systems in Taiwan	Influenza virus	Domestic animal Human Wildlife	Early detection for rapid response	Multiple institutions (Animal health, Human health)	Animal health Public health	Cross-sectoral notification of unusual health events Joint inter-sectoral data analysis	King et al., 2001
California Mosquito-Borne Virus Surveillance and Response Plan	Vector-borne diseases	Domestic animal Environment Human Wildlife	Early detection for rapid response	Single institution (Public Health)	Animal health Public health	Continuous inter-sectoral data exchange	Brown E.G., 2012.
The surveillance of Rabies in Ethiopia	Rabies	Domestic animal Human Wildlife	Early detection for eradication or control	Single institution (Public health)	Animal health Environment Public health	Cross-sectoral notification of unusual health events	Coetzer et al., 2016
The surveillance of rabies in Bohol (Philippines)	Rabies	Animal health Human health	Early detection for rapid response	Multiple institutions (Animal health, Human health)		Cross-sectoral notification of unusual health events	Lapiz et al., 2012
The surveillance of rabies in Tamil Nadu (India)	Rabies	Domestic animal Human	Early detection for rapid response	Single institution (Animal health, Public health)	Animal health Public health	Cross-sectoral notification of unusual health events	Abbas et al., 2011
The surveillance of schistosomiasis in Guangxi (China)	Schistosomiasis	Domestic animal Environment Human	Trends monitoring for eradication or control	Single institution (Public health, Animal Health)	Animal health Environment Public health	Multi-domain surveillance implemented by 1 institution	Sleigh et al., 1998a; Sleigh et al., 1998b
The surveillance of zoonotic diseases in the Russian Federation	Zoonotic diseases	Human Wildlife Environment	Early detection for timely response	Public health	Animal Health Public Health	Multi-domain surveillance implemented by 1 institution	McNamara et al., 2013
The Electronic Integrated Disease Surveillance System (EIDSS)	Zoonotic diseases	Human Domestic animal	Early detection for timely response	Multiple institutions (Animal health,		Continuous inter-sectoral data exchange	Wahl et al., 2012


analysis

		Environment		Public health)		Joint inter-sectoral data analysis	
The inter-sectoral surveillance of zoonotic diseases in Mongolia	Zoonotic diseases	Domestic animal Human Wildlife	Early detection for timely response	Single institution (Animal health, Public health)	Animal health Environment Public health	Joint sampling campaigns Inter-sectoral collaboration for laboratory testing Inter-sectoral data exchange	Batsukh et al., 2012
Global Early Warning and Response System	e Zoonotic diseases	Domestic animal Human Wildlife	Early detection for rapid risk assessment	Multiple institutions (Animal health, Food safety, Public health)	Animal health, Food safety, Public health	Cross-sectoral notification of unusual health events Joint inter-sectoral data analysis	OIE, 2006
Th Human Animal Infections and Risk Surveillance (HAIRS)	Zoonotic diseases	Domestic animal Human	Early detection for rapid risk assessment	Single institution (Public health)	Animal health Environment Food safety Plant health Public health	Planning Joint inter-sectoral data analysis	Morgan et al., 2009; HAIRS, 2013
The AFHSC - Division of GEIS operations predictive surveillance programme	Zoonotic diseases	Depends on the surveillance context	Early detection for rapid risk assessment	Single institution (Public health)	Depends on surveillance context	Continuous inter-sectoral data exchange Joint inter-sectoral data analysis	Witt et al., 2011
The surveillance of zoonotic diseases in New South Wales	Zoonotic diseases	Domestic animal Human Wildlife	Early detection for rapid response	Multiple institutions (Animal health, Environment, Public health)	Environment	Cross-sectoral notification of unusual health events	Adamson et al., 2011
The surveillance of zoonotic diseases in European Union	Zoonotic diseases	Domestic animal Food Human	Trends monitoring to support interventions design/evaluation	Single institution (Animal health, Food safety)	Animal health Food safety Public health	Multi-domain data analysis by 1 institution	Ammon et al., 2010
The Animal Health Information Network in Canada (RAIZO)	Zoonotic diseases Antibiotic resistance	Domestic animal	Trends monitoring to support interventions design/evaluation	Single institution (Animal Health)	Animal health Public Health		Roth D., 2011
National Observatory of the Epidemiology of Bacterial Resistance to Antibiotics (ONERBA)	Antibiotic resistance	Domestic animal Human	Trends monitoring to improve knowledge	Multiple institutions (Animal health, Public health)	Animal health Public health	Inter-sectoral data sharing	ONERBA, 2016

The Swedish Antimicrobial Resistance Monitoring programme (STRAMA/SVARM)	Antibiotic resistance	Domestic animal Food Human Wildlife	Trends monitoring to support intervention design/evaluation	Multiple institutions (Animal health, Public health)	Animal health Food safety Public health	Cross-sectoral notification of unusual health events Joint inter-sectoral data analysis	SWEDES, 2015
The Dutch Integrated Antimicrobial Resistance Monitoring Programme (NethMap/MARAN)	Antibiotic resistance	Domestic animal Food Human Wildlife	Trends monitoring to improve knowledge	Multiple institutions (Animal health, Food safety, Public health, Plant health),	Animal health Environment Food safety Plant health Public health	Continuous inter-sectoral data exchange	SWAB, 2016
Canadian Integrated Programme for Antimicrobial Resistance Surveillance (CIPARS)	Antibiotic resistance	Domestic animal Food Human	Trends monitoring to support interventions design/evaluation	e	Food safety Public health	Multi-domain surveillance implemented by 1 institution	Grant et al., 2014; CIPARS, 2015
Antibiotic resistance programme in the European Union	Antibiotic resistance	Domestic animal Food Human	Trends monitoring to support interventions design/evaluation	Multiple institutions (Animal health, Food safety, Public health)	Animal health Food safety Public health	Joint inter-sectoral data analysis	JIACRA, 2015.
National antimicrobial resistance monitoring system in the United States (NARMS)	Antibiotic resistance	Domestic animal Food Human	Trends monitoring to improve knowledge	Multiple institutions (Animal health, Food safety, Public health)	Animal health Food safety Public health	Joint inter-sectoral data analysis	NARMS, 2016, Sorensen et al., 2014
The Danish integrated antimicrobial resistance monitoring programme (DANMAP)	Antibiotic resistance	Domestic animal Food Human	Trends monitoring to improve knowledge	Multiple institutions (Animal health Fisheries Food safety Public health)	Environment Fisheries	Continuous inter-sectoral data exchange Joint inter-sectoral data analysis	Wielinga et al., 2014; Danmap, 2016
The Colombian integrated programme for antimicrobial resistance surveillance (COIPARS)	Antibiotic resistance	Domestic animal Food Human	Trends monitoring to improve knowledge	Single institution (Animal health, Food safety)	Animal health Food safety	Joint inter-sectoral data analysis	Donado- Godoy et al., 2015
Norwegian Surveillance System for Antimicrobial Drug Resistance in Norway (NORM) and NORM-Vet	Antibiotic resistance	Domestic animal Food Human Wildlife	Trends monitoring to support interventions design/evaluation	1	Animal health Food safety Public health	*	NORM- NORMVet, 2016
The <i>Salmonella</i> Data Bank for Routine Surveillance in	Salmonella	Domestic animal Food Human	Early detection for eradication or control	Single institution (Public Health)	Animal health Food safety	Continuous inter-sectoral data exchange	Talaska T., 1994

]	Brandenburg (Germany)					Public health	Multi-domain data analysis by 1 institution	
	The integrated <i>Salmonella</i> surveillance programme in Canada	Salmonella	Domestic animal Food Human	Trends monitoring to improve knowledge	Multiple institutions (Animal health, Food safety, Public health)	Animal health Food safety Public health	Joint inter-sectoral data analysis	Galanis et al., 2012; Vrbova et al., 2016
	The surveillance of <i>Salmonella</i> in France	Salmonella	Domestic animal Food Human	Early detection for eradication or control	Multiple institutions (Animal health, Food safety, Public health)		Continuous inter-sectoral data exchange Multi-domain data analysis by 1 institution	Danan et al., 2011; David et al., 2011
	The surveillance of <i>Campylobacter</i> n Switzerland	Campylobacter	Domestic animal Human	Trends monitoring to support intervention design/evaluation	Multiple institutions (Animal health, Public health)	Animal health Public health	Joint inter-sectoral data analysis	Babo Martins et al., 2017
	The Surveillance of Harmful Algae Bloom in the Gulf of Mexico (USA)	Harmful algae bloom	Environment	Early detection for rapid response	Single institution (Environment)	Environment Fisheries Public health	Cross-sectoral notification of health events	Abelsohn et al., 2009
t	The environmental public health racking program in the United States	Environmental hazards	Environment Human	Trends monitoring to support interventions design/evaluation	Single institution (Public Health)	Public Health Environment	Multi-domain data analysis by 1 institution	CDC, 2004; Malone and Culver 2008

815 * inter-sectoral collaboration occurs only for the dissemination of surveillance results



Step of the surveillance process	Possible degrees of collaboration									
Planning	Undertaken separately in each sector	Undertaken by a single sector for all surveillance components	Cross-sectoral consultation but undertaken separately in each sector	Undertaken by a multi-sectoral working group	Undertaken by a multi-sectoral body					
Data collection (sampling – laboratory testing)	Undertaken separately in each sector	Undertaken by a single sector for all components	Harmonisation across sectors	Joint activities across sectors	Undertaken by a multi-sectoral body					
Data sharing	No data exchange	Notification of unusual events only	Ongoing data exchange							
Data analysis/ interpretation	Undertaken separately in each sector	Undertaken separately and then compared by a single sector	Jointly undertaken by a single sector for all components	Undertaken separately and then compared by a multi- sectoral working group	Jointly undertaken by a multi-sectoral working group or body					
Results dissemination	Undertaken separately for each sector	Joint dissemination in separate sectoral activities	Joint dissemination by a single sector	Joint dissemination by a multi-sectoral working group	Joint dissemination by a multi-sectoral body					

Figure 2. Possible degrees of operational collaboration at the different steps of the

s u r v e i 1 1 1 a n c e

р

r

