



Integrated assessment and modelling of agro-ecological practices on water flow at catchment level: what potential of the Maelia platform?

Laurene Casal, Hélène Tribouillois, Renaud Misslin, Julie J. Constantin,
Magali M. Willaume, Olivier Therond

► To cite this version:

Laurene Casal, Hélène Tribouillois, Renaud Misslin, Julie J. Constantin, Magali M. Willaume, et al.. Integrated assessment and modelling of agro-ecological practices on water flow at catchment level: what potential of the Maelia platform?. International Society of Ecological Modelling Global Conference (ISEM 2019), Oct 2019, Salzburg, Austria. 22p. hal-02947671

HAL Id: hal-02947671

<https://hal.inrae.fr/hal-02947671>

Submitted on 24 Sep 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



INTERNATIONAL
SOCIETY FOR
ECOLOGICAL
MODELLING

**Adour-Garonne Catchment:
what are the effects of agro-
ecological practices?**



Integrated assessment and modelling of agro-ecological practices on water flow at catchment level: what potential of the Maelia platform?

Casal L.^a, Tribouillois H.^a, Misslin R.^b, Constantin J.^a, Willaume M.^a, Therond O.^b


^a UMR AGIR, INRA, Université de Toulouse, 31326 Castanet-Tolosan, France

^b UMR LAE, INRA, Université de Lorraine, Colmar

International Society for Ecological Modelling
Global Conference 2019
1-5 October 2019 Salzburg Austria


Territorial issues for the sustainability of agriculture

What are the effects of agro-ecological practices such as diversification and cover crop?




Territorial issues for the sustainability of agriculture

What are the effects of agro-ecological practices such as diversification and cover crop?




Territorial issues for the sustainability of agriculture

What are the effects of agro-ecological practices such as diversification and cover crop?




Territorial issues for the sustainability of agriculture

What are the effects of agro-ecological practices such as diversification and cover crop?




Territorial issues for the sustainability of agriculture

What are the effects of agro-ecological practices such as diversification and cover crop?



Territorial issues for the sustainability of agriculture

What are the effects of agro-ecological practices such as diversification and cover crop?



What agricultural practices for what performance at the catchment scale?

What are the impacts of soil cover in a catchment affected by water shortages?




Study Site

Irrigated catchment of downstream Aveyron

Main issues

- Water deficit
- Pollution
- Erosion




840 km²,
40 000 ha UAA,
1150 farms
18 000 fields
≈ 34 % irrigated





MAELIA

Modelling of socio-Agro-Ecological systems for Landscape Integrated Assessment




GIS
Description of system

Agent based System


Soil map




Cropping system



Irrigation material




Administrative zones




...

Representation

Aim



Dynamics






MAELIA

Modelling of socio-Agro-Ecological systems for Landscape Integrated Assessment



High resolution (plot)



Dynamics

Ecological processes

Crop model : AqYield

Hydrological model : SWAT ®

Decision-making processes


Farmer

Stakeholders

Water policy

MAELIA coordinator: Olivier Therond, INRA
Olivier.therond@inra.fr

How flow regulation works ? A simplified diagram



*DOE: Target low water flow rate





MAELIA

Modelling of socio-Agro-Ecological systems for Landscape Integrated Assessment



► Decision Making



Decision rules for triggering of technical operations :

Heuristic decision rules (nested **IF THEN** rules)

➡ **IF** soil humidity < 0.8 & temperature > 25°C **THEN** harvest

► Each field → cropping system → own dynamics

Territory



Set of scenarios



Benchmark

- Simulation of farm practices
- The Maelia platform is able to reproduce the behaviour of the stakeholders



Set of scenarios

Benchmark

Maximizing
irrigation efficiency



- BaU (current practices) + irrigation according to the plant's needs



Set of scenarios




Benchmark

Maximizing
irrigation efficiency

Cover crop (CC)


- Add cover crop according to the decision tree




Set of scenarios




Benchmark




Maximizing
irrigation efficiency



Cover crop (CC)




Rotation
diversification








Analysed outputs : hydrological impacts of agricultural practices






Outputs of Agricultural syst. : practices, yields, economics



Scenario : Irrigation optimisation



Difference of water withdrawal between Benchmark & maximizing irrigation efficiency scenarios


34%

Potential gain on total withdrawals through maximizing irrigation efficiency

Project perspectives

- ❖ Co-design of scenarios with experts
- ❖ Simulation for assessment on
 - water
 - soil and CC issues
- ❖ Water agency issue :

Should agro-ecological practices in deficit catchment be supported?



Thanks you for your attention

<http://maelia-platform.inra.fr>



Conclusion perspectives of MAELIA toward an Integrated Assessment and Modelling of agricultural landscape

