



**HAL**  
open science

## **MYB31 triggers water stress memory responses in maize**

Laetitia Virlovet, Sandrine Chaignon, Valérie Méchin, Marie-Pierre Jacquemot, Llorenç Cabrera-Bosquet, Thierry Balliau, Charlotte Henriet, Sandrine Balzergue, Etienne Delannoy, Johann Joets, et al.

### ► To cite this version:

Laetitia Virlovet, Sandrine Chaignon, Valérie Méchin, Marie-Pierre Jacquemot, Llorenç Cabrera-Bosquet, et al.. MYB31 triggers water stress memory responses in maize. First International Plant Systems Biology meeting, Sep 2018, Roscoff, France. hal-02955165

**HAL Id: hal-02955165**

**<https://hal.inrae.fr/hal-02955165>**

Submitted on 1 Oct 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## MYB31 TRIGGERS WATER STRESS MEMORY RESPONSES IN MAIZE

Laetitia Virloquet<sup>1</sup>, Sandrine Chaignon<sup>1</sup>, Valérie Méchin<sup>1</sup>, Marie-Pierre Jacquemot<sup>1</sup>, Llorenç Cabrera-Bosquet<sup>2</sup>, Thierry Balliau<sup>3</sup>, Charlotte Henriot<sup>1</sup>, Sandrine Balzergue<sup>4,5</sup>, Etienne Delannoy<sup>4,5</sup>, Johann Joets<sup>3</sup>, Marie-Laure Martin-Magniette<sup>4,5,6</sup>, Claude Welcker<sup>2</sup>, Michel Zivy<sup>3</sup>, Christophe Sallaud<sup>7</sup>, François Tardieu<sup>2</sup>, Marie Javelle<sup>7</sup>, Sylvie Coursol<sup>1</sup>

<sup>1</sup>Institut Jean-Pierre Bourgin, INRA, AgroParisTech, CNRS, Université Paris-Saclay, RD10, 78026 Versailles Cedex, France; <sup>2</sup>LEPSE, INRA, Université Montpellier, 34060 Montpellier Cedex 1, France; <sup>3</sup>GQE-Le Moulon, INRA, Université Paris-Sud, CNRS, AgroParisTech, Université Paris-Saclay, 91190 Gif-Sur-Yvette, France; <sup>4</sup>Institute of Plant Sciences Paris-Saclay IPS2, CNRS, INRA, Université Paris-Sud, Université Evry, Université Paris-Saclay, Bâtiment 630, 91405 Orsay, France; <sup>5</sup>Institute of Plant Sciences Paris-Saclay IPS2, Paris-Diderot, Sorbonne Paris-Cité, Bâtiment 630, 91405 Orsay, France; <sup>6</sup>UMR MIA-Paris, AgroParisTech, INRA, Université Paris-Saclay, 75005 Paris, France; <sup>7</sup>Biogemma, Centre de Recherche, 63720 Chappes, France

sylvie.coursol@inra.fr

Water deficit directly impacts the ability of plants to intercept and convert light into biomass. Because leaf growth is one of the first processes affected by water deficit, many physiological studies concentrated in short-term responses and associated mechanisms. They demonstrated the roles of cellular and metabolic processes such as changes in cell turgor, hydraulic conductance and cell wall plasticity. However, our understanding of how water deficit impacts cell wall biosynthesis is still fragmentary. Here, we report that *ZmMYB31*, a R2R3-MYB transcription factor implicated in the regulation of lignin biosynthesis, is induced by water deficit in the growing zone of maize leaves. Consistently, we showed that *ZmMYB31* colocalizes with quantitative trait loci for growth responses to water deficit and anthesis-silking interval (ASI) under water deficit conditions. Furthermore, we showed that increasing *ZmMYB31* expression in maize had an impact on ASI that was maintained under water deficit conditions. On the basis of these data, we generated transcriptomic and proteomic data to detect transcripts and proteins that show substantial changes in abundance in the leaf growing zone of three representative independent transgene-positive homozygous maize lines compared with that of transgene-negative sibling plants grown in the PhenoArch platform under well-watered and water deficit conditions. We identified 352 genes that were transcriptionally regulated by *ZmMYB31* under well-watered conditions and displayed opposite transcription levels under water deficit conditions, suggesting that *ZmMYB31* may function in a water stress memory response pathway, which likely helps the transgenic maize enduring the water deficit stress. Our studies further revealed co-expression relationships between these genes and others from the proteome and a cell wall data sets, suggesting potential regulatory influence.

Funding acknowledgment: French National Research Agency (ANR-10-BTBR-01-Amaizing), FranceAgrimer and LabEx Saclay Plant Sciences-SPS (ANR-10-LABX-0040-SPS).