

Correction to: Effect of tree mixtures and water availability on belowground complementarity of fine roots of birch and pine planted on sandy podzol

Andreas Altinalmazis-Kondylis, Kathina Muessig, Céline Meredieu, Hervé Jactel, Laurent Augusto, Nicolas Fanin, Mark Bakker

► **To cite this version:**

Andreas Altinalmazis-Kondylis, Kathina Muessig, Céline Meredieu, Hervé Jactel, Laurent Augusto, et al.. Correction to: Effect of tree mixtures and water availability on belowground complementarity of fine roots of birch and pine planted on sandy podzol. Plant and Soil, Springer Verlag, 2020, 457, 1 p. 10.1007/s11104-020-04801-z . hal-03093791

HAL Id: hal-03093791

<https://hal.inrae.fr/hal-03093791>

Submitted on 4 Jan 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





Correction to: Effect of tree mixtures and water availability on belowground complementarity of fine roots of birch and pine planted on sandy podzol

Andreas Altinalmazis-Kondylis · Kathina Muessig · Céline Meredieu · Hervé Jactel · Laurent Augusto · Nicolas Fanin · Mark R. Bakker

Accepted: 25 November 2020
© Springer Nature Switzerland AG 2020

Correction to: *Plant Soil* (2020) 457:437–455
<https://doi.org/10.1007/s11104-020-04741-8>

The correct supplementary material is presented in this correction article.

The original article has been corrected.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Supplementary Information The online version contains supplementary material available at <https://doi.org/10.1007/s11104-020-04801-z>.

The online version of the original article can be found at <https://doi.org/10.1007/s11104-020-04741-8>.

A. Altinalmazis-Kondylis · L. Augusto · N. Fanin · M. R. Bakker
INRAE, Bordeaux Sciences Agro, ISPA, F-33140 Villenave d'Ornon, France

A. Altinalmazis-Kondylis (✉)
Université de Bordeaux, F-33000 Bordeaux, France
e-mail: andreas.altinalmazis@inrae.fr

K. Muessig
Department of Silviculture and Forest Ecology of the Temperate Zones, Georg-August University Göttingen, D-37077 Göttingen, Germany

C. Meredieu
INRAE, UEFP, F-33610 Cestas, France

H. Jactel
INRAE, Univ. Bordeaux, BIOGECO, F-33610 Cestas, France