

Potential benefits and risks of using Precision Livestock Farming technologies to manage animal welfare -Recent developments at INRAE

Isabelle Veissier, Nicolas Wagner, Marie-Madeleine Mialon, Romain Lardy, Dorothee Ledoux, Mathieu Silberberg, Bruno Meunier


▶ To cite this version:


Isabelle Veissier, Nicolas Wagner, Marie-Madeleine Mialon, Romain Lardy, Dorothee Ledoux, et al.. Potential benefits and risks of using Precision Livestock Farming technologies to manage animal welfare -Recent developments at INRAE. AWRN Workshop: benefit and challenges of PLF technologies, Nov 2020, Reading, United Kingdom. hal-03137886

HAL Id: hal-03137886 https://hal.inrae.fr/hal-03137886v1


Submitted on 10 Feb 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





Phase	Before	Pre-clinical	Acute phase	Remission
	inoculation			(immune resp.)
E.Coli in milk	-	11	-	-
SCC			11	7
Body core T°			11	
Inflamm. Prot.*	-	-	~	11
Behaviour	-	∕*lying	Plower head →attention Pcortisol	-



≯time lying inactive \time spent ruminating \time spent eating hay

↘ frequency self-grooming

(Borderas et al 2008)


> 'Animals don't talk' but their behaviour talks for them

- Cow and calf behaviour can be modified under illness or pain
- The changes can be subtle:
 - No specific behaviour is produced
 - But the frequency / duration of behaviours change
- Farmers regularly look at their animals (at least once a day): can they always detect such subtle changes?




> PLF technologies in use


- Real-Time Locating Systems (RTLS)
- Accelerometers
- Cameras coupled with image analysis
 Sound recording
- Temperature and humidity recording
- · Weighing scales to weigh animals or control their feed intake
- Specific sensors to monitor biomarkers such as ruminal pH in cows, hormones or gases in a barn
- Electronic identification of large animals (cattle, pigs) thanks to Radio Frequency Identification (RFID)
- Potential benefits and risks of using Precision Livestock Farming technologies to manage animal welfare Recent developments at It





How to detect when the behaviour is getting abnormal?


- study carried on circadian rhythm of activity -








































> Risks of PLF use for animal welfare

Few PLF tools available for animals outdoors


- PLF induces a change in farmer work \rightarrow Risk to lessen the "care relationship" (observations, interactions with animals) \rightarrow Animal loss acrustomed to human contacts
 - → Animal less accustomed to human contacts and therefore more difficult to handle?
 - \rightarrow Risk to rely only on what the PLF technologies tell

INRAGE Penetral bandhis and niks of using Practician Liversch Tarming technologies to manage antmal welfure – Neurot developments at NMAE





p. 2



Thanks for your attention