



HAL
open science

Latest developments of the airGR rainfall-runoff modelling R-package: inclusion of an interception store in the hourly model

Guillaume Thirel, Olivier Delaigue, Andrea Ficchi

► To cite this version:

Guillaume Thirel, Olivier Delaigue, Andrea Ficchi. Latest developments of the airGR rainfall-runoff modelling R-package: inclusion of an interception store in the hourly model. EGU General Assembly 2020, May 2020, Vienna, France. 10.5194/egusphere-egu2020-15275 . hal-03266208

HAL Id: hal-03266208

<https://hal.inrae.fr/hal-03266208>

Submitted on 21 Jun 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

airGR rainfall-runoff modelling R-package

Inclusion of an interception store in the GR5H hourly model

Guillaume Thirel, Olivier Delaigue & Andrea Ficchi

INRAE
HYCAR Research Unit

INRAE
université
PARIS-SACLAY



Table of contents

- 1 Introduction
- 2 Package features
- 3 New GR5H model
- 4 Go further
- 5 References

Table of contents


- 1 Introduction
- 2 Package features
- 3 New GR5H model
- 4 Go further
- 5 References

Overview

GR is a family of **lumped hydrological models** designed for streamflow simulation at various time steps

The models are freely available in an **R-package** called **airGR** (Coron et al., 2017, 2020)

The models can easily be implemented on a set of catchments with limited data requirements





GR4J model diagram

Overview



The airGR package

- Package for the  language
- Freely available on the Comprehensive  Archive Network
<https://CRAN.R-project.org/package=airGR>

The GR hydrological models

- Designed with the objective to be as efficient as possible for streamflow simulation at various time steps (from hourly to interannual)
- Warranted complexity structures and limited data requirements
- Can be applied on a wide range of conditions, including snowy catchments (CemaNeige snow routine included)

New features

New features since EGU-2019

- New **GR5H** model (cf. Ficchi *et al.*, 2019):
 - ▶ new model structure with interception store for improved consistency and performance
 - ▶ can be coupled with the **CemaNeige** snow module
 - ▶ new `Imax()` function allowing to estimate the maximum capacity of the interception store
- The **GR4H** model can be coupled with **CemaNeige**
- The `plot()` function now allows to display new time series:
 - ▶ actual evapotranspiration
 - ▶ streamflow error
- The `CreateInputsCrit()` function allows new streamflow transformations:
 - ▶ power (negative or positive)
 - ▶ Box-Cox
- A DOI allows to identify the package manual (in addition of the scientific article)

Table of contents

- 1 Introduction
- 2 Package features**
- 3 New GR5H model
- 4 Go further
- 5 References

Main components of the airGR package





Table of contents

- 1 Introduction
- 2 Package features
- 3 New GR5H model**
- 4 Go further
- 5 References

GR5H: hourly model with a new interception store

Aims

- Better representation of the impact of vegetation on evaporation fluxes
- Improved model showed a better consistency of model fluxes over time (stable water fluxes across time steps respecting mass conservation)
- Finer representation of the interception processes at the hourly time step
- Higher model performance proved over a wide range of catchments with particularly improved bias, especially over high flows
- Model parameters become more robust and stable (across time steps) as the flux-matching condition is satisfied



Hands-on in : inputs preparation

```
## package loading
library(airGR)

## load of catchment data
data(L0123003)

## preparation of the InputsModel object
InputsModel <- CreateInputsModel(FUN_MOD = RunModel_GR5H,
                                  DatesR   = BasinObs$DatesR,
                                  Precip   = BasinObs$P,
                                  PotEvap  = BasinObs$E)

## run period selection
Ind_Run <- seq(which(format(BasinObs$DatesR, format = "%Y-%m-%d %H")=="2006-01-01 00"),
               which(format(BasinObs$DatesR, format = "%Y-%m-%d %H")=="2007-12-31 23"))
```

Hands-on in : run options

Imax

- It represents the maximum capacity of the interception store
- Its value is adjusted to match the fluxes simulated by the GR4J daily model (neutralisation of precipitation and potential evapotranspiration)

```
## Imax computation
```

```
Imax <- Imax(InputsModel = InputsModel,  
            IndPeriod_Run = Ind_Run,  
            TestedValues = seq(from = 0, to = 3, by = 0.2))
```

```
## preparation of the RunOptions object
```

```
RunOptions <- CreateRunOptions(FUN_MOD = RunModel_GR5H,  
                              InputsModel = InputsModel,  
                              IndPeriod_Run = Ind_Run,  
                              Imax = Imax)
```

Hands-on in : simulation


```
## parameter set (can come from an automatic calibration)
Param <- c(X1 = 706.912, X2 = -0.163, X3 = 188.880, X4 = 2.575, X5 = 0.104)

## simulation
OutputsModel <- RunModel_GR5H(InputsModel = InputsModel,
                               RunOptions = RunOptions,
                               Param = Param)
```

Hands-on in : graphical assessment of the results

```
## results preview
```

```
plot(OutputsModel, Qobs = BasinObs$Qmm[Ind_Run], which = "all")
```



Hands-on in : numerical assessment of the results

```
## efficiency criterion preparation
InputsCrit <- CreateInputsCrit(FUN_CRIT = ErrorCrit_NSE,
                               InputsModel = InputsModel,
                               RunOptions = RunOptions,
                               Obs = BasinObs$Qmm[Ind_Run])

## efficiency criterion computation
OutputsCrit <- ErrorCrit_KGE(InputsCrit = InputsCrit,
                             OutputsModel = OutputsModel)

## Crit. KGE[Q] = 0.8386
## SubCrit. KGE[Q] cor(sim, obs, "pearson") = 0.9505
## SubCrit. KGE[Q] sd(sim)/sd(obs) = 0.8748
## SubCrit. KGE[Q] mean(sim)/mean(obs) = 0.9110
```


Table of contents

- 1 Introduction
- 2 Package features
- 3 New GR5H model
- 4 Go further**
- 5 References

Website

Tutorials & package news

■ <https://hydrogr.github.io/airGR/>

airGR
Home
Get Started
Articles
Download
News
Publications
FAQ
airGRreaching website

1 What is the airGR package?
2 Installation
3 Misc
References

CRAN: 3.4.3 (2020-03-12)
Download: 75M
License: GPL-3
Depends: R (>= 3.0.0)
Imports: R6 (>= 2.0.0)
Suggests: R6 (>= 2.0.0)

airGR: the INRAE GR Hydrological Models in a R Package

Update: 2020-03-12

1 What is the airGR package?

1.1 Presentation

airGR is a package which brings into the R software the hydrological modelling tools used and developed at the Catchment Hydrology Research Group of INRAE (France), including the GR rainfall-runoff models and a snowmelt and accumulation model, *CemaNeige*. Each model core is coded in Fortran to ensure low computational time. The other package functions (i.e. mainly the calibration algorithm and the efficiency criteria calculation) are coded in R.

The airGR package has been designed to fulfill two major requirements: to facilitate the use by non-expert users and to allow flexibility regarding the addition of external criteria, models or calibration algorithms. The names of the functions and their arguments were chosen to this end. airGR also contains basis plotting facilities.

1.2 The airGR hydrological models

Six hydrological models and one snowmelt and accumulation model are implemented in airGR. The snow model can be used alone or together with the daily hydrological models.

The models can be called within airGR using the following functions:

- `RunModel_GR6H()`: four-parameter hourly lumped hydrological model (Mathvet 2005)
- `RunModel_GR5H()`: five-parameter hourly lumped hydrological model (Pischi 2017; Pischi, Perrin, and Andréassian 2019)
- `RunModel_GR4J()`: four-parameter daily lumped hydrological model (Perrin, Michel, and Andréassian 2003)
- `RunModel_GR5J()`: five-parameter daily lumped hydrological model (Le Moine 2008)
- `RunModel_GR6J()`: six-parameter daily lumped hydrological model (Pushpalatha et al. 2011)
- `RunModel_G2M()`: two-parameter monthly lumped hydrological model (Mouelhi 2003; Mouelhi et al. 2006a)
- `RunModel_GR3J()`: one-parameter yearly lumped hydrological model (Mouelhi 2003; Mouelhi et al. 2006a)
- `RunModel_CemaNeige()`: two-parameter degree-day snowmelt; and accumulation model (Valéry, Andréassian, and Perrin 2014)
- `RunModel_CemaNeigeGR6H()`: combined use of GR6H and *CemaNeige*
- `RunModel_CemaNeigeGR5H()`: combined use of GR5H and *CemaNeige*
- `RunModel_CemaNeigeGR4J()`: combined use of GR4J and *CemaNeige*
- `RunModel_CemaNeigeGR5J()`: combined use of GR5J and *CemaNeige*
- `RunModel_CemaNeigeGR6J()`: combined use of GR6J and *CemaNeige*

Version control

Software development activities (needs & bug reports)

■ <https://gitlab.irstea.fr/HYCAR-Hydro/airGR>

The screenshot displays the GitLab interface for the 'airGR' project. The main content area shows the project details, including the repository name 'airGR', project ID '1453', and a list of recent commits. The most recent commit is titled 'v1.4.3.83 CLEAN: test revisions in error messages of SeriesAggging function' and was made 6 days ago. The interface also shows a sidebar with navigation options like 'Project overview', 'Details', 'Activity', 'Releases', 'Repository', 'Issues', 'Address', 'Merge Requests', 'CI / CD', 'Packages', 'Analytics', 'Wiki', 'Snippets', and 'Members'.

Name	Last commit	Last update
■ r	v1.4.3.83 CLEAN: test revisions in error messages of SeriesAggging function	6 days ago
■ data	v1.3.2.31 CLEAN: apuritus flows set to NA in L012001 dataset	6 months ago
■ test	v1.4.3.60 DOC: add a DOI for the manual in the OTATION file	2 months ago
■ man	v1.4.3.79 UPDATE: deprecated R4toShowModule argument removed from CreateRunFunc...	1 week ago
■ src	v1.4.3.49 CLEAN: StatEst and StatEstF initialized in fun_OR1A Fortran codes	2 months ago
■ vignettes	v1.4.3.76 DOC: test revision of the sentence talking about the composite criterion in the g...	1 week ago
🔍 Buildignore	v1.0.8.2 new function CreateEstDates to help user to format listDates for CreateRunFunc...	2 years ago
🔍 gignone	v1.0.8.2 new function CreateEstDates to help user to format listDates for CreateRunFunc...	2 years ago
🔍 DESCRIPTION	v1.4.3.83 CLEAN: test revisions in error messages of SeriesAggging function	6 days ago

airGR & airGRteaching packages

	airGRteaching (GUI)	airGRteaching (code)	airGR
Working environment			
Graphical user interface	yes	no	no
Use of programming	no	yes (simplified)	yes (advanced)
Dynamic graphics outputs	yes	yes	no
Static graphic outputs	yes	yes	yes
Models			
Daily GR models	yes	yes	yes
Other GR models	no	yes	yes
External models	no	no	yes
CemaNeige with hysteresis using SCA & SWE	no	no	yes
Choice of initialization of internal states	no	no	yes
Criteria and calibration			
NSE and KGE criteria	yes	yes	yes
RMSE and KGE' criteria	no	yes	yes
Composite criteria (defined by the user)	no	no	yes
Calculation of criteria over discontinuous periods	no	no	yes
Freedom of parameter values	no	yes	yes
Adaptation of the calibration options	no	yes (simplified)	yes (advanced)
Other calibration algorithms (defined by the user)	no	no	yes

Table of contents

- 1 Introduction
- 2 Package features
- 3 New GR5H model
- 4 Go further
- 5 References

airGR & GR5H references

airGR package

- Coron, L., Thirel, G., Delaigue, O., Perrin, C. and Andréassian, V. (2017). The Suite of Lumped GR Hydrological Models in an R package. *Environmental Modelling and Software*, 94, 166-171. DOI: 10.1016/j.envsoft.2017.05.002.
- Coron, L., Delaigue, O., Thirel, G., Perrin, C. and Michel, C. (2020). airGR: Suite of GR Hydrological Models for Precipitation-Runoff Modelling. R package version 1.4.3.65. URL: <https://CRAN.R-project.org/package=airGR>, DOI: 10.15454/EX11NA.

The new GR5H model with interception store

- Ficchi, A., Perrin, C., and Andréassian, V. (2019). Hydrological modelling at multiple sub-daily time steps: model improvement via flux-matching, *Journal of Hydrology*, 575, 1308-1327. DOI: 10.1016/j.jhydrol.2019.05.084.