



HAL
open science

Role of the SOS response in the conjugative transfer and genome maintenance of multidrug resistance *Salmonella* Genomic Island 1

Marine Pons, Karine Praud, Sandra da Re, Marie-Cécile Ploy, Axel Cloeckaert, Benoît Doublet

► To cite this version:

Marine Pons, Karine Praud, Sandra da Re, Marie-Cécile Ploy, Axel Cloeckaert, et al.. Role of the SOS response in the conjugative transfer and genome maintenance of multidrug resistance *Salmonella* Genomic Island 1. 16. Congrès national de la SFM-Microbes 2021, Société Française de Microbiologie, Sep 2021, Nantes, France. hal-03356119

HAL Id: hal-03356119

<https://hal.inrae.fr/hal-03356119v1>

Submitted on 27 Sep 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Role of the SOS response in the conjugative transfer and genome maintenance of multidrug resistance *Salmonella* Genomic Island 1

Marine C. Pons^{1,2} (marine-c.pons@inrae.fr), Karine Praud^{1,2}, Sandra Da Re^{3,4}, Marie-Cécile Ploy^{3,4}, Axel Cloeckaert^{1,2}, Benoît Doublet^{1,2}

¹ *Infectiologie et Santé Publique, INRAE, Nouzilly, France*

² *Université de Tours, Tours, France*

³ *RESINFIT, INSERM, Limoges, France*

⁴ *Université de Limoges, Limoges, France*

Introduction and objectives:

Salmonella Genomic Island 1 (SGI1) is a multidrug resistance integrative mobilizable element specifically mobilized *in trans* by IncC and IncA conjugative plasmids. SGI1 hijacks the plasmid conjugation apparatus to be mobilized. However, these mobile elements are incompatible in a bacterial population. This incompatibility is caused by SGI1 transient replication that involves, besides IncC/IncA factors, the SGI1 regulatory region *sgaCD* (1, 2). SgaCD are functional homologues of the IncC master activator AcaCD proteins. Unlike *acaCD*, the regulation of *sgaCD* expression has not been characterized yet.

The identification of LexA binding motifs on SGI1, especially in the putative promoter region of *sgaCD*, suggested it may constitute a SOS response-regulated region. Moreover, plasmid entry by conjugation as single-strand DNA in recipient bacteria is known to activate transiently the SOS response (3). Therefore, in the present study we assessed if the entry of an IncC plasmid by conjugation could lead to transient activation of the SOS response, resulting in the *sgaCD* expression and other SGI1 genes under its control.

Materials and methods:

We performed β -galactosidase reporter assay to quantify the SOS response activation in transconjugant cells during conjugation based on the model of Baharoglu et al. (3). We also used β -galactosidase reporter assay to quantify *sgaCD* promoter activity in different conditions and using different genetic backgrounds. We realized electromobility shift assays to confirm the physical interaction between LexA and its potential binding site in *sgaCD* promoter. Finally, we performed a RT-qPCR assay to explore the impact of the SOS response on the expression of SGI1 genes.

Results, discussion and conclusion:

We showed that the IncC conjugative entry activates the SOS response. Molecular experiments confirmed that the LexA binding site in the *sgaCD* promoter region is functional, resulting in the SOS-dependent control of *sgaCD* expression. Furthermore, we also showed that nearly all conjugative transfer and maintenance genes harboured by SGI1 are induced by the SOS response activation directly and/or in a SgaCD dependent manner.

Further work is ongoing to confirm the role of the SOS response in the molecular crosstalk between SGI1 and IncC/IncA plasmids through conjugation and maintenance experiments.

Mots clés : SGI1 - SOS response - IncC plasmid - Multidrug resistance.

Références :

1. Huguet, K.T., Rivard, N., Garneau, D., Palanee, J. and Burrus, V. (2020) Replication of the *Salmonella* Genomic Island 1 (SGI1) triggered by helper IncC conjugative plasmids promotes incompatibility and plasmid loss. *PLoS Genet.*, 16, 1–22.
2. Szabó, M., Murányi, G. and Kiss, J. (2021) IncC helper dependent plasmid-like replication of *Salmonella* Genomic Island 1. *Nucleic Acids Res.*, 49, 832–846.
3. Baharoglu, Z., Bikard, D. and Mazel, D. (2010) Conjugative DNA transfer induces the bacterial SOS response and promotes antibiotic resistance development through integron activation. *PLoS Genet.*, 6, 1–10.