



**HAL**  
open science

## **Author correction: exfoliative toxin e, a new Staphylococcus aureus virulence factor with host-specific activity**

Ichiro Imanishi, Aurélie Nicolas, Ana-Carolina Barbosa Caetano, Thiago Luiz de Paula Castro, Natayme Rocha Tartaglia, Ricardo Mariutti, Eric Guédon, Sergine Even, Nadia Berkova, Raghuvir K Arni, et al.

### ► To cite this version:

Ichiro Imanishi, Aurélie Nicolas, Ana-Carolina Barbosa Caetano, Thiago Luiz de Paula Castro, Natayme Rocha Tartaglia, et al.. Author correction: exfoliative toxin e, a new Staphylococcus aureus virulence factor with host-specific activity. Scientific Reports, 2020, 10 (1), 10.1038/s41598-020-59360-1 . hal-03359247

**HAL Id: hal-03359247**

**<https://hal.inrae.fr/hal-03359247>**

Submitted on 30 Sep 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

OPEN

# Author Correction: Exfoliative toxin E, a new *Staphylococcus aureus* virulence factor with host-specific activity

Ichiro Imanishi, Aurélie Nicolas, Ana-Carolina Barbosa Caetano, Thiago Luiz de Paula Castro, Natayme Rocha Tartaglia, Ricardo Mariutti, Eric Guédon , Sergine Even, Nadia Berkova , Raghuvir K. Arni, Nubia Seyffert, Vasco Azevedo, Koji Nishifuji & Yves Le Loir 

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-019-52777-3>, published online 08 November 2019

In the Supplementary Information file originally published with this Article, supplementary figure S6, showing Best HADDOCK solutions for ETE docking on Dsg1 of four animal species, and supplementary table S4, showing HADDOCK scores, were omitted. These errors have been corrected in the Supplementary Information that now accompanies the Article.

Due to the omitted figure and table, there were additional errors in the main body of the Article.

In the Results section, under the subheading ‘Two types of docking orientation predicted’,

“Docking simulations were also carried out with human and canine desmogleins (Supplementary Fig. S1) and displayed the same two ETE orientations.”

now reads,

“Docking simulations were also carried out with human and canine desmogleins (Supplementary Fig. S6) and displayed the same two ETE orientations.”

In the Experimental Procedures section, under the subheading ‘Recombinant *ete* gene product’,

“Purity of the ETE protein was determined by SDS-PAGE gels (Fig. S2).”

now reads,

“Purity of the ETE protein was determined by SDS-PAGE gels (Fig. S1).”

Under the subheading ‘*In vitro* digestion of Dsg1 by ETs’,

“Non-cropped, non-modified immunoblotting images for *in vitro* digestion of recombinant Dsg1 are presented in supplemental data (Fig. S3).”

now reads,

“Non-cropped, non-modified immunoblotting images for *in vitro* digestion of recombinant Dsg1 are presented in supplemental data (Fig. S2).”

Published online: 07 February 2020

Additionally, there were typographical errors in the Experimental Procedures section, under the subheading ‘Molecular docking’.

“Residues involved in the active sites of both proteins were required. The active ETE residues were those defined in<sup>9</sup> (His96, Asp145 and Ser219) and those for Dsg1 were those defined in<sup>52</sup> (Glu381, Gly382 in protein sequence matching Glu332, Gly333 in structural models).”

now reads,

“Residues involved in the active sites of both proteins were required. The active ETE residues were those defined in Mariutti *et al.*<sup>9</sup> (His96, Asp145 and Ser219) and those for Dsg1 were those defined in Hanakawa *et al.*<sup>52</sup> (Glu381, Gly382 in protein sequence matching Glu332, Gly333 in structural models).”



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2020