



**HAL**  
open science

## **Water isotope monitoring to study transpiration and tree drought responses on Mediterranean karst**

Simon Damien Carriere, Coffi-Belmys Capko, Nicolas Martin-StPaul, Nicolas Patris, Milanka Babic, Konstantinos Chalikakis, A Olios, Claude Doussan, Jouineau Arnaud, Guillaume Simioni, et al.

### ► To cite this version:

Simon Damien Carriere, Coffi-Belmys Capko, Nicolas Martin-StPaul, Nicolas Patris, Milanka Babic, et al.. Water isotope monitoring to study transpiration and tree drought responses on Mediterranean karst. 46th IAH international congress, Sep 2019, Malaga, Spain. <hal-03562322>

**HAL Id: hal-03562322**

**<https://hal.inrae.fr/hal-03562322v1>**

Submitted on 8 Feb 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization



CEHYUMA  
CENTER OF HYDROGEOLOGY  
OF UNIVERSITY OF MALAGA



UNIVERSITY  
OF MALAGA


# Groundwater Management and Governance

## *Coping with Uncertainty*

Proceedings of IAH2019, the 46<sup>th</sup> Annual Congress of the International Association of Hydrogeologists, Málaga (Spain), September 22-27, 2019

Spanish Chapter of the International Association of Hydrogeologists (AIH-GE)

*J. Jaime Gómez Hernández & Bartolomé Andreo Navarro*



Parallel / 187

## Water isotope monitoring to study transpiration and trees drought responses on Mediterranean karst

Simon Carrière<sup>1</sup> ; Coffi-Belmys Cakpo<sup>2</sup> ; Nicolas K. Martin-StPaul<sup>3</sup> ; Nicolas Patris<sup>4</sup> ; Milanka Babic<sup>1</sup> ; Konstantinos Chalikakis<sup>1</sup> ; Albert Oliosó<sup>1</sup> ; Claude Doussan<sup>1</sup> ; Arnaud Jouineau<sup>3</sup> ; Guillaume Simioni<sup>3</sup> ; Hendrik Davi<sup>3</sup>

<sup>1</sup> INRA UMR EMMAH

<sup>2</sup> PSH

<sup>3</sup> URFM

<sup>4</sup> HSM

**Corresponding Author(s):** guillaume.simioni@avignon.inra.fr, hendrik.davi@avignon.inra.fr, albert.olioso@inra.fr, jouineau@avignon.inra.fr, coffi-belmys.cakpo@inra.fr, nicolas.patris@umontpellier.fr, milanka.babic@univ-avignon.fr, carrierehydro@gmail.com, konstantinos.chalikakis@univ-avignon.fr, claude.doussan@inra.fr, nicolas.martin@paca.inra.fr

Karst environments are questioning because although they have dry, stony soils seemingly unfavorable to vegetation, they are often covered with forests. How trees can survive in environments that are hostile to vegetation is a key issue for scientists. This study uses xylem water isotopes and midday and predawn water potentials of branches to assess the origin of transpired water. The monitoring was carried out during the summers 2014 and 2015 in two contrasted Mediterranean forest ecosystems. The results show that the three monitored tree species (*Abies alba* Mill, *Fagus sylvatica* L and *Quercus ilex* L.) have developed adaptation strategies against water stress including a more intense exploitation of groundwater reserve in the karst unsaturated zone (vadoze zone) during the driest years. *Quercus ilex*, a species well adapted to water stress and growing in the driest site uses the groundwater resource very early in the summer season. Conversely, the two other species less submitted to drought, exploit groundwater resource only during severe drought. These results open up new perspectives to better understand eco-hydrological equilibrium and improve water balance modeling in karst forest settings.