

Title: Do non-native plants affect terrestrial arthropods in the sub-Antarctic Kerguelen Islands?

Journal name: Polar Biology

Isabelle Badenhausser*, Damien Fourcy, Mathilde Bertrand, Aurélien Pierre, Brigitte Bonneau, Jean-Louis Chapuis, Yann Rantier, Maurice Hullé

*INRAE, Unité de Recherche Pluridisciplinaire Prairies Plantes Fourragères, F-86600 Lusignan, France.

Corresponding author: Isabelle Badenhausser

Tel: 0033(0)549556085

email: isabelle.badenhausser@inrae.fr

ORCID: <https://orcid.org/0000-0002-6919-8647>

Online resource 2: Physical description of the surveyed vegetation patches

Island	Site	Type of patch	Altitude (m)	Distance to the sea (m)	Slope (%)	Geographical exposure	
<i>Île Australia</i>	1	Native	17-30	660	1-3	NE	
		Non-native	17-30	660	1-3	NE	
	2	Native	17-30	250	0-3	NE	
		Non-native	17-30	250	0-3	NE	
	3	Native	17-30	520	7-13	NE	
		Non-native	17-30	520	7-13	NE	
	4	Native	17-30	620	7-13	N	
		Non-native	17-30	620	7-13	N	
	5	Native	17-30	340	0-3	NE	
		Non-native	17-30	340	0-3	NE	
	<i>Île aux Cochons</i>	1	Native	17-30	175	2-4	NE
			Non-native	17-30	170	2-4	NE
		2	Native	0-17	91	2-4	NE
			Non-native	0-17	84	2-4	NE
3		Native	31-50	125	13-20	N	
		Non-native	31-50	102	13-20	N	
4		Native	17-30	160	7-13	S	
		Non-native	17-30	180	7-13	S	
5		Native	0-17	110	7-13	S	
		Non-native	0-17	120	7-13	S	
<i>Île Mayes</i>		1	Native	0-17	319	7-13	NE
			Non-native	0-17	340	7-3	NE
		2	Native	0-17	275	3-7	N
			Non-native	0-17	275	3-7	N
	3	Native	0-17	130	3-7	E	
		Non-native	0-17	70	3-7	E	
	4	Native	0-17	212	3-7	N	

	Non-native	0-17	212	3-7	N
5	Native	0-17	40	7-13	S
	Non-native	0-17	50	7-13	S
