

# Modelling plant resistance deployment: the R package landsepi

Loup Rimbaud, Julien Papaïx, Jean-François Rey, Jean-Loup Gaussen, Marta Zaffaroni, Frédéric Fabre

### ► To cite this version:

Loup Rimbaud, Julien Papaïx, Jean-François Rey, Jean-Loup Gaussen, Marta Zaffaroni, et al.. Modelling plant resistance deployment: the R package landsepi. 15. International symposium of plant virus epidemiology, Jun 2022, Madrid, Spain. , 2022. hal-03694823

## HAL Id: hal-03694823 https://hal.inrae.fr/hal-03694823

Submitted on 14 Jun2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



#### Modelling plant resistance deployment: the R package landsepi

#### L. Rimbaud<sup>1</sup>, J. Papaïx<sup>2</sup>, J. F. Rey<sup>2</sup>, J. L. Gaussen<sup>2</sup>, M. Zaffaroni<sup>3</sup>, and F. Fabre<sup>3</sup>

<sup>1</sup>INRAE – Pathologie Végétale, 84140, Montfavet, France; <sup>2</sup>INRAE – BioSP, 84914, Avignon, France; <sup>3</sup>INRAE – SAVE, 33882 Villenave d'Ornon, France.

(loup.rimbaud@inrae.fr)

S2-P19

Owing to their evolutionary potential, plant pathogens are able to rapidly adapt to geneticallycontrolled plant resistance, often resulting in resistance breakdown and major epidemics in agricultural crops, as well as a continuing need to breed new resistant cultivars. Several strategies (e.g. gene pyramiding, crop rotations and mixtures, landscape mosaics) have been proposed to improve resistance deployment. They rely on the careful selection of resistance sources and their sensible combination at various spatio-temporal scales. However, experimental assessment of their efficiency (i.e. ability to reduce disease impact), durability (i.e. ability to limit pathogen evolution and delay resistance breakdown) and cost-efficiency (i.e. ability to maximise profit) at large spatio-temporal scales presents a major challenge (1). The R package landsepi provides a general modelling framework to help compare deployment strategies and understand the impact of epidemiological, evolutionary and genetic factors for a wide range of pathosystems. The model is based on (i) a spatial geometry for describing heterogeneous landscape and allocating different cultivars, (ii) a dispersal kernel for the dissemination of the pathogen, and (iii) a stochastic SEIR ('Susceptible-Exposed-Infectious-Removed') structure with a discrete time step for the description of the host-pathogen interaction, which involves both with qualitative and quantitative resistance genes. It accounts for pathogen evolution (e.g. via mutation, selection, drift, sexual reproduction) and provides epidemiological, evolutionary and economic outputs to assess the performance of the simulated deployment options. The model has initially been calibrated to represent sporeborne pathogens as typified by rust fungi of cereal crops (genus *Puccinia*); parameterization of other pathosystems including downy mildew on grapevine (caused by the oomycete *Plasmopara viticola*) and two viral diseases of pepper (caused by *Potato virus Y* and *Cucumber* mosaic virus) is ongoing.

#### Reference

(1) Rimbaud, L., et al. (2021). Annu. Rev. Phytopathol., 59: 125-152