



Maize architectural adaptation in intraspecific competition

Serouart Mario, Raul Lopez Lozano, Gaetan Daubige, Benoit de Solan,
Frédéric Baret

► To cite this version:

Serouart Mario, Raul Lopez Lozano, Gaetan Daubige, Benoit de Solan, Frédéric Baret. Maize architectural adaptation in intraspecific competition. CAPTE workshop, May 2022, Avignon, France. hal-03731880

HAL Id: hal-03731880

<https://hal.inrae.fr/hal-03731880>

Submitted on 21 Jul 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

MAIZE ARCHITECTURAL ADAPTATION IN INTRASPECIFIC COMPETITION

12th May 2022



PHENOTYPIC VARIANCE

$$V_P = V_G + V_E + V_{G \times E}$$


V_P : Total phenotypic variance of a trait

V_G : Proportion of phenotypic variance explained by genetic variance


V_E : Proportion of phenotypic variance explained by environmental variance

$V_{G \times E}$: Genotype by environment interaction (plasticity depending on genotype)


No plasticity



Phenotypic plasticity




PLASTICITY




[plasticity]

« The ability of an organism to change its phenotype in response to different environments. »




Wies, G., Mantese, A., Casal, J.J., Maddaloni, G.A. Phytochrome B enhances plant growth, biomass and grain yield in field-grown maize. *Ann Bot* 2019;123(6):1079-1088. doi:10.1093/aob/mcz015




Rizzo G, Monzon JP, Tenorio FA, et al. Climate and agronomy, not genetics, underpin recent maize yield gains in favorable environments. *Proceedings of the National Academy of Sciences of the United States of America*. 2022 Jan;119(4). DOI: 10.1073/pnas.2113629119 PMID: 35042796; PMCID: PMC8795556

Functional trait




$V_G, V_E, V_{G \times E}$




Chevin LM, Lande R, Mace GM. Adaptation, plasticity, and extinction in a changing environment: towards a predictive theory. *PLoS Biol*. 2010 Apr 27;8(4):e1000357. doi: 10.1371/journal.pbio.1000357. PMID: 20463950; PMCID: PMC2864732

Average Leaf Angle



Shouyang Liu, Frédéric Baret, Mariem Abichou, Loïc Manceau, Bruno Andrieu, et al. Importance of the description of light interception in crop growth models. *Plant Physiology*, American Society of Plant Biologists, 2021, 186 (2), pp.977-997. [f01035/plphys/kiab113](https://doi.org/10.1093/plphys/kiab113). final-0322455

Gap Fraction



R. Lopez-Lozano, Frédéric Baret, Michaël Chelle, N. Rochdi, M. España Sensitivity of gap fraction to maize architectural characteristics based on 4D model simulations. *Agricultural and Forest Meteorology*, Elsevier Masson, 2007, 143 (3-4), pp.217-229. [101016/j.agrformet.2006.12.005](https://doi.org/10.1016/j.agrformet.2006.12.005). (hal-01192023)

SOTA



Atlin, Gary N.; Cairns, Jill E.; Das, Biswanath (2017). *Rapid breeding and varietal replacement are critical to adaptation of cropping systems in the developing world to climate change*. *Global Food Security*, 12(1), 31-37. doi:10.1016/j.gfs.2017.01.008


Crop	Country	Average age of variety (years)	Weighting basis	Year of estimate	Source
Hybrid maize	US	3	Area	2016	Brooks (2009)
Hybrid maize	Kenya	17	Area	2010	Smale and Olowande (2014)
Rainfed rice	India	28	Area	2014	IRRI, unpublished data
Wheat	India	13	Seed production	2008	Krishna et al. (2014)






Etienne David. The challenge of robust trait estimates with Deep Learning on high resolution RGB images. Agronomy. Avignon Université, 2021. English. (tel-03431192)



AVIGNON EXPERIMENT




RECTANGULARITY




AZIMUTH

↑
ROW



WASSERSTEIN DISTANCE





Relative Distances Plasticity Index

Ranking species according to their plasticity

$$RDPI = \sum \frac{|X_{ij} - X_{i'j}|}{(X_{ij} + X_{i'j})} \times \frac{1}{n}$$



Where

- i referred to a given level of the environment treatment
- i' another given environment different from i .
- j referred to a given genotype.
- X_{ij} is the phenotypic value.
- n is defined as the number of pairwise environments.






Valladares F, Sanchez-Gomez D, Zavala M a. (2006) Quantitative estimation of phenotypic plasticity: Bridging the gap between the evolutionary concept and its ecological applications. J Ecol 94:1103-1116 . doi: 10.1111/j.1365-2745.2006.01176.x

VERTICALITY




GEODESIC
EUCLIDEAN

LIGHT INTERCEPTION




Raphael Pérez, Christian Fournier, Llorenç Cabrera-Bosquet, Simon Artzet, Christophe Pradal, et al. Changes in the vertical distribution of leaf area enhanced light interception efficiency in maize over generations of selection. *Plant, Cell and Environment*, Wiley, 2019, 42 (7), pp.2105-2119. [10.1111/pce.13539](https://doi.org/10.1111/pce.13539). [hal-02228393](https://hal.archives-ouvertes.fr/hal-02228393)





Truong, Sandra & McCormick, Ryan & Rooney, William & Mullet, John. (2015). Harnessing Genetic Variation in Leaf Angle to Increase Productivity of Sorghum bicolor. *Genetics*. 201. 10.1534/genetics.115.178608.

Liu, F., Song, Q., Zhao, J., Mao, L., Bu, H., Hu, Y., Zhu, X.G. Canopy occupation volume as an indicator of canopy photosynthetic capacity. *New Phytol* 2021 Oct 23;2(2):941-956. doi: 10.1111/nph.17611. Epub 2021 Aug 3. PMID: 34245568.


Functional trait space




PERSPECTIVES



Plot level segmentation in field



Plant level segmentation



Traits extraction

