



Diversification of crop-livestock systems: nutrient cycling and food efficiency implications

Thomas Puech, Fabien Stark

► To cite this version:

Thomas Puech, Fabien Stark. Diversification of crop-livestock systems: nutrient cycling and food efficiency implications. 73rd Annual Meeting of the European Federation of Animal Science, EAAP, Sep 2022, Porto, Portugal. 11p. hal-03774845

HAL Id: hal-03774845

<https://hal.inrae.fr/hal-03774845>

Submitted on 12 Sep 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

➤ Diversification of crop-livestock systems : nutrient cycling and food efficiency implications

T. Puech^{1*} & F. Stark²

1. ASTER, INRAE, 662 Av. Louis BUFFET, 88500 Mirecourt, France.

2. SELMET, Institut Agro Montpellier, University Montpellier, INRAE, CIRAD, 34060 Montpellier, France.

* Corresponding author : thomas.puech@inrae.fr

> Context & objective

Context

Negative impacts of specialization and concentration of agricultural systems (Therond et al., 2017)

Specialization of both farms and territories : crop and livestock disconnection (Jepsen et al., 2015; Billen et al., 2014)

Agroecological principles to improve sustainability : diversification and crop-livestock integration (Altieri et al., 2012; Gliessman, 2004; Dumont et al., 2020)

Problematic

Assessing performances of agrosystems – emergent properties (Bonaudo et al., 2014)

Capacity of these systems to produce food.

Relate performance to environmental conditions

Objective

Assess the agroecological and food production performance of two configurations of integrated crop-livestock farming systems




> Material


		Dairy system (2011-2015)	Diversified system (2018-2020)
Strategic choices			
Self-sufficiency		No fertilizer or feed inputs	
Degree of diversification		Specialised in dairy cattle production (pastures and annual feed crops) and milling wheat	Highly diversified : 3 animal species (dairy cattle, meat sheep, pig) 20 annual food crops
Food/feed principles		Annual crops divided between food and feed (for dairy cattle)	Annual crops for food only / Ruminants strictly grass-fed / Pigs fed on waste
Cropping systems			
Permanent Grassland (ha)		135	135
Arable land	Temporary grassland (ha)	47.2	41.8
	Annual crops (ha) → Feed	33.3	0
	Annual crops (ha) → Food	26.0 (wheat and rye)	64.7 (20 crops : wheat, oats, barley, lentils, peas, vegetables...)
Livestock systems			
Dairy cattle (LU)		170.7 (Holstein & Montbéliard // grazing + hay + cereals // twice a day milking // first calving at 36 month)	124.2 (crossbreeding // strict herbivory // once a day milking // heifers with nurses = first calving at 24 month)
Sheep (LU)		0	18.8 (full open air, strict herbivory)
Pigs (LU)		0	3.9 (full open air, fed only with non-marketable products)
Livestock density (LU/ forage area)		0.8	0.85

Method

Mixed-farming system



1. Conceptualization



Flow Matrix

	Import	H_1	H_2	H_3	H_4
H_1	$Z_{1,0}$	0	$f_{1,2}$	$f_{1,3}$	$f_{1,4}$
H_2	$Z_{2,0}$	$f_{2,1}$	$f_{2,2}$	$f_{2,3}$	$f_{2,4}$
H_3	$Z_{3,0}$	$f_{3,1}$	$f_{3,2}$	$f_{3,3}$	$f_{3,4}$
H_4	$Z_{4,0}$	$f_{4,1}$	$f_{4,2}$	$f_{4,3}$	$f_{4,4}$
Export	0	$Y_{0,1}$	$Y_{0,2}$	$Y_{0,3}$	$Y_{0,4}$
Dissipation	0	$D_{0,1}$	$D_{0,2}$	$D_{0,3}$	$D_{0,4}$
Stock	0	X_1	X_2	X_3	X_4

2. Modelling

N assessment



3. Analysis

Crop-Livestock Integration	System activity	Assessment in relation to food performances
	Intensity	
	Organization	
Agroecological performances Bonaudo et al., 2014	Efficiency	
	Productivity	
	Self-sufficiency	
	Resilience	

➤ Results

	Dairy system (2011-2015)	Diversified system (2018-2020)
Animal products exported (milk + meat)	3,258 kgN	2,088 kgN
Food crops exported	1,146 kgN	1,614 kgN


- Animal products ➤ crops products
- ➔ Reduction of total food production of the diversified system (-16%)
- ➔ A diversified system metabolism dominated by dairy cattle subsystem



➤ Results

Difference mainly due to :

- ➔ decrease in livestock numbers
- ➔ 3 years drought (2018-2020)



TST : Total System Throughflows (Latham, 2006)

- N deposits
- Biological N fix.
- Sales
- Losses
- Stock changes
- Manure
- Fodder

Inputs : only from natural resources

➔ 70% from biological N fix, 30% atm. deposits

Outputs & stocks variation


Internal fluxes : crop-livestock integration

➔ 75% of total system activity

➔ **Self-sufficiency only based on crop-livestock integration and renewable resources**

➤ Results

- Crop-livestock integration:
 - Total system activity is quite higher for the « more intensive » configuration
 - CLI characteristics are similar (in term of intensity and flows organization)
- Agroecological performances :
 - Resilience proxy are similar (same flows network)
 - Dairy system productivity and dependancy are higher
- Efficiency
 - The diversified configuration is more efficient than the specialized one (on all efficiency dimensions)



➤ Discussion & perspectives

- Role of crop-livestock integration; divergent performances on the 2 systems
- Divergent dynamics between resilience and efficiency
➔ trade-off between emergent properties in agrosystems (Bonaudo et al., 2014) ?
- Taking into account environmental conditions (variability) to access agrosystems
➔ Dynamic systems analysis (climate changes)
- Studying systems with a focus on food production ➔ contribute to the feed/food/fuel debate.




Figure 2: The “Window of Viability” in which all sustainable natural ecosystems operate. Complex natural ecosystems invariably operate within a fairly narrow range on each side of the Optimum point.

Tradeoffs between properties in ecosystems
Lietaer et al. (2010)



Thank for your attention



Puech, T., Stark, F. *Diversification of an integrated crop-livestock system: agroecological and food production assessment at farm scale.*

Submitted in Agriculture, Ecosystems and Environment



INRAE

Diversification of integrated crop-livestock systems : nutrient cycling and food efficiency implications

Sept. 06, 2022 ; T. Puech and F. Stark

References

- Altieri, M.A., Funes-Monzote, F.R., Petersen, P., 2012. Agroecologically efficient agricultural systems for smallholder farmers: contributions to food sovereignty. *Agron. Sustain. Dev.* 32, 1–13. <https://doi.org/10.1007/s13593-011-0065-6>
- Allwood J. M., Ashby M. F., Gutowski T. G., and Worrell E. (2013). “Material efficiency: providing material services with less material production.” *Phil. Trans. R. Soc. A*, 371(1986), 20120496. <https://doi.org/10.1098/rsta.2012.0496>
- Billen, G., Lassaletta, L., Garnier, J., 2014. A biogeochemical view of the global agro-food system: Nitrogen flows associated with protein production, consumption and trade. *Glob. Food Sec.* 3, 209–219. <https://doi.org/10.1016/j.gfs.2014.08.003>
- Bonaudo, T., Bendahan, A.B., Sabatier, R., Ryschawy, J., Bellon, S., Leger, F., Magda, D., Tichit, M., 2014. Agroecological principles for the redesign of integrated crop–livestock systems. *Eur. J. Agron.* 57, 43–51. <https://doi.org/10.1016/j.eja.2013.09.010>
- Dumont, B., Puillet, L., Martin, G., Saviotto, D., Aubin, J., Ingrand, S., Niderkorn, V., Steinmetz, L., Thomas, M. 2020. Incorporating diversity into animal production systems can increase their performance and strengthen their resilience. *Frontiers in sustainable food systems.* 4, 109. <https://doi.org/10.3389/fsufs.2020.00109>
- Fath, B.D., Asmus, H., Asmus, R., Baird, D., Borrett, S.R., de Jonge, 714 V.N., Ludovisi, A., Niquil, N., Scharler, U.M., Schückel, U., Wolff, M., 2019. Ecological network analysis metrics: The need for an entire ecosystem approach in management and policy. *Ocean Coast. Manag.* 174, 1–14. <https://doi.org/10.1016/j.ocecoaman.2019.03.007>
- Gliessman, S.R., 2004. Agroecology and Agroecosystems, in: Diane, R., Francis, C. (Eds.), *Agronomy Monographs*. American Society of Agronomy, Crop Science Society of America, Soil Science Society of America, Madison, WI, USA, pp. 19–29. <https://doi.org/10.2134/agronmonogr43.c2>
- Godinot, O., Vertès, F., Leterne, P., Carof, M., 2020. Nouveaux indicateurs d’efficience de l’azote à l’échelle de l’exploitation. *Fourrages* 241, 45–56.
- Jepsen, M.R., Kuemmerle, T., Müller, D., Erb, K., Verburg, P.H., et al., 2015. Transitions in European land management regimes between 1800 and 2010. *Land Use Policy* 49, 53–64. <https://doi.org/10.1016/j.landusepol.2015.07.003>
- Lietaer, B., Ulanowicz, R. E., Goerner, S. J., McLaren N., 2010. Is our monetary structure a systemic cause for financial instability ? Evidence and remedies from nature. *Journal of Futures Studies*, March 2010, 14(3): 89 - 108
- Rufino, M.C., Hengsdijk, H., Verhagen, A., 2009a. Analysing integration and diversity in agroecosystems by using indicators of network analysis. *Nutr. Cycl. Agroecosyst.* 84, 229–247. <https://doi.org/10.1007/s10705-008-9239-2>
- Rufino, M.C., Tittonell, P., Reidsma, P., López-Ridaura, S., Hengsdijk, H., Giller, K.E., Verhagen, A., 2009b. Network analysis of N flows and food self-sufficiency—a comparative study of crop–livestock systems of the highlands of East and southern Africa. *Nutr. Cycl. Agroecosyst.* 85, 169–186. <https://doi.org/10.1007/s10705-009-9256-9>
- Stark, F., Fanchone, A., Semjen, I., Moulin, C.-H., Archimède, H., 2016. Crop–livestock integration, from single practice to global functioning in the tropics: Case studies in Guadeloupe. *Eur. J. Agron.* 80, 9–20. <https://doi.org/10.1016/j.eja.2016.06.004>
- Stark, F., González-García, E., Navegantes, L., Miranda, T., Pocard-Chapuis, R., Archimède, H., Moulin, C.-H., 2018. Crop–livestock integration determines the agroecological performance of mixed farming systems in Latino-Caribbean farms. *Agron. Sustain. Dev.* 38, 4. <https://doi.org/10.1007/s13593-017-0479-x>
- Steinmetz, L., Veyssset, P., Benoit, M., Dumont, B., 2021. Ecological 862 network analysis to link interactions between system components and performances in multispecies livestock farms. *Agron. Sustain. Dev.* 41, 42. <https://doi.org/10.1007/s13593-021-00696-x>
- Therond, O., Duru, M., Roger-Estrade, J., Richard, G., 2017. A new analytical framework of farming system and agriculture model diversities. A review. *Agron. Sustain. Dev.* 37. <https://doi.org/10.1007/s13593-017-0429-7>
- Ulanowicz, R.E., Goerner, S.J., Lietaer, B., Gomez, R., 2009. Quantifying 886 sustainability: Resilience, efficiency and the return of information theory. *Ecol. Complex.* 6, 27–36. <https://doi.org/10.1016/j.ecocom.2008.10.005>