



**HAL**  
open science

## Alpha-S1-casein protein and gene variants in goats

Siham A Rahmatalla, Danny Arends, Gwenola Tosser-Klopp, Gudrun A Brockmann

► **To cite this version:**

Siham A Rahmatalla, Danny Arends, Gwenola Tosser-Klopp, Gudrun A Brockmann. Alpha-S1-casein protein and gene variants in goats. 13th International Conference on Goats (ICG2022), Sep 2022, EGER, Hungary. hal-03812449

**HAL Id: hal-03812449**

**<https://hal.inrae.fr/hal-03812449>**

Submitted on 12 Oct 2022


**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



**ICG2022**  
13<sup>th</sup> INTERNATIONAL  
CONFERENCE  
ON GOATS

**EGER / HUNGARY**  
18-23 SEPTEMBER,  
2022



## Alpha-S1-casein protein and gene variants in goats

*Siham A. Rahmatalla*<sup>1,2</sup>, *Danny Arends*<sup>1</sup>, *Gwenola Tosser-Klopp*<sup>3</sup>, *Gudrun A. Brockmann*<sup>1</sup>

<sup>1</sup> *Albrecht Daniel Thaer-Institut für Agrar- und Gartenbauwissenschaften, Humboldt-Universität zu Berlin, Germany*

<sup>2</sup> *Department of Dairy Production, Faculty of Animal Production, University of Khartoum, Sudan*

<sup>3</sup> *GenPhySE, Université de Toulouse, INRAE, ENVT, F-31326, Castanet Tolosan, France*

Goats are essential for food security in Africa and provide a way of poverty alleviation [1]. Thereby, caseins in goat milk are an important source of nutrients [2]. Alpha-S1-casein comprises about 25% of caseins in goat milk [3]. *CSN1S1* gene is highly polymorphic [4].

The objectives of this study were (1) to provide a comprehensive overview on known  $\alpha$ -S1-casein protein variants in goats and (2) to identify  $\alpha$ -S1-casein protein variants in five goat breeds from Sudan (Nubian, Desert, Nilotic, Taggar, and Saanen).

We performed a literature search on reported protein variants in  $\alpha$ -S1-casein to summarize 30 years of research (aim 1). High-density capture sequencing of a total of 28 goats of the five breeds [5] followed by single SNP genotyping of 50 unrelated individuals of each of the four Sudanese breeds was performed to distinguish  $\alpha$ -S1-casein protein variants (aim 2). French Saanen and Alpine goats were used as outgroups for assessing the genetic diversity.


So far, 20 protein variants have been reported for  $\alpha$ -S1-casein in goats. We clarified the names of  $\alpha$ -S1-casein protein variants and the position of nucleotide and amino acid polymorphisms in the gene, and we provide easy translation between a DNA to a protein variant. Capture sequencing identified five non-synonymous and six synonymous SNPs in Sudanese goat breeds, of which four synonymous SNPs were novel. The variants *CSN1S1*\*A and *CSN1S1*\*B3 or *CSN1S1*\*B3 were most predominant among Sudanese goats and French Saanen, whereas, *CSN1S1*\*A is most frequent in French Alpine (**Table 1**). Interestingly, *CSN1S1*\*J that recently has been identified in Bezoar [5] was also found in Alpine and Desert goats. Cluster analysis based on alpha-S1-casein variants clearly differentiated Sudanese and French breeds.

The existence of high yielding  $\alpha$ -S1-casein variants (strong variants) in Sudanese and French breeds is indicative of selection for high yield and good cheese curding properties.



**ICG2022**  
13<sup>th</sup> INTERNATIONAL  
CONFERENCE  
ON GOATS

**EGER / HUNGARY**  
18-23 SEPTEMBER,  
2022



**Table 1:** Frequency (%) of alpha-S1-casein protein variants in four Sudanese breeds and French Saanen and Alpine goats.

Breed	No.	Frequency (%) of the alpha-S1-variants					
		CSN1S1*A	CSN1S1*B1	CSN1S1*B2	CSN1S1**B3/ CSN1S1*B4	CSN1S1*C	CSN1S1*J
Taggar	45	37	0	0	63	0	0
Nubian	49	51	0	0	49	0	0
Desert	47	41	2	0	55	0	1
Nilolotic	51	47	0	0	53	0	0
Saanen	25	42	2	14	42	0	0
Alpine	35	80	3	1	6	4	6

### References

1. Kahi AK, Wasike CB: Dairy goat production in sub-Saharan Africa: current status, constraints and prospects for research and development. *Asian-Australas J Anim Sci* 2019, 32(8):1266-1274.
2. Gigli I: Milk Proteins: From Structure to Biological Properties and Health Aspects: IntechOpen; 2016.
3. Boulanger A, Grosclaude F, Mahé MF: Polymorphisme des caséines  $\alpha$  (s1) et  $\alpha$  (s2) de la chèvre (*Capra hircus*). *Genetique, selection, evolution* 1984, 16(2):157-176.
4. Ramunno L, Cosenza G, Pappalardo M, Pastore N, Gallo D, Di Gregorio P, Masina P: Identification of the goat CSN1S1F allele by means of PCR-RFLP method. *Anim Genet* 2000, 31(5):342-343.
5. Rahmatalla SA, Arends D, Said Ahmed A, Hassan LMA, Krebs S, Reissmann M, Brockmann GA: Capture Sequencing to Explore and Map Rare Casein Variants in Goats. *Frontiers in Genetics* 2021, 12(98).

### Acknowledgements

SR was Georg Forster Research Fellow supported by Alexander von Humboldt Foundation, Germany. We thank the VarGoats Consortium ([www.goatgenome.org/vargoats](http://www.goatgenome.org/vargoats)) for providing SNP data on CSN1S1 locus.