



HAL
open science

Characterization of the gelling properties of protein from bovine co-products using response surface methodology

Rozenn Le Foll, Valérie Lechevalier-Datin, Catherine Guérin-Dubiard, Amélie Deglaire, Xavier Lambert, Françoise Nau

► To cite this version:

Rozenn Le Foll, Valérie Lechevalier-Datin, Catherine Guérin-Dubiard, Amélie Deglaire, Xavier Lambert, et al.. Characterization of the gelling properties of protein from bovine co-products using response surface methodology. 36th EFFoST International Conference 2022, Nov 2022, Dublin, Ireland. , 2022. hal-03853921

HAL Id: hal-03853921

<https://hal.inrae.fr/hal-03853921>

Submitted on 15 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.




Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

Characterization of the gelling properties of protein from bovine co-products using response surface methodology

Rozenn Le Foll^a, Valérie Lechevalier^a, Catherine Guérin^a, Amélie Deglaire^a, Xavier Lambert^b, Françoise Nau^a.

^a UMR STLO 1253, INRAE, INSTITUT AGRO RENNES-ANGERS, 65 rue de Saint-Brieuc, 35042 Rennes cedex, France
^b CORNILLE sas, Cornillé, 35500, France

Context



Growing food needs linked to global demographic change are driving:


- Nutritional issues: Availability of high quality protein resources
- Environmental issues: Sustainable solutions to meet this growing demand for protein resources

Edible meat co-products are underutilized in the human diet; valorize co-products:

- Would increase the protein resources of good nutritional quality
- Would reduce the quantity of wastes
- Would contribute to a more sustainable and more profitable meat industry


Materials and Methods

Manufacturing process




(Patent: EP 2 108 266 A1)

Gel making



Gelling properties




Response surface methodology: Central composite design

- Experimental variables: protein concentration, pH and ionic strength (X_i)
- Adjusted to a second-degree polynomial regression model


$$Y = \beta_0 + \sum_{i=1}^3 \beta_i X_i + \sum_{i=1}^3 \beta_{ii} X_i^2 + \sum_{i,j=1}^3 \beta_{ij} X_i X_j$$

Results


The two products differ in their content of soluble proteins and fat




K85G protein solubility is higher but more sensitive to pH than ExtraBeef80's one



Soluble protein fractions are mainly composed of sarcoplasmic proteins, myofibrillar proteins and collagen, known for their gelling properties.



The gelling properties depend mainly on the concentration of proteins, especially soluble proteins of the products tested.




- PC1 separates Extrabeef80 from K85G: gels made with Extrabeef80 have a higher adhesiveness, cohesiveness and deformation at the rupture than K85G gels. PC1 is well correlated with soluble protein concentration.
- PC2 explains the variability within gels from a given product opposing hard gels with low water loss (top) to soft gels with high water lost (bottom). PC2 is well correlated with protein concentration.
- K85G best mimics commercial gelatins at 230Bloom (GB).

What about the effect of pH and ionic strength?

- The gelling properties of K85G are not influenced by pH and ionic strength contrary to ExtraBeef80 gels:
- Increasing the ionic strength increases the deformation at the rupture and decreases the water loss of ExtraBeef80 gels.
- Increasing pH decreases the water loss of ExtraBeef80 gels.

Modulating the pH and/or Ionic strength allows ExtraBeef80 to approach the properties of commercial gelatin.



X Optimal conditions to mimic a commercial beef gelatin 230Bloom (5% protein, pH=5.55, 0.2M NaCl)

Conclusion

- The protein concentration is the key factor in optimizing the gelling properties of both beef co-products.
- K85G gelation does not depend on pH or Ionic strength and comes closest to commercial gelatin than ExtraBeef80.
- The variations in pH and Ionic strength on the Extrabeef80 make it possible to approximate the gelling parameters of commercial beef gelatin.
- These results may be useful in guiding the development of functional ingredients suitable for specific technological uses.