



HAL
open science

How to monitor welfare issues on sheep and goats farms with innovative technologies?

Eliel González García, Germain Tesnière

► To cite this version:

Eliel González García, Germain Tesnière. How to monitor welfare issues on sheep and goats farms with innovative technologies?. The EAAP Webinar Series, <https://meetings.eaap.org/webinar/innovative-technologies-for-welfare-management-in-sheep-goats-systems/>, 2023. hal-03940965

HAL Id: hal-03940965

<https://hal.inrae.fr/hal-03940965>

Submitted on 16 Jan 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Integrating innovative TECHNOLOGIES along the value Chain
to improve small ruminant welfare management

<https://meetings.eaap.org/webinar/innovative-technologies-for-welfare-management-in-sheep-goats-systems/>

How to monitor welfare issues on sheep and goats farms with innovative technologies?

Germain Tesnière & Eliel González-García



germain.tesniere@idele.fr



eliel.gonzalez-garcia@inrae.fr



This project has received funding from the European Union's Horizon 2020 research and innovation programme under Grant Agreement No 862050

1) Introduction and objective

TechCare project, a step-by-step methodology

Prioritisation of the most important **welfare issues** for sheep and goats in the EU

How to monitor welfare issues on sheep & goats farms with innovative technologies?

Prioritisation of appropriate and available PLF tools and digital technologies that can potentially be used to assess these welfare issues

Identification of main **methods** that could be used to assess each of these welfare issues by conventional **data collection methods** of animal-based assessment

Tools available on the market
Tools under development, prototypes


On farm tests

Presentation objectives

1. Reminder of the Welfare issues on which the pilot and experimental farms of the project are working
2. Presentation of tool categories and their contribution to the study of WI
3. Presentation of 3 examples of technologies used in the project to study the welfare of sheep and goats




2) Animal welfare issues studied in TechCare



From various welfare issues to 4 main **welfare indicators** categories

- **Behavioral change** – activity, food, and water intake, contact patterns between animals, especially mothers and offspring (animal-based)
- **Weight loss or change in body state** (e.g., condition/fatness) (animal-based)
- **Milk yield and quality** (animal-based)
- **Environmental indicators** (resource-based)

3) PLF for AWE: five PLF families



3.1) Five PLF families:

Identification, location & proximity, activity

Individual identification	Location & proximity	Activity
<ul style="list-style-type: none"> ✓ RFID (radio frequency identif.) ✓ Low frequency (LF) EID readers ✓ Ultra-high-freq. (UHF) readers 	<ul style="list-style-type: none"> ✓ Bluetooth Low Energy (BLE) ✓ GPS tracking ✓ Global Navigation Satellite System (GNSS) ✓ WISP, LoRA... 	<ul style="list-style-type: none"> ✓ GPS ✓ Accelerometers ✓ Virtual fences ✓ Thermal cameras ✓ Automatic feeders
<ul style="list-style-type: none"> ○ The basis for using other tools ○ Flock control, presence/ absence (e.g. predation, mortality...) 	<ul style="list-style-type: none"> ○ Individual or social behaviour ○ Travelled distance ○ Access to resources (feed blocs, water troughs) ○ Ewe/lamb bonds -> mismothering issues ○ Grassland/ rangeland/ surfaces management 	<ul style="list-style-type: none"> ○ Feeding, drinking, grazing behaviour ○ Tracking spatial, movement patterns ○ Resource exploration ○ Behavioural organization ○ Social integration ○ Body temperature ○ Health issues (lameness, mastitis, parasites) ○ Predation/stress sources...)

3.2) Five PLF families: Liveweight

Static weight platforms (with RFID readers)




Gallagher TW-3 weigh scale and data collector



ShearWeigh Load Bars - Sheep SW600



Walk-over-Weighing (WoW) platforms



- Individual and flock liveweight (**LW**) monitoring
- **Growth** rate and body **condition**

3.3) Five PLF families: Water consumption



Water meters



Water flowmeters



- **Water intake** (frequency and quantity, individual patterns and/or collective motions)
 - Heat and hydric **stress**

3.4) Five PLF families: Milk yield & quality



Milk meters











Milk composition (NiRS & MiRS)



- Milk **yield & composition**
- **Udder health** status (e.g. indirect assessment mastitis)


3.5) Five PLF families: Environment (indoor & outdoor)

Indoor	Outdoor
<ul style="list-style-type: none"> ✓ T°C and humidity sensors <ul style="list-style-type: none"> ✓ [Particles] ✓ Gazes detectors [ammonia, CH₄, CO₂] ✓ Thermal and video surveillance cameras 	<ul style="list-style-type: none"> ✓ Weather stations
 <p data-bbox="535 671 1108 735">INNOVA 1314i  Advanced Enerav The Photoacoustic Gas Monitor-INNOVA 1314i selectively</p>  <p data-bbox="968 785 1274 821">CX4000  gasmet</p> 	  
<ul style="list-style-type: none"> ○ Housing comfort and quality ○ Quality and cleanliness of flooring/bedding <ul style="list-style-type: none"> ○ Air quality ○ Climatic conditions and management (performance, decision makings...) 	

How to monitor AWE with environmental sensors?

Example: using T°C and humidity sensors for THI indoor

1) Data on T°C and RH% are produced



- ✓ Temperature (°C) and
- ✓ Relative ambient humidity (%) at different points of the shed

2) Data are collected & processed



- ✓ THI are calculated

3) EWS produced -THI thresholds analysed-



- With regard to:
- ✓ Stocking density
 - ✓ Year season
 - ✓ Physiological stages
 - ✓ Daily routines changes
 - ✓ Data from other PLF tools (e.g. heart & respiratory rates, rectal temperature)

4) Farmers' decision makings around:




- ✓ Comfort
- ✓ Quality of indoor environment and housing conditions
- ✓ Stocking density

How to monitor AWE with a Walk-over-Weighing (WoW) platform?


❖ Monitoring LW:

- Time and labor consuming,
- Stress source for animals and operators
- Difficult task in outdoor conditions



- ❖ An **automated WoW system** for remote LW monitoring of sheep in a range of systems was developed

Liveweight is collected when the animal **voluntarily crosses** the **WoW platform**, strategically placed in a mandatory path, combined with a "attraction" area to stimulate passage



Feasibility of using the WoW demonstrated in a range of farming conditions

	Indoor: adult ewes (<i>Romane</i> breed)
	Outdoor (spring): rotational grazing (<i>Romane</i> ewelambs)
	Outdoor (winter): extensive grazing (rangeland; adult <i>Romane</i> flock)
	Indoor: dairy ewes (<i>Lacaune</i>) at exit race of milking parlour
	Outdoor (spring): rotational grazing (<i>Mérinos d'Arles</i> ewelambs)
 	Indoor: fattening lambs (<i>Mérinos d'Arles</i> breed)

More information:

[doi:10.1016/j.compag.2018.08.022](https://doi.org/10.1016/j.compag.2018.08.022)

[doi:10.1017/S1751731117002609](https://doi.org/10.1017/S1751731117002609)

[doi: 10.3168/jds.2020-19075](https://doi.org/10.3168/jds.2020-19075)

doi.org/10.1016/j.anopes.2022.100032


<https://arxiv.org/abs/2208.00961>

<https://www.youtube.com/watch?v=te0mXY3Yum0&t=19s>

How to monitor AWE with a Walk-over-Weighing (WoW) platform?

Body condition; nutritional status; health; behavior


1) Data on individual LW are produced



- ✓ Progress on **individual LWs** are constantly and automatically collected

2) LW data processed automatically

<https://oriole.sk8.inrae.fr/>



- ✓ **Outliers** are detected and removed

3) EWS are produced around:



- ✓ **LW gains or losses** (*i.e.* undernutrition/malnutrition events)
- ✓ **Growth** rates (ADG) in lambs & yearlings
- ✓ **Health** status (*e.g.* GIP)
- ✓ **Lambing events**
- ✓ **Behaviour** progress (*e.g.* through kinetics of visits to be related to weather or other events...)

4) Farmers' decision makings around:




- ✓ **Feeding and nutrition** management
 - ✓ Grazing & supplementation strategies
- ✓ **Veterinary** assistance
 - ✓ Labour planning
 - ✓ Slaughtering schedules

How to monitor AWE with RFID UHF tags and antennas?

Behavioral change, use of key resources; Health

RFID Low frequency vs. High Frequency

Main characteristics and differences



	EID Tags – RFID :	
	Low-Frequency (LF)	Ultra-High Frequency (UHF)
Water effect	NO	YES
Read range	Up to 80 cm	Up to several meters (~6m.)
Adjustable Read range	NO	YES
Multiple readings	NO	YES


How to monitor AWE with RFID UHF tags and antennas?

Behavioural change, use of key resources; Health

Multiple readings in large corridors



Wood fences



Metal fences

UHF waves reflect on metallic surfaces : « Tunnel effect » of metal fences



- Install UHF tags on each animal, antennas inside/outside of the shed, record data with



- Count animals during batching (entrance/exit of an area/shed)
- Follow the order of individuals

- Identify missing individuals identify animals that are lagging behind
 - suspect potential lameness


How to monitor AWE with RFID UHF tags and antennas?

Behavioural change, use of key resources; Health

Track attendance of individuals at a point of interest (water trough)



Example: Detections of a lambs' group for 3 consecutive days
01/07/2022 to 03/07/2022



Example: cumulative detections per hour, for 1 lamb, over a period of 2 months
01/06/2022 to 31/07/2022

➤ Install UHF tags on each animal, antennas inside/outside of the shed, record data

➤ count the number of visits (habits)
➤ Follow attendance, duration over time

➤ Identify breaks in habits, drops in attendance, absences
➤ Suspect health, lameness, or hydration issues

- ✓ A project to **test, adapt and evaluate** a fairly wide range of technologies, for **small ruminant farming systems**
- ✓ Advance knowledge and the state of the art for these sectors

GPS and proximity sensors, weight platforms, video cameras, EID UHF tags, Accelerometers, GNSS (Global Navigation Satellite Systems) etc.

→ highly frequent in a diversity of situations: ***the question to address makes the difference!***

- ✓ **Some essential points to help make the right choice and continue to improve and adapt the solutions**
 - **High TRL** score (availability in the market... or almost...), for pilots and large-scale farms
 - **Acceptability** and **economic affordability** by the end-user (purchases and subscriptions)
 - **Ease of use**, maintenance
 - **Genericity**: able to cover a range of conditions & situations (e.g., indoor, outdoor, animal category & status)
 - **Combining** techs and applying **EWS *ad hoc*** (according to the specific local priority): a good “umbrella” approach to detect potential health issues?

Follow the project on our networks to discover the next results