



HAL
open science

Correction: Theoretical accuracy for indirect predictions based on SNP effects from single-step GBLUP

André Garcia, Ignacio Aguilar, Andres Legarra, Shogo Tsuruta, Ignacy Misztal, Daniela Lourenco

► To cite this version:

André Garcia, Ignacio Aguilar, Andres Legarra, Shogo Tsuruta, Ignacy Misztal, et al.. Correction: Theoretical accuracy for indirect predictions based on SNP effects from single-step GBLUP. *Genetics Selection Evolution*, 2023, 55 (1), pp.26. 10.1186/s12711-023-00799-x . hal-04095912

HAL Id: hal-04095912

<https://hal.inrae.fr/hal-04095912v1>

Submitted on 25 Jul 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

CORRECTION

Open Access



Correction: Theoretical accuracy for indirect predictions based on SNP effects from single-step GBLUP

Andre Garcia^{1*}, Ignacio Aguilar², Andres Legarra³, Shogo Tsuruta¹, Ignacy Misztal¹ and Daniela Lourenco¹

Correction: *Genetics Selection Evolution* (2022) 54:66
<https://doi.org/10.1186/s12711-022-00752-4>

After publication of this work [1], we noticed that there was an error in Eqs. (14) to (19) presented on page 4 of the paper, where we refer to the term $\text{var}(\hat{\mathbf{a}})$ as the

prediction error covariance (PEC) of SNP effects which is not correct.

The correct equations should be:

$$\text{var}(\hat{\mathbf{a}}) = \text{var}\left((1 - \alpha)b \frac{1}{2 \sum p_i(1 - p_i)} \mathbf{Z}' \mathbf{G}^{-1} \hat{\mathbf{u}}\right) \quad (14)$$

$$= (1 - \alpha)b \frac{1}{2 \sum p_i(1 - p_i)} \mathbf{Z}' \mathbf{G}^{-1} \text{var}(\hat{\mathbf{u}}) \left((1 - \alpha)b \frac{1}{2 \sum p_i(1 - p_i)} \mathbf{Z}' \mathbf{G}^{-1} \right)' \quad (15)$$

$$= (1 - \alpha)b \frac{1}{2 \sum p_i(1 - p_i)} \mathbf{Z}' \mathbf{G}^{-1} (\text{var}(\mathbf{u}) - \text{var}(\hat{\mathbf{u}} - \mathbf{u})) \mathbf{G}^{-1} \mathbf{Z} \frac{1}{2 \sum p_i(1 - p_i)} b(1 - \alpha). \quad (16)$$

The original article can be found online at <https://doi.org/10.1186/s12711-022-00752-4>.

*Correspondence:

Andre Garcia
andreluizseccatto@gmail.com

¹ Department of Animal and Dairy Science, University of Georgia, Athens, GA 30602, USA

² Instituto Nacional de Investigación Agropecuaria (INIA), 11500 Montevideo, Uruguay

³ UMR GenPhySE, INRA Toulouse, BP52626, 31326 Castanet Tolosan, France



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Then,

$$\text{var}(\hat{\mathbf{a}}) = (1 - \alpha)b \frac{1}{2 \sum p_i(1 - p_i)} \mathbf{Z}' \mathbf{G}^{-1} (\mathbf{G} \sigma_u^2 - \mathbf{C}^{u_2 u_2}) \mathbf{G}^{-1} \mathbf{Z} \frac{1}{2 \sum p_i(1 - p_i)} b(1 - \alpha). \quad (17)$$

Therefore,

$$\text{var}(\hat{\mathbf{a}}) = (1 - \alpha)b \frac{1}{2 \sum p_i(1 - p_i)} (\mathbf{Z}' \mathbf{G}^{-1} \mathbf{Z} \sigma_u^2 - \mathbf{Z}' \mathbf{G}^{-1} \mathbf{C}^{u_2 u_2} \mathbf{G}^{-1} \mathbf{Z}) \frac{1}{2 \sum p_i(1 - p_i)} b(1 - \alpha). \quad (18)$$

$$\text{ACC}_{IP_j} = \sqrt{\frac{\mathbf{z}_j \text{var}(\hat{\mathbf{a}}) \mathbf{z}_j'}{\sigma_u^2}}. \quad (19)$$

Please note that the equations are correctly programmed in the software used for analyses, and the corrections above do not affect the end results presented in the manuscript.

We thank Dr. Matias Berman from The University of Georgia and Dr. Jeremie Vandenplas from Wageningen University for their interest and suggestions to correct the manuscript.

Published online: 17 April 2023

Reference

- Garcia A, Aguilar I, Legarra A, Tsuruta S, Misztal I, Lourenco D. Theoretical accuracy for indirect predictions based on SNP effects from single-step GBLUP. *Genet Sel Evol.* 2022;54:66. <https://doi.org/10.1186/s12711-022-00752-4>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

