



**HAL**  
open science

## Motivation for foraging behavior and feed place preference in free-range broiler chickens

Vitor Hugo Bessa Ferreira, Arthur Simoni, Karine Germain, Léa Lansade, Anne Collin, Sandrine Mignon-Grasteau, Elisabeth Le Bihan-Duval, Elodie Guettier, Hélène Leruste, Ludovic Calandreau, et al.

### ► To cite this version:

Vitor Hugo Bessa Ferreira, Arthur Simoni, Karine Germain, Léa Lansade, Anne Collin, et al.. Motivation for foraging behavior and feed place preference in free-range broiler chickens. 26. World's Poultry Congress, WPSA, Aug 2022, Paris, France. hal-04129719

**HAL Id: hal-04129719**

**<https://hal.inrae.fr/hal-04129719v1>**

Submitted on 15 Jun 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



**WPC**

WORLD'S POULTRY  
CONGRESS

**07-11  
AUGUST**

**2022**

PARIS, FRANCE  
PALAIS DES CONGRÈS



**Book of abstracts 2022**

The French branch of WPSA is waiting for you

More informations at:

**WPCPARIS2022.COM**



**ID: 1964**

## MOTIVATION FOR FORAGING BEHAVIOR AND FEED PLACE PREFERENCE IN FREE-RANGE BROILER CHICKENS

V.Bessa Ferreira (1), A. Simoni (1), K. Germain (2), L. Lansade (3), A. Collin (4), S. Mignon-Grasteau (4), E. Le Bihan-Duval (4), E. Guettier (4), H. Leruste (1), L. Calandreau (3), V. Guesdon\*(1)

(1) JUNIA, Comportement Animal et Systèmes d'Élevage, Lille, France, (2) INRAE, UE EASM, Surgères, France, (3) CNRS, IFCE, INRAE, Université de Tours, PRC, Nouzilly, France, (4) INRAE, Université de Tours, BOA, Nouzilly, France

*\*Presenting author*

**Corresponding author mail:** [vanessa.guesdon@junia.com](mailto:vanessa.guesdon@junia.com) (Vanessa Guesdon)

Free-range broiler chickens usually show an uneven utilization of the outdoor range, but reasons of this variability remain largely unknown. In this work, we tested whether individual differences in the exploration of the outdoor range is related to different motivation for foraging activity between individuals. We therefore compared chickens with different ranging levels (low- and high-ranging chickens, LRC and HRC, respectively) using a conditioned place preference paradigm to test whether and how individuals differ in contrafreeloading (when individuals work for food instead of acquiring it freely) and during an association/extinction of a learned food place preference. During the contrafreeloading study, chickens (nLRC = 13, nHRC = 16) were conditioned to one chamber presenting a foraging substrate and mealworms, while in the other chamber mealworms were freely available on the floor. For the feed place preference study, individuals (nLRC = 8, nHRC = 11) were conditioned to one chamber, always presenting a freely accessible feed reward (mealworms), while the other chamber was always empty. During testing trials, for both studies, animals had access to both empty chambers, and the time spent in each chamber was quantified. During contrafreeloading tests, HRC showed a marked preference for chamber with both the foraging substrate and mealworms ( $p = 0.02$ ), whereas LRC did not show any preference ( $p = 0.52$ ). For the first testing day during the feed place preference, both HRC and LRC spent significantly more time in the conditioned chamber ( $F_{1, 17} = 13.70$ ,  $p = 0.002$ ), where they could previously find mealworms. During the extinction trials, HRC were also more immobile than LRC ( $3.00 \pm 1.94$  and  $1.25 \pm 1.75$  for HRC and LRC, respectively,  $U = 20$ ,  $p = 0.048$ ). Our results suggest that individual chickens may value foraging opportunities differently, LRC being less prone to contrafreeload and being more resistant to the extinction of a learned feed place preference, partially explaining their motivation to remain near the barn where free feed is available constantly and predictably.

*The project PPILOW has received funding from the European Union's Horizon 2020 research and innovation program under grant agreement N°816172.*