



**HAL**  
open science

## How semi-natural habitats affect the lifespan and foraging behavior of individual honey bees in farmlands?

Elise Verrier, Vincent Bretagnolle, Pierrick Aupinel, Axel Decourtye, Mickael Henry, F. Rebaudo, Fabrice Requier

### ► To cite this version:

Elise Verrier, Vincent Bretagnolle, Pierrick Aupinel, Axel Decourtye, Mickael Henry, et al.. How semi-natural habitats affect the lifespan and foraging behavior of individual honey bees in farmlands?. International Conference on Ecological Sciences, SFE-GTÖ-EEF, Nov 2022, Metz, France. hal-04138208

**HAL Id: hal-04138208**

**<https://hal.inrae.fr/hal-04138208>**

Submitted on 22 Jun 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# SFE<sup>2</sup> GfÖ EEF

Joint meeting, International Conference on Ecological Sciences

*"Ecology and Evolution: New perspectives and societal challenges"*

21-25 Nov 2022 Metz (France)



Ecology & Evolution: New perspectives  
and societal challenges

Organized by :



& North Eastern France Labs in Ecology & Evolution



**Abstract book – Oral presentations**  
**Regular sessions**

00347

## How semi-natural habitats affect the lifespan and foraging behavior of individual honey bees in farmlands?

Oral

E. Verrier<sup>1</sup>, V. Bretagnolle<sup>2,3</sup>, P. Aupinel<sup>4</sup>, A. Decourtye<sup>5,6</sup>, M. Henry<sup>6,7</sup>, F. Rebaudo<sup>1</sup>, F. Requier<sup>1</sup>

<sup>1</sup>Evolution Génome Comportement Et Ecologie, CNRS, IRD, Université Paris-Saclay - Gif-sur-Yvette (France), <sup>2</sup>Centre D'études Biologiques De Chizé, UMR 7372, CNRS & La Rochelle Université - 79360 Villiers-En-Bois (France), <sup>3</sup>LTSER Zone Atelier Plaine & Val de Sèvre - 79360 Villiers-En-Bois (France), <sup>4</sup>UE 1255 APIS 'abeilles Paysages Interactions Et Systèmes De Culture', INRAE - 17700 Surgères (France), <sup>5</sup>ITSAP-Institut De L'abeille - 84914 Avignon (France), <sup>6</sup>UMT PrADE, Site Agroparc - 84914 Avignon (France), <sup>7</sup>INRAE, UR 406 Abeilles et Environnement - 84914 Avignon (France)

Abstract

Agricultural intensification, promoted by the Common Agricultural Policy over the past decades, led to important declines of biodiversity in European farmlands. In particular, the simplification of agricultural landscapes is known to affect insect pollinators, although paradoxically the yield of numerous crops depends on their survival. The Western honey bee (*Apis mellifera*) is one of the most important pollinators in farmlands. However, honey bee populations suffer high mortality rates, partly related to the loss of semi-natural habitats leading to a decrease in flower diversity and to periods of food shortage. While some studies assessed the link between semi-natural habitats and honey bee mortality at the colony level, it remains poorly investigated at the individual level. Individual worker bees play a critical role in the colony given that they can adjust their life history and foraging behavior to ensure sufficient intake of food according to colony needs. Therefore, assessing whether the loss of semi-natural habitats disturbs the lifespan and foraging behavior of individual honey bees could help to understand the mechanisms underlying colony mortality. To do so, we selected 14 sites along a landscape gradient of semi-natural habitats in a farmland system, in Western France. We monitored the life history of 1427 newly emerged worker honey bees in the study sites over periods of mass-flowering (April and July) or food shortage (May and June). We used the automatic RFID device (Radio Frequency Identification) to track their lifespan, their flight activity and their allocation to foraging in the different landscapes. We found noticeable effects of semi-natural habitats on the lifespan and foraging behavior of individual honey bees that would help to understand how individual workers adapt their own life history traits to sustain food intake in landscapes with reduced flower availability. These results will be discussed with the general objective to provide recommendations of landscape management to safeguard insect pollinators in farmlands.