



Monitoring Reporting and Verification issues and technologies for decision makers in the context of carbon sequestration: towards a MRV operational system for soil Carbon monitoring

Eric Ceschia, Jean-François Soussana

► To cite this version:

Eric Ceschia, Jean-François Soussana. Monitoring Reporting and Verification issues and technologies for decision makers in the context of carbon sequestration: towards a MRV operational system for soil Carbon monitoring. 26th Conference of Parties, side event 7.G.4, "Agriculture, land use, forestry", United Nations, Aug 2021, Glasgow (Ecosse), United Kingdom. pp.1-13. hal-04221994v2

HAL Id: hal-04221994

<https://hal.inrae.fr/hal-04221994v2>

Submitted on 29 Sep 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Monitoring Reporting and Verification issues and
technologies for decision makers in the context of carbon
sequestration :
towards a MRV operational system for soil Carbon
monitoring



Jean François Soussana
Vice CEO of INRAE




Éric Ceschia
Senior scientist INRAE at CESBIO

- Growing international interest in better managing soils to increase soil organic carbon (SOC) → contribute to climate change mitigation, enhance resilience to climate change and to underpin food security (e.g. '4p1000' initiative, FAO's Global assessment of SOC sequestration potential programme),
 - Yet, changes in SOC content of soils are difficult to measure → key barrier to implementing programmes to increase SOC at large scale,
- ➡ Need for credible and reliable measurement/monitoring, reporting and verification (MRV) platforms, both for national reporting (NDCs) and for emissions trading.

- Most operational MRV systems allowing national scale quantification are based on in-situ soil sampling networks (reference approach) but heterogeneous protocols (+ uncertainties), low sampling frequency (5-10 yr), expensive, not exhaustive (not all plots monitored)
- ➔ issue for attributing SOC stock changes to specific driver and concerning the suitability of using those networks for monitoring absolute SOC stock changes and for international negotiations,
- On the other hand, for a range of applications (agri-environmental monitoring for the CAP, carbon market...) the development of MRV methods and tools based on the plot scale annual estimation of the C balance and its components (e.g. photosynthesis, biomass inputs to the soil...) is needed.
- Other approaches like soil modeling approaches, direct estimates by remote sensing... have their pros and cons (cost of implementation, operationnality, accuracy, accessibility of the data), and some are easier to implement at large scale than others; also they are rather complementary and to some extent the weakness of one approach can be compensated by the others.

Need for a new & harmonised international MRV framework for Soil Carbon

→ CIRCASA (Smith, Soussana et al., 2019) proposed to combine a range of approaches and suggested a common theoretical framework for MRV at global scale.




- Many bricks already exist (e.g. COMET-Farm (US) and SIMEOS-AMG (France) as modeling tools for soil C budget and GHG inventories at farm level, international flux tower networks, new generation of high spatial & temporal resolution satellite missions → biomass estimates...),
- ...but need to define an integrated methodological MRV framework and develop tools having:
 - large acceptability & adapted to a large range of stakeholders,
 - meeting the highest scientific standards,
 - the possibility of large scale application (or even global) with comparable/identical protocols/systems of observation (e.g. earth observation),
 - at low cost of implementation,
 - adaptative, with several levels of complexity depending on the context of application (e.g. availability of input data...) → TIERS with TIER 1 being applied everywhere.
- Some MRV prototypes are under development : FiON (Finland), AgriCarbon-EO (France) →  NIVA and Soil Carbon Farming ( eit Climate-KIC).

The AgriCarbon-EO processing chain (H2020 NIVA project) → 10m resolution annual biomass, CO₂ flux & C budget estimates at regional/national scale for cropland with the support of CNES (French Space Agency).


Level of readiness

- Tested in France
- Under development

All major crops except rice



CO₂ fixation/emission



Pixel scale C budget (gC.m⁻²)



+ uncertainties

TIER 1 plot map (net CO₂ flux)

TIER 2 plot map (C budget)

TIER 3 pixel map (C budget)

Map of the net annual CO₂ fluxes for cropland in 2018 over the Netherlands based on an estimate of the duration of the soil coverage by vegetation with remote sensing data (Sentinel 2).



Net annual CO₂ fixation



Net annual CO₂ losses



In collab with



Ministerie van Economische Zaken
en Klimaat


IGN and ASP for the



project

Mapping cropland components of the C budget (Tier 3)

10 m resolution map of the net annual CO₂ fluxes for straw cereals in 2017 in South West France over an entire Sentinel 2 Tile (100 x 100 km)



Cover crop biomass → C storage



High resolution C budget map for cover crop/maize/wheat crop rotations at the Bézéril farm (gC/m²/yr)



- Method compliant with Verra's Certified Carbon Standard VCM0042,
- Only parametrised for a few crops species so far, not fully operational yet.

- The MRV approach/tool should be flexible (possibility to adapt to the context of application) and modular (possibility to change the bricks) → increases the acceptability & accuracy,
- Access to farmer's activity at large scale (needed to calculate SOC stock changes) is a challenge in many contexts → need 1) for coordinated actions relative to farmer's data access, standardisation, consent management...(e.g. AgDatahub) and 2) still produce indicators related to the C budget (TIER 1) that can be implemented easily, at low cost, everywhere (current actions in H2020 NIVA and with Planet A),
- Huge volume of data to handle (e.g. remote sensing) & need for intensive computing → dedicate infrastructure, need for sophisticated algorithms for EO data assimilation in the models...,
- Guaranty the security, traceability & transparency of the approach,
- Need to involve a large panel of potential users & stakeholders to define → ensure the largest possible accession.

- Large consensus about the need for a coordinated action about MRV for soil carbon
➔ the IRC Soil Carbon should start in 2023,
- A shared vision of which bricks should constitute the MRV methodological framework and several already exist/are operational,
- Need to assemble them and to propose a modular/flexible approach/set of tools adapted to different context of applications, meeting the demand of various potential users/stakeholders (e.g. NGOs, companies involved in the C market)
- But many technological challenges yet to overcome ➔ need for a major technological breakthrough supported by an international action involving research agencies, space agencies, private foundations and companies as well as a large panel of scientists.

Thanks for your attention



HORIZON 2020



Climate-KIC

Climate-KIC is supported by the
EIT, a body of the European Union



For more information please contact us at :

jean-francois.soussana@inrae.fr

eric.ceschia@inrae.fr