



HAL
open science

Extracellular vesicles from *Staphylococcus aureus* follow different pathways to manipulate host cells

Julia Papail, Ligia Prado, Nathalie Daniel, Brenda Silva Rosa da Luz, Daniele Vassaux, Yann Le Gouar, Nadia Berkova, Julien Jardin, Svetlana Chabelskaia, Yves Le Loir, et al.

► To cite this version:

Julia Papail, Ligia Prado, Nathalie Daniel, Brenda Silva Rosa da Luz, Daniele Vassaux, et al.. Extracellular vesicles from *Staphylococcus aureus* follow different pathways to manipulate host cells. 18e congrès national de la SFM “ Un monde à explorer ”, Société Française de Microbiologie (SFM), Oct 2023, Rennes, France. hal-04234337

HAL Id: hal-04234337

<https://hal.inrae.fr/hal-04234337>

Submitted on 10 Oct 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

Extracellular vesicles from *Staphylococcus aureus* follow different pathways to manipulate host cells

Julia PAPAIL¹, Ligia PRADO^{1,2}, Nathalie DANIEL¹, Daniele VASSAUX¹, Yann LE GOUAR¹, Nadejda BERKOVA¹, Julien JARDIN¹, Svetlana CHABELSKAIA³, Yves LE LOIR¹, Vasco AZEVEDO⁴, Éric GUÉDON¹

MICROBES 2023, 18^e Congrès National de la SFM
Rennes, 05/10/2023



¹INRAE, Institut Agro, STLO, Rennes, France;

²Institute of Biological and Natural Sciences, Federal University of Triângulo Mineiro, Uberaba, Brazil;

³Université de Rennes, INSERM U1230, BRM, Rennes, France;

⁴Laboratory of Cellular and Molecular Genetics, Institute of Biological Sciences, Federal University of Minas Gerais, Belo Horizonte, Brazil.



Société Française
de Microbiologie

MICROBES 2023
18^e CONGRÈS NATIONAL DE LA SFM

4-6
octobre

**LE COUVENT
DES JACOBINS**

CENTRE DES CONGRÈS DE
DE RENNES MÉTROPOLE




Conflict of interest declaration

For this presentation,
I declare that I have no conflict of interest.

✓ *Staphylococcus aureus*

➤ Human opportunist pathogen



Diseases caused by *Staphylococcus aureus*
Salgado-Pabón W and Schlievert P., 2014

➤ Significant impact on the veterinary medicine and food fields → Etiological agent of mastitis




➤ The six highly virulent and antibiotic resistant bacterial pathogens

ESKAPE




✓ *Staphylococcus aureus* virulence factors



✓ Extracellular vesicles (EVs)

- Lipid bilayer spherical nano-sized particles (30-300 nm) which carry various molecules (eg, lipids, nucleic acids, proteins)
- Vehicles that transport and deliver molecules to local or distant cellular targets
- Imply in cell-to-cell communication and especially in host-pathogen interaction




EVs produced by the bovine strain *S. aureus* Newbould 305 observed (A.) with a Transmission Electron Microscope (TEM) (B.) with electron cryotomography
Tartaglia et al., 2018

What is the contribution of extracellular vesicles from *S. aureus* in pathogenesis ?

✓ Role of extracellular vesicles in pathogenesis


Impact of EVs on the expression of several inflammatory genes



- Human osteoblast-like non-phagocytic cell line
- Taken from patient with osteosarcoma

✓ Role of extracellular vesicles in pathogenesis


Impact of EVs on the expression of several inflammatory genes



Increased expression of genes coding for :

✓ Cytokines



✓ Toll-Like Receptors (TLR)



→ N315-derived EVs induce the expression of various *TLR* and immune genes in MG-63 cells

✓ Role of extracellular vesicles in pathogenesis

Impact of EVs on the expression of several inflammatory genes





Abbas et al Cell Mol Imm 2015 Elsevier

➔ N315-derived EVs induce the expression of various *TLR* and immune genes in MG-63 cells


✓ Role of extracellular vesicles in pathogenesis

Impact of EVs on the expression of several inflammatory genes




How do these EVs interact with host cells?
Do EVs trigger both extracellular and intracellular pathway ?

→ N315-derived EVs induce the expression of various *TLR* and immune genes in MG-63 cells




✓ Internalization of EVs by MG-63 cells



→ *S. aureus* N315-derived EVs are internalized by MG-63 cells


- in a dose-dependent manner
- in a time-dependent manner

✓ Internalization of EVs by MG-63 cells







Corbeil et al., 2020

→ Several different pathways of internalization are possible





✓ Internalization of EVs by MG-63 cells



Unpublished results


→ Internalization of N315 EVs can depend upon dynamin-mediated endocytosis and macropinocytosis

✓ Internalization of EVs by MG-63 cells






Unpublished results


→ Internalization of N315 EVs can depend upon dynamin-mediated endocytosis and macropinocytosis



Dil-labelled Extracellular vesicles
from N315 strain




✓ Modulation of genes expression



→ The induced expression mediated by EVs of *TLR7*, *IFNβ* and *IL-6* genes is dependent on the internalization of EVs

→ Several pathways can be used by EVs to interact with host cells


✓ Modulation of genes expression



→ The induced expression mediated by EVs of *TLR7*, *IFNβ* and *IL-6* genes is dependent on the internalization of EVs


→ Several pathways can be used by EVs to interact with host cells

✓ To sum up




- N315-derived EVs can trigger both extracellular and intracellular signaling pathway in host cells
- Several EV components (proteins, RNA) can be involved in the interaction with host cells



✓ To sum up



Luz and al., 2022




Luz and al., 2021



- N315-derived EVs can trigger both extracellular and intracellular signaling pathway in host cells
- Several EV components (proteins, RNA) can be involved in the interaction with host cells

Thanks



Ligia Prado, LIA
Mathilde Lécot, Rennes
Brenda Luz, LIA

Eric Guedon, STLO, Rennes
Nathalie Daniel, STLO, Rennes
Danièle Vassaux, STLO, Rennes
Yves Le Loir, STLO, Rennes
Nadejda Berkova, STLO, Rennes
Yann Le Gouar, STLO, Rennes
Jordane Ossemond, STLO, Rennes

Brice Felden, BRM, Rennes
Svetlana Chabelskaia, BRM, Rennes

Vasco AZEVEDO, UFMG, Belo Horizonte, Brazil

