



HAL
open science

Exploring the Impact of Food Choice on Brain Responses to Sweet Drinks using fMRI

Jean-Marie Bonny, Olga Davidenko

► **To cite this version:**

Jean-Marie Bonny, Olga Davidenko. Exploring the Impact of Food Choice on Brain Responses to Sweet Drinks using fMRI. 16th Benjamin Franklin Lafayette Seminar, Jun 2023, Frejus (France), France. hal-04235665

HAL Id: hal-04235665

<https://hal.inrae.fr/hal-04235665v1>

Submitted on 10 Oct 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Exploring the Impact of Food Choice on Brain Responses to Sweet Drinks using fMRI

Jean-Marie BONNY¹, Olga DAVIDENKO²

(1) INRAE, PROBE research infrastructure, AgroResonance facility, F-63122 St Genes Champanelle, France

(2) Université Paris-Saclay, AgroParisTech, INRAE, UMR PNCA, 91120, Palaiseau, France

Jean-marie.bonny@inrae.fr

Choice, fMRI, MVPA, human

Eating behavior is influenced by automatic responses to contextual food cues¹. For example, the easy availability of tasty foods can stimulate eating behaviors by enhancing the reward experience. Such working hypothesis is supported by a previous study demonstrated that providing choice resulted in higher levels of both food liking and food intake compared to situations where individuals were randomly assigned a dessert option². To address this issue, we conducted a study involving human participants who were asked to assess the pleasantness of sweet commercial beverages in both repeated free-choice and forced-choice conditions. Participants judged pleasantness after drinking sweet commercial beverages in repeated free- and forced-choice conditions. High-resolution fMRI and multivariate pattern analysis techniques^{3,4} were employed to examine how choice influenced the spatial patterns that encode categorical information related to the drinks (taste/flavor, likings). By utilizing actual tasteful stimuli instead of relying on food images⁵, our results point at population-level several significant modulations of cortical representations due to choice.

To identify the network of brain regions associated with a specific aspect of food behavior, it is necessary to measure variables that can be categorized into distinct behavioral categories. Are the likings measured during an fMRI experiment reliable enough to accurately define categories of pleasantness and subsequently decode the brain's reward-related subprocesses at the individual level and what could be done to enhance their validity ?

1. Cohen DA, Babey SH. Contextual influences on eating behaviours: heuristic processing and dietary choices: Contextual influences on eating behaviours. *Obes Rev.* 2012;13(9):766-779. doi:10.1111/j.1467-789X.2012.01001.x
2. Parizel O, Sulmont-Rossé C, Fromentin G, et al. The structure of a food product assortment modulates the effect of providing choice on food intake. *Appetite.* 2016;104:44-51. doi:10.1016/j.appet.2015.11.018
3. Kriegeskorte N, Goebel R, Bandettini P. Information-based functional brain mapping. *Proc Natl Acad Sci.* 2006;103(10):3863-3868. doi:10.1073/pnas.0600244103
4. Kriegeskorte N, Douglas PK. Interpreting encoding and decoding models. *Curr Opin Neurobiol.* 2019;55:167-179. doi:10.1016/j.conb.2019.04.002
5. Yeung AWK. Affective value, intensity and quality of liquid tastants/food discernment in the human brain: An activation likelihood estimation meta-analysis. 2018:11.

