

In vitro amino acid digestibility and availability

Didier Dupont

▶ To cite this version:

Didier Dupont. In vitro amino acid digestibility and availability. International Symposium on Dietary Proteins for Human Health., organized in cooperation with the IAEA, Sep 2023, Utrecht, Netherlands. hal-04299592

HAL Id: hal-04299592

https://hal.inrae.fr/hal-04299592

Submitted on 22 Nov 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





INTERNATIONAL SYMPOSIUM DIETARY PROTEIN FOR HUMAN HEALTH









Declaration of Interest

- My primary research focus lies in food digestion, aiming to understand the mechanisms of food breakdown in the different compartment of the gastrointestinal tract and its consequences on human health (infant, adult, elderly)
- I disclose the following [financial, professional or other] interest directly relevant to the topic of discussion.









Declaration of Interest

Type of interest, and basic descriptive details.	Name of company, organization, or institution	Current interest (or year ceased)
1. Employment and consulting including service as a technical or other advisor, or other type of management relationship*		
2. Research support including grants, collaborations, sponsorships, other funding and non-monetary support*	Sodiaal, Mondelez, Agro- Mousquetaires	Joint research projects
3. Financial relationship, including current stock or share ownership or investment interests		
4. Current intellectual property including patents, trademarks, or copyrights (also include pending applications) *		

^{*}Report evidence within the past 4 years









In vitro amino acid digestibility and availability

Introduction




Didier DUPONT

INRAE, Rennes, France




The digestive process





From Roger Lentle, Massey Univ. NZ



Gastric phase = a very complex but crucial step for the kinetics of the whole digestion process

Models available to study digestion




In vitro static models (infant, adult, elderly)

In silico models

 $\Phi_{12} = k_{12whey} \times \left(V_1 - m_{caswpd1} \times \alpha\right) + k_{12aggr} \times m_{caswpd1} \times \alpha$





In vitro dynamic models (infant, adult, elderly)









Human models















Static in vitro digestion models: pro's & con's



Consist in a series of bioreactors where the enzymatic and physicochemical conditions of the different compartments of the gut will be mimicked

It is static since the conditions are kept constant throughout the different steps. No flow of the food between the compartments. A step starts when the previous one has been fully completed

Widely used by the scientific community

Main Reasons:

Ethical - Technical - Financial

Advantages:

Standardisation of the experimental conditions Good reproducibility and repeatability Easy sampling, possibility to follow kinetics

Disadvantages:

Impossible to mimic the complexity of the GI tract in a test tube!!!











REVIEW




Correlation between in vitro and in vivo data on food digestion. What can we predict with static in vitro digestion models?

T. Bohn^a, F. Carriere^b, L. Day^c, A. Deglaire^d, L. Egger^e, D. Freitas^f, M. Golding^g, S. LeFeunteun^f, A. Macierzanka^h, O. Menard^d, B. Mirallesⁱ, A. Moscovici^j, R. Portmann^e, I. Recio^j, D. Rémond^k, V. Santé-Lhoutelier^J, T. J. Wooster^m, U. Lesmes^j, A. R. Mackieⁿ, and D. Dupont^d

^aLuxembourg Institute of Health, Strassen, Luxembourg; ^bCNRS UMR 7282 EIPL, Marseille, France; ^cAgresearch, Palmerston North, New Zealand; ^dINRA UMR 1253 STLO, Rennes, France; ^eAgroscope, Institute for Food Sciences, Bern, Switzerland; ^fINRA UMR GMPA 782, Grignon, France; ^gMassey University, Palmerston North, New Zealand; ^bGdansk University of Technology, Gdansk, Poland; ⁱCIAL CSIC-UAM, Madrid, Spain; ^jTechnion—Israel Institute of Technology, Haifa, Israel; ^kINRA UNH UMR 1019, Theix, France; ^lINRA UR 370 QUAPA, Theix, France; ^mNestlé Research Centre, Nestec S.A., Lausanne, Switzerland; ⁿUniversity of Leeds, Leeds, United Kingdom

CONTACT Dr. D. Dupont didier.dupont@inra.fr INRA UMR 1253 STLO, 65, rue de St Brieuc, 35042 Rennes Cedex, France.



Interaction with PC slows β -lg gastric digestion

- * Static in vitro digestion models can be useful to compare series of samples or understand molecular mechanisms
- * Static *in vitro* digestion models can be relevant to estimate end-point values such as:
 - Glycaemic index
 - Some micronutrient bioaccessibility
 - Protein digestibility

* Static *in vitro* digestion models are too simple to study more complex phenomena like kinetics of digestion, food structure evolution in the GI tract...

Bohn et al. 2018
Crit Rev Food Sci Nutr
215 citations
Highly Cited











Highly Cited



Simulation of:

- ✓ Progressive acidification
- ✓ Gradual enzyme and fluids secretion
- ✓ Continuous emptying












What does it simulate?

Simulation of:


- ✓ Progressive acidification
- Gradual enzyme and fluids secretion
- Continuous emptying





- ✓ Rate of nutrient digestion
- ✓ Structural changes in stomach

Layering



Coagulation















Dynamic in vitro digestion models




Dynamic Gastric Model (DGM)






Human Gastric Simulator (HGS)



Artificial Colon (ARCOL)








Digestion Dynamique Gastro-Intestinale (DIDGI)





Dupont et al. 2018
Crit Rev Food Sci Nutr
167 citations
Highly Cited







TNO Gastro-Intestinal ModelTIM

SIMulator of the GastroIntestinal tract (SIMGI)

AGRO








For bioavailability estimation in vitro digestion models must be connected to absorption models

The most oftenly used at the international level:

Caco2 cell monolayers




Kondrashina et al. 2023 Crit Rev Food Sci Nutr More promising: coupling *in vitro* digestion with Ussing chambers experiments?

Limit: role of the mucus in absorption?

Porcine Intestinal Mucus



- >95% water
- >5% mucins
- + cholesterol
- + other proteins
- + DNA



Ozorio et al. 2021 Foods, 9 (10), 1415

More complex models: Caco-2 + HT-29-MTX co-cultures tri or quadricellular absorption models (with M-cells, immune cells...)

Colon and intestinal microbiota


Hot topic!!!

There are bacteria all over the gastrointestinal tract

Most of the scientific studies are focused on the microbiota found in the colon or in the fecal material

Does the microbiota present in the stomach and small intestine play a role in food digestion?

Beside colonic models, most of the in vitro digestion models mimicking the upper part of the gastrointestinal tract lack of the presence of bacteria











Improving health properties of food by sharing our knowledge on the digestive process

International Research Network

Dr. Didier DUPONT, Senior Scientist, INRAE, France



















Porto, Portugal 2024

We are pleased to announce the next 8th International Conference on Food Digestion



in Porto, Portugal, 9-11 April 2024