



HAL
open science

What ecological traits and functions are important in a crop mixture for effective weed management?

Malick S Ouattara, Raphaël Paut, Muriel Valantin-Morison, Safia Médiène

► To cite this version:

Malick S Ouattara, Raphaël Paut, Muriel Valantin-Morison, Safia Médiène. What ecological traits and functions are important in a crop mixture for effective weed management?. 19th European Weed Research Society Symposium, European Weed Research Society, Jun 2022, Athenes, Greece. hal-04373421

HAL Id: hal-04373421

<https://hal.inrae.fr/hal-04373421>

Submitted on 5 Jan 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

What ecological traits and functions are important in a crop mixture for effective weed management?

Malick OUATTARA, Raphaël PAUT, Muriel VALANTIN-MORISON, Safia MEDIENE

19th European Weed Research Society Symposium

20 - 23 June 2022 Athens Greece


➤ Why to promote a biodiversity-based agriculture ?

Mixing species:

🌾 Increases biological and functional diversity in agroecosystems

🌾 Provides ecosystem services

🌾 Reduces the external inputs by promoting biological regulation



Agroecosystem type

ARTIFICIALISATION for:


- Creating soil structure & soil porosity
- Limiting water & nutrient stresses
- Treating pest & disease (plants & animals)

REGULATION of ECOLOGICAL PROCESSES for:

- creating soil structure & soil porosity
- Increasing water & nutrients availability
- Increasing pest & disease control
- Improving pollination
- Regulating microclimate

Duru *et al.* 2015

➤ Lock in to biodiversity-based agriculture ?



Ehrmann and Ritz, 2014

☘ Arable Crop diversification is accompanied by an increase in the complexity of cropping systems and interactions in the agroecosystem


☘ Many combinations between species are possible (Verret *et al.*, 2020), the best combination is difficult to identify for local conditions

☘ And little is known about how to mix species (or varieties) to provide ecosystem services



Two important issues to encourage the development of crop mixtures

 **Identify species assembly rules in crop mixtures to provide ecosystem services (here for weed regulation)**



 **Co-design a tool to assist in the design of mixtures**

EcosysteMIX, exploratory and didactic tool to help identify **mixtures of species** capable of providing one (or more) expected **ecosystem service(s)** under given **agro-environmental conditions**




➤ A method based on knowledge hybridation and a functional ecology approach

Knowledge gathering and hybridation



- Scientific Knowledge
- Empirical knowledge

Crops are described by their **functional traits**, these traits are involved in **biological functions**, that are providing **ecosystem services**



Crop mixtures

Trait 1
C/N

Trait 2
Architecture

Trait 3
Frost
sensitiveness

Crop mixture traits

Function 1

Function 2


Agro-environmental conditions

Weed regulation

Médiène *et al.*, 2016

Evaluation of services provided by species

Functional representation of crop mixtures for weed regulation obtained after workshop



- Plant traits
- Agricultural practices
- Environmental conditions
- Functions
- G Meta-functions⁶



Functional representation of crop mixtures for weed regulation obtained after workshop

- Height
 - Leaf angle
 - Growth rate
 - SLA or LAI
 - Growth habit
 - Biomass production potential
- Root density
 - Root depth
 - Root growth rate
 - Nitrophilous (N requirement per kg/MS)
 - Need in PK
 - NDFA
 - Water requirement

- Sowing date
- Insertion mode
- Sowing arrangement
- Fertilization






- Initial soil nitrogen
- Weed types
- Level of infestation year y-1

Favouring the competitiveness of crop mixtures for light interception


Increase water and nutrient absorption capacity of the crop mixture

Increase the competition of the mixtures towards the weeds

WEED REGULATION IN CROP MIXTURE

-  Plant traits
-  Agricultural practices
-  Environnemental conditions
-  Functions
-  Meta-functions⁷


➤ Ongoing work: an example of hierarchical weighting




🌾 Validate and quantify the functional relationships Traits/Functions/Service

🌾 Hierarchy each branch of the functional tree

➤ Ongoing work: an example of hierarchical weighting




➤ Ongoing work: defining the assembly rules of traits in crop mixtures




For example, to promote the competitiveness of the mixture against weeds, it is necessary that the two species have a high height, i.e. convergent or high for one and low for the second i.e. divergence

Finalized goal: A tool to assist in designing of species mixtures




Qualitative hierarchical multi-attribute model (ex. Dexi) for each service to made **decision rules**



Classification of **species mixtures** according to their capacity to provide the expected **services** in the local production context

➤ Meta-functions involved in 4 ecosystem services



THANK YOU FOR YOUR ATTENTION!

What ecological traits and functions are important in a crop mixture for effective weed management?

Malick OUATTARA, Raphaël PAUT, Muriel VALANTIN-MORISON, Safia MEDIENE



malick.ouattara@inrae.fr



@UAgronomie