



HAL
open science

Mathematical modeling and control of nematode impact on banana production

Frank Kemayou, Suzanne Touzeau, Frédéric Grognard, Samuel Bowong

► To cite this version:

Frank Kemayou, Suzanne Touzeau, Frédéric Grognard, Samuel Bowong. Mathematical modeling and control of nematode impact on banana production. 15th International Conference on Dynamical Systems Applied to Biology and Natural Sciences (DSABNS), Feb 2024, Caparica, Portugal. . hal-04452078

HAL Id: hal-04452078

<https://hal.inrae.fr/hal-04452078>

Submitted on 12 Feb 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

MATHEMATICAL MODELING AND CONTROL OF NEMATODE IMPACT ON BANANA PRODUCTION

Frank Kemayou^{*1,2,3,4}, Suzanne Touzeau^{2,3}, Frédéric Grogard³ and Samuel Bowong^{1,4}

¹Faculty of Science, Department of Mathematics and Computer science, University of Douala,
Cameroon

²Université Côte d'Azur, INRAE, CNRS, ISA, France.

³Université Côte d'Azur, Inria, CNRS, MACBES, France

⁴UMI 209 IRD/UPMC UMMISCO, University of Yaounde I, Cameroon

kemayoufranck00@gmail.com (*presenter)

suzanne.touzeau@inrae.fr, frederic.grogard@inria.fr, sbowong@gmail.com

The production of bananas and plantains is one of the most important agricultural activities in many countries around the world. A major constraint for this production is due to the serious damage caused by a nematode called *Radopholus similis*. This nematode spends most of its life cycle in the roots of the banana plant, which makes it quite difficult to control. Our aim is to tackle this issue by a modeling approach.

In this work, a 4-compartment model describing the banana-nematode interactions is formulated. The originality of this model is that we consider both infected root and infesting nematodes which allows variable nematode densities in the roots. First, considering that root infestation is fast compared to the nematode development, we use Tikhonov's theorem on slow-fast systems theory to reduce the dimension of our system.

Then we analyse the reduced model. More precisely, we derive a threshold \mathcal{R} which classically determines the stability of the disease-free equilibrium and identify backward or forward bifurcations at its threshold value 1. Hence, $\mathcal{R} < 1$ may not be sufficient to eradicate the disease, as a stable endemic equilibrium may exist.

In the third part, the reduced model is extended to include a control strategy consisting in reducing the root infestation rate. The goal of our control is to maximize the banana production while minimizing the control costs and the final infected biomass that will impact the infestation during the next growing season. The existence of an optimal control is demonstrated and necessary optimality conditions are carefully established. Finally, numerical simulations are presented, using a forward-backward sweep method to solve the optimal control problem, which show the effectiveness of the control.