

# Identification of two concentration components to better understand the concentration-flow relationship(Obs. ORACLE)

José Manuel Tunqui Neira

#### ▶ To cite this version:

José Manuel Tunqui Neira. Identification of two concentration components to better understand the concentration-flow relationship(Obs. ORACLE). Catchment Transport Processes Summer School 2017, Jul 2017, Einsiedeln, Switzerland. hal-04497628

#### HAL Id: hal-04497628 https://hal.inrae.fr/hal-04497628v1

Submitted on 10 Mar 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# Identification of two concentration components to better understand the concentration-flow relationship(Obs. ORACLE)



José Manuel Tunqui Neira<sup>1\*</sup>

<sup>1</sup>UR Hydrosystèmes et Bioprocédés, Equipe ORACLE, Irstea, Antony, UMR Metis 7619 UPMC \* jose.tunqui@irstea.fr

✓ To study the concentration-flow relationships of a watershed by applying a two-component mixing equation :

Goal

- A concentration associated with the base flow rate (C₁), to represent the regular flows,
- A concentration associated with hydrometerological events (C<sub>2</sub>), o represent the fluxes linked to the rapid transfer of water in the soil.

Mixing equation

$$C_k = C_{1j} + (C_{2j} - C_{1j}) \frac{Q_{ext(k)}}{Q_{t(k)}}$$

Avec:

 $C_k$ : Total concentration for the time step k (mg/L)  $Q_{ext(k)}$ : External rate flow for the time step k (m³/s)

 $Q_{t(k)}$ : Total flow for the time step k (m<sup>3</sup>/s)

 $C_{1j}$ : Base concentration parameter for the time step j (mg/L):  $C_{2j}$ : External concentration parameter for the time step j (mg/L)

#### 1. Material and method




Figure 1: Orgeval catchment with its corresponding subs-catchments (source: Irstea-Antony)

- ✓ Study Zone: Catchment of Avenelles (45,7 km²)
- ✓ High-frequency measurements
   (approximately every 30 minutes) from June
   2015 to August 2016.
- ✓ Ten chemical elements studied (Table 1)

Table 1: Summary of the mean values, min and max of the chemical elements studied from the high frequency measurements

item	Unit =	Avenelles Catchment		
		Mean	Min	Max
magnesium	mg/L	8,58	2.98	11,46
potassium	mg/L	3,53	1.57	8,65
calcium	mg/L	118,55	56.51	168,04
sodium	mg/L	13,10	2.79	26,53
strontium	mg/L	0,35	0.17	0,57
fluoride	mg/L	0,15	0.03	2,88
sulfate	S mg/L	19,06	4.06	25,69
nitrates	Nmg/L	11,85	3.08	18,36
chloride	mg/L	31,48	3.63	51,05
phosphate	P mg/L	0,13	0,00	0,22
rainfall	mm/30min	0,05	0,00	10,10
flow	m <sup>3</sup> /s	0,33	0,05	12,20

We present here only the calculations and results related to the chloride ions

## 2. Resolution of equation

✓ Computation of base flow and extern flow using the




Figure 2: Calculation of  $Q_{base}$  (blue) from  $Q_{total}$  (red) using the BFI method for each month in the Avenelles catchment. Rain in black.

[1] Gustard A., Bullock A., Dixon J. (1992) Low-flow estimation in the United Kingdom. Institute of Hydrology.

Resolution of the mixture equation with two unknowns  $C_1$  and  $C_2$ , using the linear regression method

Chloride , 2015-09-15
Coef. reg. fit  $C_k = 34.7 + 1.96 * \frac{Q_{ext(k)}}{Q_{t(k)}}$ 




Figure 3: a) Daily hydrograph showing flows ( $Q_{total}$  and  $Q_{base}$ ) and observed concentration. b)Example of calculation of  $C_1$  and  $C_2$  for Chloride, from  $C_{obs}$  and  $Q_{ext}$  and  $Q_{total}$  using the linear regression method, for the date of 15/09/2015.

Thanks to the high frequency we can calculate values of  $C_1$  and  $C_2$  for each day.

# 3. Résultats




Figure 4: Values of  $C_1$  (orange) and  $C_2$ (blue) for each day for the whole study period (from 06/12/2015 to 31/08/2016) for chlorides

- For each chemical element, the daily values of  $C_1$  and  $C_2$  were calculated from June 2015 to August 2016.
- For the majority of chemical elements,  $C_1$  is very stable,  $C_2$  much more variable.
- ✓ From these results it is envisaged:
  - ✓ To find a single parameter of  $C_1$  and  $C_2$  that efficiently encompasses interactions between flows and concentrations.
  - ✓ To apply this method to medium and lowfrequency measurements

# Conclusions

✓ It is possible to identify two components to explain the variations in the concentration of the ten chemical elements studied.

### **Perspectives**

- Sensitivity analysis of parameters  $C_1$  and  $C_2$  to better understand how they vary.
- ✓ Make seasonal study of  $C_1$  and  $C_2$  parameters.
- ✓ Link  $C_1$ ,  $C_2$  and flow descriptors.





