



HAL
open science

Pherosensor-toolbox: a Python package for Biology-Informed Data Assimilation

Thibault Malou, Simon Labarthe

► **To cite this version:**

Thibault Malou, Simon Labarthe. Pherosensor-toolbox: a Python package for Biology-Informed Data Assimilation. Journal of Open Source Software, 2024, 10.21105/joss.06863 . hal-04669546v2

HAL Id: hal-04669546

<https://hal.inrae.fr/hal-04669546v2>

Submitted on 26 Sep 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License




Pherosensor-toolbox: a Python package for Biology-Informed Data Assimilation

Thibault Malou ¹ and Simon Labarthe ^{1,2,3}✉

1 Université Paris-Saclay, INRAE, MalAGE, 78350, Jouy-en-Josas, France 2 University of Bordeaux, INRAE, BIOGECO, 33610, Cestas, France 3 Inria, University of Bordeaux, INRAE, Talence, France ✉
Corresponding author

DOI: [10.21105/joss.06863](https://doi.org/10.21105/joss.06863)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Nikoleta Glynatsi](#) 

Reviewers:

- [@Shreyas911](#)
- [@mrazomej](#)

Submitted: 22 May 2024

Published: 26 September 2024

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).

Summary

Insect pests are a major threat to agricultural systems (Oerke, 2006), leading to intensive use of pesticides for crop protection with unsustainable drawbacks on the environment, biodiversity, and human health. Most insects produce pheromones for conspecific communication, making pheromone sensors an effective tool for early specific detection of pests, in order to reduce pesticide use within the context of precision agriculture (Gebbers & Adamchuk, 2010).

Pherosensor-toolbox is a Python package containing numerical tools for pheromone sensor data assimilation to infer the position of emitting pest insects. It contains specific tools to model pheromone propagation and solve the corresponding inverse problem to determine emitters' position taking into account the environmental context (wind, landscape, vegetation...). A specific focus is put on the integration of biological knowledge of pest behavior during inference.

Statement of need

In the field of data assimilation for PDE and dynamic systems, existing packages provide tools to easily interface dynamic systems, observation models, and a collection of data assimilation algorithms, such as DAPPER (Raanes et al., 2024), OpenDA (Ridler et al., 2014), or PDAF (Nerger et al., 2005).

Unlike these generic packages, Pherosensor-toolbox is a context-specific application-oriented package specifically designed to solve the inverse problem of inferring the source term (i.e. pheromone emitters position and emission rates) within a Chemical-Transport Model (CTM) modeling pheromone propagation in an agricultural landscape. An additional feature is the possibility of informing the data assimilation with insect behavior, such as population dynamics modeled by partial differential equations (PDEs), to get Biology-Informed Data-Assimilation (BI-DA). BI-DA aims to counter-balance data scarcity with prior biological knowledge. Another upcoming feature is optimal sensor placement tools to find the most informative sensor placement for assimilating the sensor data and inferring the source term of the CTM. The target audience is then academic researchers interested in epidemic surveillance for crops.

Outlook

Direct CTM problem

Pherosensor-toolbox first contains numerical tools to solve a 2D CTM, i.e. the equation defined on a landscape Ω and a time span $(0, T)$ as

$$\frac{\partial c}{\partial t} - \nabla \cdot (\mathbf{K} \nabla c) + \nabla \cdot (\vec{u}c) + \tau_{loss}c = s \quad \forall (x, y) \in \Omega, \forall t \in (0; T) \quad (1)$$

where $c(t, x, y)$ is the local pheromone concentration, \mathbf{K} is a diffusion coefficient, \vec{u} is a wind field, τ_{loss} represents vertical loss of pheromone (including vertical transport and vegetation-specific deposition), and s is the quantity of pheromone emitted. Note that \mathbf{K} , \vec{u} and τ_{loss} are known parameters, whereas $s(t, x, y)$ is the source term to estimate. The latter is related to pest density $p(x, y)$ by the relation $s = q(t)p(x, y)$ where q is a time pheromone emission per insect.

Pherosensor-toolbox includes a finite volume solver defined on a cartesian scatter grid with implicit and semi-implicit time schemes.

BI-DA to solve the inverse problem

We define BI-DA with the following optimization problem: find the optimal quantity of pheromone emitted over time and space $s_a(t, x, y)$ such that

$$s_a(x, y, t) = \underset{s(x, y, t)}{\operatorname{argmin}} j(s) \text{ with } j(s) = j_{obs}(s) + j_{reg}(s) \quad (2)$$

where j_{obs} is the observation loss and j_{reg} is a regularization term. Namely

$$j_{obs}(s) = \|m(c(s)) - m_{obs}\|_{\mathbf{R}^{-1}}^2$$

where $c(s)$ is the concentration map obtained by solving the CTM [Equation 1](#) with second member s , m_{obs} are noisy observations with covariance \mathbf{R} , and $c \mapsto m$ is an observation operator.

In the BI-DA framework, the term j_{reg} involves biological priors including LASSO (pest sparsity in time and space), group-LASSO (pest sparsity in space), Tikhonov (pest favorite habitat), log-barrier (inappropriate habitat) or pest population dynamics. For population dynamics, $j_{reg}(s) = \|\mathcal{M}(s) - \gamma\|_2^2$, i.e. the regularization aims at minimizing the residual of a PDE or ODE model defined with the differential operator \mathcal{M} and a background value γ .

Pherosensor-toolbox provides gradient-based (gradient descent or proximal gradient) variational optimization methods to solve [Equation 2](#), where the gradient $\nabla j_{obs}(s)$ is obtained by solving the adjoint model of the CTM. It also provides tools to implement the population dynamics PDE or ODE-based regularization.

Postprocessing

Pherosensor-toolbox includes several plotting functions to display differences and benchmarks between ground truth and the estimate s_a including spatial maps or pest presence maps defined with level sets.

Related works

Pherosensor-toolbox has been used in a publication introducing the BI-DA framework and assessing the impact of incorporating prior biological knowledge on the estimation accuracy ([Malou et al., 2024](#)). This publication also incorporates mathematical developments to include

any type of PDE-based population dynamics regularization. The optimal placement tools, which will be soon added to the Pherosensor-toolbox, will be used to study the optimal placement in the landscape of pheromone sensors in order to enhance the accuracy of pest localization, and to study methodologies of sensor placement and replacement.

Acknowledgements

We acknowledge the support of the French National Research Agency (ANR) under the grant ANR-20-PCPA-0007 (PheroSensor).

References

- Gebbers, R., & Adamchuk, V. I. (2010). Precision Agriculture and Food Security. *Science*, 327(5967), 828–831. <https://doi.org/10.1126/science.1183899>
- Malou, T., Parisey, N., Adamczyk-Chauvat, K., Vergu, E., Laroche, B., Calatayud, P.-A., Lucas, P., & Labarthe, S. (2024). *Biology-Informed inverse problems for insect pests detection using pheromone sensors*. Zenodo. <https://doi.org/10.5281/ZENODO.11506617>
- Nerger, L., Hiller, W., & Schröter, J. (2005). PDAF - the parallel data assimilation framework: experiences with Kalman filtering. *Use of High Performance Computing in Meteorology*, 63–83. https://doi.org/10.1142/9789812701831_0006
- Oerke, E.-C. (2006). Crop losses to pests. *The Journal of Agricultural Science*, 144(1), 31–43. <https://doi.org/10.1017/S0021859605005708>
- Raanes, P. N., Chen, Y., & Grudzien, C. (2024). DAPPER: Data Assimilation with Python: A Package for Experimental Research. *Journal of Open Source Software*, 9(94), 5150. <https://doi.org/10.21105/joss.05150>
- Ridler, M. E., Van Velzen, N., Hummel, S., Sandholt, I., Falk, A. K., Heemink, A., & Madsen, H. (2014). Data assimilation framework: Linking an open data assimilation library (OpenDA) to a widely adopted model interface (OpenMI). *Environmental Modelling & Software*, 57, 76–89. <https://doi.org/10.1016/j.envsoft.2014.02.008>