



HAL
open science

A tale of two copies: evolutionary trajectories of moth pheromone receptors

Zibo Li, Rémi Capoduro, Emmanuelle Jacquin-Joly, Nicolas Montagné,
Camille Meslin

► **To cite this version:**

Zibo Li, Rémi Capoduro, Emmanuelle Jacquin-Joly, Nicolas Montagné, Camille Meslin. A tale of two copies: evolutionary trajectories of moth pheromone receptors. 19th International Symposium on Olfaction and Taste, Jun 2024, Reykjavik, Iceland. hal-04704106

HAL Id: hal-04704106

<https://hal.inrae.fr/hal-04704106v1>

Submitted on 20 Sep 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



A tale of two copies: evolutionary trajectories of moth pheromone receptors


Zibo Li, Rémi Capoduro, Emmanuelle Jacquin-Joly, Nicolas Montagné, Camille Meslin

INRAE, Sorbonne Université, CNRS, IRD, UPEC, Université Paris Cité, Institut d'Ecologie et des Sciences de l'Environnement de Paris (iEES-Paris), 78026 Versailles, France.


✉ ziboli95@gmail.com

Introduction

Pheromone communication is an essential component of reproductive isolation in animals. *Spodoptera littoralis* has evolved its own repertoire of olfactory receptors (Ors) to satisfy its ecology, essentially through duplication events. Duplicates vary significantly in sequence identity and tuning breadths. However, how the duplicates diverged and acquired new functions is not known. Previous functional studies showed that SlitOR5 is specifically tuned to (Z,E)-9,11-14:OAc (Bastin-Héline *et al.*, 2019), while SlitOR75, a recent duplicate of SlitOR5, can detect many compounds. Here, we used ancestral gene reconstruction using the codeml of the PAML suite and heterologous expression in drosophila neurons to resurrect AncOR5_75, their common ancestor, as well as AncOR5. Then, the 3D structure and binding pockets were predicted by AlphaFold2 and DeepSite, respectively. At last, ancestors were functionally characterized using *Xenopus* oocyte heterologous expression system, and site-directed mutagenesis experiments were performed on AncOR5_75 to recreate the evolutionary trajectory that led to SlitOR5 (Li & Capoduro *et al.*, 2023).



(A) Synteny of Or5 orthologs and paralogs in the four species. (B) Identity matrix between amino-acid sequences encoded by Or5 and Or75 genes. (C) Phylogeny of ORs encoded by genes shown in (A). (D) Tuning breadth of OR5 orthologs and paralogs in *Spodoptera* species.



(E) Phylogeny of OR5 orthologs, paralogs and ancestors. (F) Amino-acid sequence identity. (G) Response spectra of Or5/Or75 ancestors. (H) 3D structure of AncOR5_75. (I) Binding pockets of AncOR5_75 and AncOR5. (J) Response profiles of AncOR5, AncOR5_75 or AncOR5_75_mut8x. (K) Principal Component Analysis based on the responses of AncOR5, AncOR5_75 and its related mutants.

Conclusion

- Identified and functionally characterized six ORs from *Spodoptera* species that all clustered in the novel pheromone receptor clade.
- Evidenced a duplication of OR5 in a common ancestor of *S. littoralis* and *S. litura* and found that in these two species, one copy is also broadly tuned as AncOR5_75 while the other one is specific to (Z,E)-9,11-tetradecadienyl acetate.
- Identified eight amino acid positions in the binding pockets of these receptors whose evolution has been responsible for narrowing the response spectrum to a single ligand.

Acknowledgments

Lucie Bastin-Héline, Sai Zhang, Dongdong Sun, Philippe Lucas, Diane Dabir-Moghaddam, Marie-Christine François, Yang Liu, Guirong Wang

Bibliography

Bastin-Héline *et al.*, 2019, eLife
Li & Capoduro *et al.*, 2023, PNAS



Scan me!

