



HAL
open science

Reformulation of dry sausages with natural plant extracts prevents oxidation even in the absence of nitrates

Selebran C., Laurent Aubry, Laurent Picgirard, A. Laleuw, M. Carlier, Charlène Sirvins, G. Nassy, Aurélie Promeyrat, Véronique Santé-Lhoutellier

► **To cite this version:**

Selebran C., Laurent Aubry, Laurent Picgirard, A. Laleuw, M. Carlier, et al.. Reformulation of dry sausages with natural plant extracts prevents oxidation even in the absence of nitrates. 70. International Congress of Meat Science and Technology, Aug 2024, Foz Do Iguaçu, Brazil. <hal-04708616>

HAL Id: hal-04708616

<https://hal.inrae.fr/hal-04708616v1>

Submitted on 25 Sep 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization

Background & objective

Dry sausages are part of French gastronomy and represent 8% of the total food consumed weekly in France. Reducing people's exposure to nitrites, nitrates and nitroso compounds is a public health issue. Therefore, reformulation provides technological leverage to reduce or even exclude nitrite/nitrate inputs in processed meats. Known for their antioxidant and anti-nitrosating properties, polyphenols can be provided by plant byproducts like grapeseed or olive pomace from olive oil extraction. Nitrite/nitrate in dry-fermented pork sausages/salamis can be replaced through formulation with a grapeseed/olive pomace mixture, while controlling microbiological safety, albeit with possible color or taste alteration. Preliminary studies have defined an acceptable concentration from a sensory point of view, set at 6 mM eq gallic acid. **The aim of the present study was to investigate different sources of polyphenols, alone or in combination with nitrates, to highlight possible synergistic effects on oxidation and prevention of nitrosation.**

Materials and Methods

Seven types dry sausages were manufactured using fruit extract, green tea or polyphenol-rich olive/grape extracts combined or not with nitrate (160 ppm)

Dry sausages making:

87% of porcine shoulder meat + 13% of porcine back fat.


Grinding at 6 mm diameter and stuffing in porcine casings of 55 mm diameter. Addition of 160 mg/kg NaNO₃ and/or 6 mM polyphenol extracts: green tea GT, olive grape OG, fruit cocktail FC.

Flavoring with 1.50 g/kg of ground grey pepper

Starters 0.15 g/kg : *Lactobacillus sakei*, *Staphylococcus carnosus*, *Staphylococcus xylosus* (Lallemand, France)

Addition of dextrose and lactose (5.50 g/kg and 6.00 g/kg, respectively) to acidify the sausages during the fermentation step.

After drying, weight loss is 44%, similar whatever the formulation pH is comprised between 5.1 and 5.2



Added nitrate 160 ppm (160/0)	160/0 ; 160/0 - GT ; 160/0 - OG ; 160/0 - FC
Without nitrate (0/0)	0/0 ; 0/0 - GT ; 0/0 - OG

Biochemical characterization

Lipid oxidation, Iron nitrosylation, residual nitrites, residual nitrates, nitrosothiols, non-volatile nitrosamines (Keuleyan et al., 2022).

Statistical analysis



ANOVA and Tukey *post-hoc* tests performed on variables (Jamovi software). Data with nitrate (160/0) analysed separately from those without nitrate (0/0)

Conclusions


- ❑ Dry sausages did not contain meaningful amount of harmful nonvolatile nitrosamines, which is a public health result worth mentioning.
- ❑ Replacing nitrates in dry sausages is possible with 6 mM plant extract (green tea and olive grape), with limited lipid oxidation.
- ❑ The combination with nitrates highlighted a synergistic action on lipid oxidation, therefore ensuring better preservation of the food product.
- ❑ Further investigations are planned to evaluate how the polyphenol extracts protect against oxidation and nitration in digestive conditions, which are known to increase oxidation and the release of NO.
- ❑ Possible synergistic action of polyphenols with lower nitrite levels must be investigated in greater depth.

Results


Residual nitrites and nitrates



Absence of nitrosamines NNO and nitrosothiols RSNO



Less formation of Fe-NO in absence of NaNO₃



Strong reduction of lipid oxidation in dry sausage formulated with plant extracts

