



**HAL**  
open science

## Predictive models of abundance and diversity of soil microbial communities

Walid Horrigue, Samuel Dequiedt, Nicolas Chemidlin Prévost-Bouré, Pierre-Alain Maron, Florentin Constancias, Dominique D. Arrouays, Claudy C. Jolivet, Lionel Ranjard

► **To cite this version:**

Walid Horrigue, Samuel Dequiedt, Nicolas Chemidlin Prévost-Bouré, Pierre-Alain Maron, Florentin Constancias, et al.. Predictive models of abundance and diversity of soil microbial communities. 1. Global Soil Biodiversity Initiative Conference (GSBI), Dec 2014, Dijon, France. 703 p., 2014. hal-02738869

**HAL Id: hal-02738869**

**<https://hal.inrae.fr/hal-02738869>**

Submitted on 2 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

THE FIRST GLOBAL  
**SOIL BIODIVERSITY CONFERENCE**

Assessing soil biodiversity and role in ecosystem services



GLOBAL  
**SOIL BIODIVERSITY**  
INITIATIVE

Palais des Congrès, Dijon, France

**2-5 DECEMBER 2014**

THE FIRST GLOBAL  
**SOIL BIODIVERSITY**  
**CONFERENCE**

December 2-5, 2014, Dijon, France

# PROGRAM AND ABSTRACTS

## THE FIRST GLOBAL **SOIL BIODIVERSITY** **CONFERENCE**



GLOBAL  
**SOIL BIODIVERSITY**  
INITIATIVE

December 2-5, 2014

Dijon – France

[P2.072]

**Predictive models of abundance and diversity of soil microbial communities**

W. Horrigue\*<sup>1</sup>, S. Dequiedt<sup>1</sup>, N. Chemidlin Prévost-Bouré<sup>3</sup>, P.A. Maron<sup>1,2</sup>, F. Constancia<sup>2</sup>, D. Arrouays<sup>4</sup>, C. Jolivet<sup>4</sup>, L. Ranjard<sup>1,2</sup>

<sup>1</sup>INRA, UMR1347 Agroécologie-Plateforme GenoSol, Dijon, France, <sup>2</sup>INRA, UMR1347 Agroécologie, Dijon, France, <sup>3</sup>AgroSup, UMR1347 Agroécologie, Dijon, France, <sup>4</sup>INRA, US 1106 Infosol, Orléans, France

Soil over-exploitation for the development of intensive agriculture and industrialization has led to a significant erosion of biodiversity. Given the importance of soil biota for the delivery of many of the ecosystemic services, it becomes crucial to provide indicators and standards to soil users allowing them assessing soil biological quality and quantifying the impact of human activities. Among soil organisms, microorganisms (bacteria and fungi) are the most important in terms of density ( $10^6$ - $10^9$  individuals/g soil), diversity ( $10^3$ - $10^6$  species/g soil), and involvement in soil functioning. Consequently, the biological status of the soil depends closely on the properties of the indigenous microbial communities. Microbial indicators (density, diversity, activity) have been developed and standardized from the research conducted in environmental microbiology and they must now be transferred and made operational. To date, one missing step to develop soil biological diagnostic is the establishment of the standards needed for the robust interpretation of these bioindicators.

With this goal, we developed a mathematical strategy to provide the standards for the interpretation of microbial abundance (i.e. molecular microbial biomass) and diversity (i.e. richness and evenness), which are two of the most recognized indicators of soil quality. For this, we exploited the thousands microbial and environmental data obtained from the French Soil Quality Monitoring Network (RMQS), which covers the whole environmental variability of French territory to develop a predictive model of microbial bioindicators according to soil pedo-climatic conditions.

Technically, we developed statistical polynomial models to predict the natural range of variations of soil molecular microbial biomass and diversity. These models are innovative tools providing optimal value of microbial biomass and diversity for a given pedoclimatic condition, which must be compared with measured data to allow a robust diagnostic of soil quality. On the other hand, these models may provide more cognitive insights by their ability to evaluate the response of microbial community to pedoclimatic variations.

Keywords: Soil microbial communities abundance, Soil microbial diversity, Predictive models, Natural ranges of variation