

In vitro and in vivo insights into the digestion of a unique natural emulsion: human milk

Samira de Oliveira, Amélie Deglaire, Célia Moustiès, Olivia Ménard, Amandine Bellanger, Fredéric Carrière, Pierre P. Villeneuve, Emelyne Dirson, Yann Le Gouar, Florence Rousseau, et al.

▶ To cite this version:

Samira de Oliveira, Amélie Deglaire, Célia Moustiès, Olivia Ménard, Amandine Bellanger, et al.. In vitro and in vivo insights into the digestion of a unique natural emulsion: human milk. 107. AOCS Annual Meeting & Expo, May 2016, Salt-Lake City, United States. 2016. hal-02743698

HAL Id: hal-02743698 https://hal.inrae.fr/hal-02743698

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

In vitro and in vivo insights into the digestion of a unique natural emulsion: human milk

S. de Oliveira¹, A. Deglaire¹, C. Moustiés¹, O. Ménard¹, A. Bellanger², F. Carrière³, P. Villeneuve⁴, E. Dirson⁵, Y. Legouar¹, F. Rousseau¹, D. Dupont¹, C. Bourlieu^{1,4}

¹ INRA-AGROCAMPUS, UMR 1253 STLO, France; ² CHU Rennes, Department of Pediatrics, France; ³ CNRS, Aix Marseille Université, UMR 7282 EIPL, France; ⁴ CIRAD, UMR IATE, France; ⁵ CHU Rennes, Lactarium - Infant Nutrition and Dietetics, France.

Human milk is the ideal food for infant nutrition. Understanding the digestive behavior of this natural complex colloidal emulsion is essential for neonatal nutrition and a key step in developing infant formulas with optimized health benefits. However, ethical reasons limit *in vivo* trials. Thus, it is important to develop relevant in vitro models. In this aim, a dynamic in vitro digestion system (DIDGI®) was applied to human milks or infant formula.

The dynamic digester parameters were based on an exhaustive literature review to mimic closely the digestion of newborns. Raw or pasteurized pooled human milks (HM) or a liquid infant formula (IF) were digested in triplicate. In parallel, *in vivo* study was conducted on preterm newborns at Rennes Hospital (NCT02112331) to validate gastric *in vitro* data. Lipolysis, liberated fatty acids and the structural changes of the matrices were evaluated along digestion.

HMs differed from IF in terms of chemical composition (specifically regiodistribution), prehydrolysis state and emulsion structure. These initial differences impacted lipolysis kinetics and deconstruction. In comparison, the pasteurization of HM only impacted emulsion disintegration, protein aggregation and the persistence of native fat globules.

Our model will be useful to the scientist community and food manufacturers who focus on neonatal digestion and infant formulas optimization.