



HAL
open science

Draft genome sequences of 142 Mycobacterium avium subsp. paratuberculosis strains isolated from naturally infected dairy cattle

Cyril Conde, Maxime Branger, Thierry Cochard, Marie-Noëlle Rossignol, Christine Fourichon, Arnaud Delafosse, Aurore Davergne, Alain Joly, David Ngwa-Mbot, Laurent Journaux, et al.

► To cite this version:

Cyril Conde, Maxime Branger, Thierry Cochard, Marie-Noëlle Rossignol, Christine Fourichon, et al.. Draft genome sequences of 142 Mycobacterium avium subsp. paratuberculosis strains isolated from naturally infected dairy cattle. Microbiology Resource Announcements, 2021, 10 (38), 5 p. 10.1128/mra.00697-21 . hal-03388033

HAL Id: hal-03388033

<https://hal.inrae.fr/hal-03388033>

Submitted on 20 Oct 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License



Draft Genome Sequences of 142 *Mycobacterium avium* subsp. *paratuberculosis* Strains Isolated from Naturally Infected Dairy Cattle

Cyril Conde,^a Maxime Branger,^a Thierry Cochard,^a Marie-Noëlle Rossignol,^b Christine Fourichon,^c Arnaud Delafosse,^d Aurore Davergne,^e Alain Joly,^f David Ngwa-Mbot,^g Laurent Journaux,^h Raphael Guatteo,^c Laurent Schibler,ⁱ  Franck Biet^a

^aINRAE, Université de Tours, ISP, Nouzilly, France

^bINRAE, GABI, AgroParisTech, Université Paris-Saclay, Jouy-en-Josas, France

^cINRAE, UMR1300 Biologie, Épidémiologie et Analyse de Risque en Santé Animale; Centre Nantes-Angers, Nantes, France

^dGroupement de Défense Sanitaire Orne, Alençon, France

^eGDMA, Bois-Guillaume, France

^fGroupement de Défense Sanitaire Bretagne, Vannes, France

^gGDS France, Paris, France

^hIdede, Paris, France

ⁱAlice, Paris, France

ABSTRACT *Mycobacterium avium* subsp. *paratuberculosis* is the etiological agent of Johne's disease in ruminants. Here, we report the annotated draft genome sequences of 142 *M. avium* subsp. *paratuberculosis* strains that were isolated from dairy cattle in France between 2014 and 2018. The genomes of these strains were sequenced using Illumina technology.

Mycobacterium *avium* subsp. *paratuberculosis* is an economically significant veterinary pathogen in cattle, sheep, and goat populations (1). *M. avium* subsp. *paratuberculosis* is a very clonal species with genomes characterized by a high homology (2). To study the diversity of *M. avium* subsp. *paratuberculosis* strains and their phylogeny, it is therefore essential to have their entire genome sequences available.

Therefore, this sequencing project was conducted to sequence a panel of 142 *M. avium* subsp. *paratuberculosis* strains isolated during a longitudinal study of infected bovine (3) to better define the genetic features and pangenomic characteristics of this veterinary pathogen.

The 142 *M. avium* subsp. *paratuberculosis* strains were isolated from fecal samples collected as part of a longitudinal study of naturally infected cattle (3). The *M. avium* subsp. *paratuberculosis* isolates were propagated on slopes of Middlebrook 7H11 agar, 0.5% (vol/vol) glycerol, 10% (vol/vol) Middlebrook oleic acid-albumin-dextrose-catalase (OADC) enrichment medium (Becton, Dickinson, Oxford, Oxfordshire, UK), and 2 μ g/ml of mycobactin J (IdVet, France) at 37°C. The isolates were tested for the presence of the *M. avium* subsp. *paratuberculosis*-specific sequence IS900 (4) and genotyped using the MLVA (4).

Mycobacteria were harvested in the early to mid-log phase of growth, and the cells were pelleted at room temperature for 10 min at 6,000 \times *g*. The pellets were resuspended in 10 ml of TE buffer (10 mM Tris-HCl [pH 8.0], 1 mM EDTA) and centrifuged again at 6,000 \times *g* for 10 min. The semidried mycobacterial pellets were resuspended in 360 μ l of lysis buffer T1 (Macherey-Nagel, Germany, NucleoSpin tissue kit), and the samples were transferred to a Lysing Matrix B tube (mpbio) containing 350 mg of 0.1 mm silica spheres. The samples were homogenized in a FastPrep FP120 cell disruptor at 3 \times 20 s, speed 6, followed by centrifugation at 14,000 \times *g* for 5 min. The supernatants were transferred to fresh sterile microcentrifuge tubes, 25 μ l of proteinase K (20 mg/ml) (Macherey-Nagel) was added, and the samples

Citation Conde C, Branger M, Cochard T, Rossignol M-N, Fourichon C, Delafosse A, Davergne A, Joly A, Ngwa-Mbot D, Journaux L, Guatteo R, Schibler L, Biet F. 2021. Draft genome sequences of 142 *Mycobacterium avium* subsp. *paratuberculosis* strains isolated from naturally infected dairy cattle. Microbiol Resour Announc 10:e00697-21. <https://doi.org/10.1128/MRA.00697-21>.

Editor Irene L. G. Newton, Indiana University, Bloomington

Copyright © 2021 Conde et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Franck Biet, franck.biet@inrae.fr.

Received 23 July 2021

Accepted 28 August 2021

Published 23 September 2021

TABLE 1 Sequencing metrics for the 142 *Mycobacterium avium* subsp. *paratuberculosis* strains analyzed

Isolate	Genome size (bp)	No. of contigs	N_{50} (bp)	Total no. of genes	Total no. of CDSs ^a	G+C content (%)	ENA accession no.	Contig accession no.
PICSAR1	4,788,264	169	66,775	4,572	4,509	69.32	ERS6092665	CAJSNF01000001
PICSAR10	4,806,270	342	33,849	4,633	4,570	69.31	ERS6092666	CAJSMR01000001
PICSAR100	4,790,864	141	77,512	4,585	4,522	69.32	ERS6377149	CAJSMZ01000001
PICSAR102	4,793,984	158	74,709	4,582	4,519	69.32	ERS6092667	CAJPZJ02000001
PICSAR103	4,791,349	169	68,061	4,580	4,517	69.32	ERS6092668	CAJSMU01000001
PICSAR104	4,785,660	212	51,002	4,583	4,521	69.31	ERS6092669	CAJSND01000001
PICSAR106	4,784,162	168	58,265	4,568	4,505	69.32	ERS6092670	CAJSNC01000001
PICSAR107	4,783,589	205	54,247	4,597	4,534	69.32	ERS6092671	CAJSMV01000001
PICSAR11	4,786,941	216	50,211	4,602	4,540	69.31	ERS6092672	CAJSMY01000001
PICSAR110	4,785,567	188	56,293	4,586	4,523	69.31	ERS6092673	CAJSMS01000001
PICSAR111	4,780,529	170	56,292	4,572	4,509	69.32	ERS6092674	CAJSNE01000001
PICSAR113	4,784,630	180	62,923	4,579	4,516	69.31	ERS6092676	CAJSNG01000001
PICSAR117	4,788,531	167	63,942	4,566	4,503	69.32	ERS6092678	CAJSMT01000001
PICSAR118	4,780,126	206	52,735	4,595	4,532	69.31	ERS6092679	CAJSNB01000001
PICSAR119	4,786,159	196	50,347	4,577	4,514	69.31	ERS6092680	CAJSMW01000001
PICSAR120	4,788,510	204	56,691	4,589	4,526	69.3	ERS6377150	CAJSMX01000001
PICSAR124B	4,787,722	136	86,432	4,570	4,507	69.32	ERS6377151	CAJSNA01000001
PICSAR124	4,792,645	158	71,665	4,573	4,510	69.32	ERS6092682	CAJSNI01000001
PICSAR126	4,796,308	164	86,432	4,561	4,498	69.33	ERS6092684	CAJSNH01000001
PICSAR13	4,789,268	146	80,438	4,569	4,506	69.32	ERS6092687	CAJSNJ01000001
PICSAR131	4,790,689	128	92,490	4,561	4,498	69.32	ERS6377152	CAJSNU01000001
PICSAR132	4,787,497	177	63,521	4,583	4,520	69.32	ERS6092689	CAJSNQ01000001
PICSAR135	4,794,273	153	91,217	4,583	4,520	69.33	ERS6092690	CAJSNR01000001
PICSAR136	4,788,400	184	59,721	4,586	4,523	69.32	ERS6092691	CAJVAR01000001
PICSAR14	4,787,453	243	41,260	4,609	4,546	69.31	ERS6092693	CAJSNP01000001
PICSAR140	4,789,215	126	92,229	4,563	4,500	69.33	ERS6092694	CAJSNW01000001
PICSAR141	4,786,839	168	71,205	4,574	4,511	69.31	ERS6092695	CAJSNX01000001
PICSAR142	4,787,534	161	64,094	4,581	4,518	69.32	ERS6092696	CAJSNS01000001
PICSAR143	4,779,428	192	55,835	4,570	4,507	69.32	ERS6092697	CAJSNT01000001
PICSAR145	4,785,805	163	64,178	4,575	4,512	69.32	ERS6092699	CAJSNV01000001
PICSAR147	4,789,937	175	68,132	4,576	4,513	69.32	ERS6092701	CAJSNO01000001
PICSAR148	4,788,670	141	79,766	4,561	4,498	69.32	ERS6092702	CAJSNM01000001
PICSAR15	4,780,402	214	49,347	4,581	4,518	69.31	ERS6092704	CAJSNY01000001
PICSAR154	4,789,709	162	70,010	4,586	4,523	69.32	ERS6092706	CAJSNL01000001
PICSAR157	4,787,040	166	62,990	4,573	4,510	69.32	ERS6092707	CAJSNN01000001
PICSAR16	4,789,808	170	64,202	4,578	4,515	69.32	ERS6092708	CAJSNK01000001
PICSAR160	4,787,812	173	66,624	4,566	4,503	69.32	ERS6092709	CAJSOD01000001
PICSAR162	4,785,890	195	49,541	4,584	4,521	69.31	ERS6377153	CAJSOA01000001
PICSAR164	4,769,542	325	30,069	4,608	4,545	69.29	ERS6092710	CAJSOC01000001
PICSAR168B	4,790,339	151	86,432	4,561	4,498	69.33	ERS6377154	CAJSOB01000001
PICSAR168	4,790,212	149	74,685	4,563	4,500	69.32	ERS6092711	CAJSNZ01000001
PICSAR172	4,788,168	144	74,172	4,569	4,506	69.32	ERS6092713	CAJSOE01000001
PICSAR178	4,773,707	183	58,645	4,571	4,508	69.32	ERS6092714	CAJSOH01000001
PICSAR179	4,788,184	192	59,069	4,587	4,524	69.32	ERS6092715	CAJSOK01000001
PICSAR18	4,783,336	218	47,690	4,594	4,532	69.31	ERS6092716	CAJSOM01000001
PICSAR180	4,790,473	144	79,784	4,568	4,505	69.32	ERS6092717	CAJSOG01000001
PICSAR181	4,783,299	213	48,895	4,583	4,520	69.31	ERS6092718	CAJSOI01000001
PICSAR182	4,786,048	199	53,495	4,576	4,513	69.32	ERS6092719	CAJSOF01000001
PICSAR184	4,789,623	168	66,614	4,575	4,512	69.32	ERS6092720	CAJSOJ01000001
PICSAR189	4,788,806	179	69,522	4,565	4,502	69.32	ERS6092721	CAJSOL01000001
PICSAR19	4,789,870	163	64,491	4,569	4,506	69.32	ERS6092722	CAJSOQ01000001
PICSAR191	4,789,697	173	67,710	4,564	4,501	69.32	ERS6092723	CAJSOR01000001
PICSAR192	4,788,235	193	58,604	4,595	4,532	69.31	ERS6092724	CAJSOU01000001
PICSAR196	4,791,434	161	71,932	4,570	4,507	69.32	ERS6092725	CAJSOS01000001
PICSAR197	4,791,144	133	85,113	4,570	4,507	69.33	ERS6092726	CAJSOO01000001
PICSAR198	4,787,281	151	74,155	4,563	4,500	69.32	ERS6092727	CAJSON01000001
PICSAR2	4,792,264	156	77,040	4,574	4,511	69.33	ERS6092728	CAJSOW01000001
PICSAR201	4,789,399	170	68,914	4,567	4,504	69.32	ERS6092730	CAJVAV01000001
PICSAR202	4,783,908	160	64,785	4,561	4,498	69.31	ERS6092731	CAJSOX01000001
PICSAR204	4,790,713	139	86,451	4,571	4,508	69.32	ERS6092733	CAJSOV01000001
PICSAR205	4,792,146	154	74,990	4,564	4,501	69.32	ERS6377155	CAJSOP01000001

(Continued on next page)

TABLE 1 (Continued)

Isolate	Genome size (bp)	No. of contigs	N_{50} (bp)	Total no. of genes	Total no. of CDSs ^a	G+C content (%)	ENA accession no.	Contig accession no.
PIC SAR206	4,790,443	140	73,462	4,568	4,505	69.32	ERS6092734	CAJSOT010000001
PIC SAR208	4,792,845	147	73,575	4,572	4,509	69.32	ERS6092735	CAJSPD010000001
PIC SAR209	4,785,508	185	62,895	4,579	4,516	69.32	ERS6092736	CAJSPG010000001
PIC SAR21	4,795,268	165	71,391	4,579	4,516	69.32	ERS6377156	CAJSPA010000001
PIC SAR210	4,786,061	170	64,188	4,581	4,518	69.32	ERS6092737	CAJV RD010000001
PIC SAR211	4,788,728	133	83,580	4,551	4,488	69.33	ERS6092738	CAJSPB010000001
PIC SAR214	4,765,345	213	56,214	4,569	4,506	69.31	ERS6092740	CAJSPC010000001
PIC SAR215	4,786,273	194	53,502	4,585	4,522	69.31	ERS6092741	CAJVAT010000001
PIC SAR216	4,791,256	124	97,349	4,566	4,503	69.33	ERS6092742	CAJV AU010000001
PIC SAR218	4,789,693	123	92,477	4,567	4,504	69.33	ERS6092743	CAJVAV010000001
PIC SAR22	4,791,855	151	79,764	4,557	4,494	69.33	ERS6092746	CAJSPF010000001
PIC SAR222	4,789,088	183	60,343	4,588	4,525	69.32	ERS6092747	CAJSPE010000001
PIC SAR23	4,787,284	142	92,228	4,566	4,503	69.32	ERS6092749	CAJSPH010000001
PIC SAR232	4,790,364	144	73,122	4,563	4,500	69.32	ERS6092750	CAJSPQ010000001
PIC SAR235	4,781,829	221	43,461	4,598	4,535	69.31	ERS6092751	CAJSPQ010000001
PIC SAR238	4,788,942	173	64,108	4,582	4,520	69.32	ERS6092752	CAJSPQ010000001
PIC SAR24	4,786,946	159	77,065	4,563	4,500	69.32	ERS6092753	CAJSPK010000001
PIC SAR240	4,779,977	168	62,880	4,571	4,508	69.31	ERS6092754	CAJSPN010000001
PIC SAR246	4,787,832	195	58,821	4,591	4,528	69.32	ERS6092756	CAJSPR010000001
PIC SAR248	4,790,004	160	69,396	4,586	4,523	69.32	ERS6092758	CAJSPJ010000001
PIC SAR249	4,792,479	176	58,262	4,581	4,518	69.32	ERS6092759	CAJSP L010000001
PIC SAR25	4,781,362	211	48,503	4,578	4,517	69.31	ERS6377157	CAJSPM010000001
PIC SAR250	4,792,163	144	86,432	4,576	4,513	69.32	ERS6092760	CAJSP I010000001
PIC SAR252	4,786,258	187	58,262	4,591	4,528	69.32	ERS6092762	CAJSPS010000001
PIC SAR253	4,794,805	163	77,033	4,571	4,508	69.31	ERS6377158	CAJSP T010000001
PIC SAR254	4,790,393	167	69,690	4,577	4,514	69.33	ERS6092763	CAJSPV010000001
PIC SAR255	4,789,281	155	71,960	4,572	4,509	69.33	ERS6092764	CAJSPW010000001
PIC SAR26	4,803,390	358	31,565	4,642	4,579	69.3	ERS6092767	CAJSPY010000001
PIC SAR28	4,784,222	178	58,791	4,577	4,514	69.31	ERS6092769	CAJSPX010000001
PIC SAR29	4,790,559	180	55,537	4,586	4,523	69.32	ERS6092770	CAJSPU010000001
PIC SAR3	4,788,567	149	86,432	4,566	4,503	69.33	ERS6092771	CAJSPZ010000001
PIC SAR30	4,788,254	144	73,587	4,558	4,495	69.32	ERS6092772	CAJSQA010000001
PIC SAR36	4,788,733	173	64,182	4,578	4,515	69.32	ERS6092773	CAJSQH010000001
PIC SAR38	4,783,227	188	56,621	4,589	4,526	69.31	ERS6092774	CAJSQB010000001
PIC SAR4	4,789,442	161	69,522	4,572	4,509	69.32	ERS6092775	CAJSQE010000001
PIC SAR43	4,795,124	164	74,414	4,570	4,507	69.32	ERS6092776	CAJSQO010000001
PIC SAR46	4,789,901	187	60,696	4,595	4,532	69.32	ERS6092777	CAJSQI010000001
PIC SAR47	4,788,818	150	71,401	4,572	4,509	69.32	ERS6092778	CAJSQD010000001
PIC SAR48	4,785,510	199	49,332	4,578	4,515	69.31	ERS6092779	CAJSQG010000001
PIC SAR49	4,781,084	182	62,918	4,585	4,522	69.31	ERS6092780	CAJSQF010000001
PIC SAR5	4,784,540	230	42,694	4,594	4,531	69.31	ERS6092781	CAJSQJ010000001
PIC SAR51	4,793,239	189	59,822	4,591	4,528	69.32	ERS6092782	CAJSQL010000001
PIC SAR52	4,787,441	152	72,686	4,573	4,510	69.32	ERS6092783	CAJSQM010000001
PIC SAR53	4,784,438	179	58,265	4,598	4,535	69.31	ERS6092784	CAJSQN010000001
PIC SAR55	4,785,207	218	40,946	4,606	4,543	69.31	ERS6092785	CAJSQK010000001
PIC SAR56	4,788,148	166	68,167	4,578	4,515	69.32	ERS6092786	CAJSQP010000001
PIC SAR58	4,787,822	178	64,942	4,567	4,504	69.32	ERS6092787	CAJSQO010000001
PIC SAR6	4,787,390	196	56,620	4,601	4,538	69.32	ERS6092789	CAJSQQ010000001
PIC SAR61	4,787,489	180	59,708	4,572	4,509	69.32	ERS6092791	CAJSQR010000001
PIC SAR63	4,790,650	162	71,378	4,572	4,509	69.32	ERS6092792	CAJSQS010000001
PIC SAR64	4,787,452	193	58,783	4,580	4,517	69.31	ERS6092793	CAJSQT010000001
PIC SAR65	4,782,888	305	30,419	4,639	4,576	69.3	ERS6092794	CAJSQU010000001
PIC SAR68	4,786,445	181	58,792	4,565	4,502	69.32	ERS6092796	CAJSQZ010000001
PIC SAR7	4,778,202	248	36,939	4,597	4,534	69.3	ERS6092797	CAJSQV010000001
PIC SAR70	4,784,997	142	92,177	4,585	4,522	69.32	ERS6092798	CAJSRA010000001
PIC SAR71	4,781,870	222	48,298	4,620	4,557	69.31	ERS6092799	CAJSQX010000001
PIC SAR72	4,788,047	175	59,133	4,574	4,511	69.32	ERS6092800	CAJSRC010000001
PIC SAR73	4,785,412	174	64,178	4,573	4,510	69.32	ERS6092801	CAJSQY010000001
PIC SAR74	4,793,447	159	66,779	4,569	4,506	69.32	ERS6092802	CAJSRB010000001
PIC SAR75	4,789,467	174	66,593	4,569	4,506	69.32	ERS6092803	CAJSRD010000001
PIC SAR76	4,791,598	148	82,825	4,567	4,504	69.32	ERS6092804	CAJSQW010000001
PIC SAR77	4,792,094	147	86,451	4,565	4,502	69.32	ERS6092805	CAJSRF010000001

(Continued on next page)

TABLE 1 (Continued)

Isolate	Genome size (bp)	No. of contigs	N_{50} (bp)	Total no. of genes	Total no. of CDSs ^a	G+C content (%)	ENA accession no.	Contig accession no.
PIC SAR78	4,787,636	205	53,988	4,592	4,529	69.31	ERS6092806	CAJSRG010000001
PIC SAR8	4,782,208	192	49,547	4,565	4,502	69.31	ERS6092807	CAJSRE010000001
PIC SAR81	4,787,134	187	58,883	4,563	4,500	69.32	ERS6092808	CAJSRH010000001
PIC SAR85	4,785,784	170	64,173	4,577	4,514	69.32	ERS6377159	CAJSRJ010000001
PIC SAR9	4,791,470	127	85,615	4,566	4,503	69.33	ERS6092809	CAJSRI010000001
PIC SAR94	4,788,723	179	64,188	4,578	4,515	69.32	ERS6092810	CAJSRK010000001
PIC SAR98	4,791,377	137	85,433	4,563	4,500	69.32	ERS6092811	CAJSRL010000001
PIC SAR42	4,779,801	229	50,081	4,588	4,526	69.3	ERS6377160	CAJSRM010000001
PIC SAR39	4,782,076	212	47,711	4,581	4,518	69.31	ERS6377161	CAJSRN010000001
PIC SAR138	4,783,258	239	40,551	4,590	4,527	69.3	ERS6377162	CAJSRO010000001
PIC SAR97	4,784,339	215	46,530	4,596	4,533	69.31	ERS6377163	CAJSRP010000001
PIC SAR213	4,788,192	152	80,210	4,568	4,505	69.32	ERS6377164	CAJSRR010000001
PIC SAR87	4,797,579	167	66,614	4,567	4,504	69.3	ERS6377165	CAJSRQ010000001
PIC SAR171	4,790,264	162	65,791	4,567	4,504	69.31	ERS6377166	CAJSRX010000001
PIC SAR200	4,794,348	148	86,432	4,572	4,509	69.32	ERS6377167	CAJSRW010000001
PIC SAR236	4,790,200	147	79,765	4,560	4,497	69.33	ERS6377168	CAJSRS010000001
PIC SAR35	4,780,919	218	46,619	4,584	4,521	69.31	ERS6377169	CAJSRV010000001
PIC SAR190	4,788,050	202	52,943	4,584	4,521	69.3	ERS6377170	CAJSRT010000001
PIC SAR144	4,781,205	174	71,974	4,575	4,512	69.32	ERS6092698	CAJSRU010000001

^aCDSs, coding DNA sequences.

were incubated for 16 h at 56°C. DNA was extracted using the NucleoSpin tissue kit (Macherey-Nagel) according to the manufacturer's protocol. DNA was quantified using the QuantiFluor double-stranded DNA (dsDNA) system with the Quantus fluorometer (Promega, France). The extracted DNA (10 to 30 ng) was used to prepare sequencing libraries with the Nextera XT kit (Illumina, San Diego, CA), and sequencing was conducted using the Illumina MiSeq instrument at the @Bridge platform (INRAE, GABI, Jouy en Josas, France). Sequencing was performed in paired-end, 300-bp format and was down-sampled to about 50× coverage. The short-read data were first trimmed using fastp v0.20.1 (5), based on a Phred scale base quality threshold of Q30 and removing reads of less than 21 bp. Kraken2 v2.0.9-beta (6) with the bacteria database was used to perform taxonomic identification at the read level in order to check for potential contamination (Table 1). All reads assigned to the *Mycobacteriaceae* family were extracted and then assembled using SPAdes v3.14 (7) with the "--careful" option. The metrics of the assembled contigs were collected using QUAST v5.0.2 (8), and the contigs were annotated using Prokka v1.14.6 (9) with *M. avium* subsp. *paratuberculosis* K-10 as the reference annotation strain (10, 11). Prodigal (12) was pretrained using the complete genome sequence of strain K-10.

Data availability. The sequences were deposited in the European Nucleotide Archive public sequence database under the accession numbers [SAMEA8407198](#) to [SAMEA8407344](#) and [SAMEA8692664](#) to [SAMEA8692685](#) (BioProject accession number [PRJEB43898](#)).

ACKNOWLEDGMENTS

This work was funded by the INRA metaprogram Integrated Management of Animal Health for the GISA-PIC SAR project, by APIS-GENE and GDS France for the PARADIGM project, and by APIS-GENE for the Genomap project.

REFERENCES

- Rathnaiah G, Zinniel DK, Bannantine JP, Stabel JR, Grohn YT, Collins MT, Barletta RG. 2017. Pathogenesis, molecular genetics, and genomics of *Mycobacterium avium* subsp. *paratuberculosis*, the etiologic agent of Johne's disease. *Front Vet Sci* 4:187. <https://doi.org/10.3389/fvets.2017.00187>.
- Bannantine JP, Conde C, Bayles DO, Branger M, Biet F. 2020. Genetic diversity among *Mycobacterium avium* subspecies revealed by analysis of complete genome sequences. *Front Microbiol* 11:1701. <https://doi.org/10.3389/fmicb.2020.01701>.
- Navarro-Gonzalez N, Fourichon C, Blanquefort P, Delafosse A, Joly A, Ngwa-Mbot D, Biet F, Boichard D, Schibler L, Journaux L, Meens E, Guatteo R. 2019. Longitudinal study of *Mycobacterium avium* ssp. *paratuberculosis* fecal shedding patterns and concurrent serological patterns in naturally infected dairy cattle. *J Dairy Sci* 102:9117–9137. <https://doi.org/10.3168/jds.2018-15897>.
- Thibault VC, Grayon M, Boschirolu ML, Hubbans C, Overduin P, Stevenson K, Gutierrez MC, Supply P, Biet F. 2007. New variable-number tandem-repeat markers for typing *Mycobacterium avium* subsp. *paratuberculosis* and *M. avium* strains: comparison with IS900 and IS1245 restriction fragment length polymorphism typing. *J Clin Microbiol* 45:2404–2410. <https://doi.org/10.1128/JCM.00476-07>.
- Chen S, Zhou Y, Chen Y, Gu J. 2018. fastp: an ultra-fast all-in-one FASTQ preprocessor. *Bioinformatics* 34:i884–i890. <https://doi.org/10.1093/bioinformatics/bty560>.

6. Wood DE, Lu J, Langmead B. 2019. Improved metagenomic analysis with Kraken 2. *Genome Biol* 20:257. <https://doi.org/10.1186/s13059-019-1891-0>.
7. Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Prjibelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *J Comput Biol* 19:455–477. <https://doi.org/10.1089/cmb.2012.0021>.
8. Gurevich A, Saveliev V, Vyahhi N, Tesler G. 2013. QAST: quality assessment tool for genome assemblies. *Bioinformatics* 29:1072–1075. <https://doi.org/10.1093/bioinformatics/btt086>.
9. Seemann T. 2014. Prokka: rapid prokaryotic genome annotation. *Bioinformatics* 30:2068–2069. <https://doi.org/10.1093/bioinformatics/btu153>.
10. Li L, Bannantine JP, Campo JJ, Randall A, Grohn YT, Schilling MA, Katani R, Radzio-Basu J, Easterling L, Kapur V. 2019. Identification of sero-diagnostic antigens for the early diagnosis of Johne's disease using MAP protein microarrays. *Sci Rep* 9:17573. <https://doi.org/10.1038/s41598-019-53973-x>.
11. Li L, Bannantine JP, Zhang Q, Amonsin A, May BJ, Alt D, Banerji N, Kanjilal S, Kapur V. 2005. The complete genome sequence of *Mycobacterium avium* subspecies *paratuberculosis*. *Proc Natl Acad Sci U S A* 102:12344–12349. <https://doi.org/10.1073/pnas.0505662102>.
12. Hyatt D, Chen G-L, Locascio PF, Land ML, Larimer FW, Hauser LJ. 2010. Prodigal: prokaryotic gene recognition and translation initiation site identification. *BMC Bioinformatics* 11:119. <https://doi.org/10.1186/1471-2105-11-119>.